



MOTOTRBO PROFESSIONAL SERIES TWO-WAY RADIO ACCESSORIES

**UNLEASH THE POWER
OF YOUR RADIO**



TABLE OF CONTENTS

MOTOTRBO R7 & ION PORTABLE RADIO ACCESSORIES

Remote Speaker Microphones (RSM)	4
Operations Critical Wireless Bluetooth Accessories	4
Surveillance Accessories and Earpieces	5
Remote Speaker Microphones Accessories with Standard 3.5mm Jack	5
Surveillance Accessory Replacement Kits	6
Remote Speaker Microphones Replacement Kits	6
Headsets	7
3M Peltor Headsets	7
PTT Adapter Configurations	7
Batteries	8
Charging Solutions (Single Unit)	9
Charging Solutions (Multi-Unit)	10
Charging Solutions Replacement Kits	11
Vehicle Charging Solutions	12
IMPRES Battery Management Tools	13
Carry Solutions	14
Programming Cables	14
Screen Protectors	14
Antennas	16
Antennas Accessories	16

3

MOTOTRBO PORTABLE RADIO ACCESSORIES

Remote Speaker Microphones (RSM)	19
Remote Speaker Microphones Accessories with Standard 3.5mm Jack	22
Remote Speaker Microphones Accessories with Threaded 3.5mm	22
Public Safety Microphone Antennas	23
Public Safety Microphones	24
Surveillance Accessories and Earpieces	25
Surveillance Accessory Replacement Kits	27
Earpieces	29
Mag One™ Earpieces	29
Headsets	30
Tactical Headsets	31
Mag One™ Headsets	31
Heavy Duty Headsets	32
Audio Accessory Adapters	32
3M Peltor Headsets	33
PTT Adapter Configurations	33
3M Peltor Headsets – RSM Configurations	34
Headset Replacement Parts	34
Hearing Protection Accessories	34
Operations Critical Wireless Bluetooth® Accessories	35
Enhanced Operations Critical Wireless	38
Operations Critical Wireless Completely Discreet Kit	38
Operations Critical Wireless Replacement Parts	39
Motorola Original® Two-Way Radio Batteries	40
Charger Solutions	43
IMPRES Battery Management Tools	46
Carry Solutions	47
Screen Protectors	50
Antennas	50
Antenna Accessories	55
Programming Cables	56

17

MOTOTRBO MOBILE RADIO ACCESSORIES

Microphones	59
Microphone Accessories	60
External Push-to-Talk (PTT)	60
Long Range Wireless Mobile Accessory Kits	61
Long Range Wireless Chargers and Replacement Parts	62
Operations Critical Wireless Bluetooth® Accessories	63
Operations Critical Wireless Replacement Parts	65
Control Station Accessories	66
Installation and Mounting Accessories	67
External Speakers	67
Cables	68
Antennas	69
Antenna Accessories	72

57

GLOSSARY

73






MOTOTRBO R7 & MOTOTRBO ION PORTABLE RADIO ACCESSORIES



MOTOTRBO R7 & ION RADIO ACCESSORIES

REMOTE SPEAKER MICROPHONES



The MOTOTRBO ION has a re-engineered accessory port that adds more robustness and longevity when connected to remote speaker microphones and other compatible accessories.

COMPATIBILITY		ACCESSORY		FEATURES								
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING, NOISE-CANCELING OR DUAL MIC. NOISE SUPPRESSION	FULL DUPLEX WITH ION (for telephony call)	SYSTEM VOLUME CONTROL (STEPS)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	HAZLOC CAPABLE**	DIMENSIONS (MM) H X W X D
R7 ION	 RM780 IMPRES Windporting Remote Speaker Microphone, large, work-when-wet, IP68	PMMN4128	•	•	Windporting with noise suppression	• ²	•	2 programmable + 1 emergency	•	IP68	UL	Large 77 x 58 x 25 (without clip)
	 RM760 IMPRES Windporting Remote Speaker Microphone, large basic, work-when-wet, IP68	PMMN4140 ¹	•	•	Windporting with noise suppression	• ²			•	IP68	UL	Large 77 x 58 x 25 (without clip)
	 RM730 IMPRES Windporting Remote Speaker Microphone, small, IP68	PMMN4131 ¹	•	•	Windporting with noise suppression	• ²		Emergency	•	IP68	UL	Small 70 x 55 x 22 (without clip)

New GCAI Mini Connector
Compact wired accessory connector



OPERATIONS CRITICAL WIRELESS BLUETOOTH® ACCESSORIES

COMPATIBILITY		ACCESSORY		FEATURES											
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	FULL DUPLEX WITH ION (for telephony call)	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	HAZLOC CAPABLE**
R7 ION	 WM500 Wireless Remote Speaker Microphone (compatible with PMLN7560 3.5mm earpiece) (Requires minimum firmware of R04.00.00)	PMMN4127	N/A	Omni directional, Windporting	• (With ION only)	On Microphone	18	2	128	80 x 57.5 x 24.5	Operations Critical	STANDARD	30	IP67	N/A
ION	 Operation Critical Wireless Bluetooth Earpiece with PTT	PMLN8123	Over-the-Ear (Swivel)	Boom	• (With ION only)	On Boom Mic	8	3	23	107 x 72 x 26	Operations Critical	STANDARD	30	N/A	N/A

Verify the firmware on the WM500 RSM and update the firmware to R04.00.00 by downloading the Accessory Manager App, found in the Google Play Store or Apple App store.



Scan QR Code to download the Accessory Manager Application

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

¹ Requires ION radio with software version M-ION.2022.03 and beyond.

² RSMs above require to use PMLN8120 3.5mm earpiece in order to operate a telephony call when connecting to ION radio.

LOUD AND CLEAR AUDIO

When pairing a RM780, RM760, or RM730 Remote Speaker Microphone with the R7 radio, the enhanced single input noise cancelling feature will suppress the background noise for clearer communication.

Innovative audio technology enables you to hear and be heard over crowd noise, machinery and blaring sirens. Motorola Solutions' Wind and Water Shielding technology ensures audio is loud and clear.

Rugged and dependable, the RM Series Remote Speaker Microphones are IP68 rated for use in harsh environments and weather. The RM780 and RM760 also meet the work-when-wet requirements having enhanced water drainage and top quality materials to ensure you get the best audio experience.



INTELLIGENT AUDIO: YOUR CALLS, ALWAYS AT THE PERFECT VOLUME



















Set your volume once and depend on your accessory to listen for changes in background noise, adjusting the volume automatically.



RM780 RSM

MOTOTRBO R7 & ION RADIO ACCESSORIES



SURVEILLANCE ACCESSORIES AND EARPIECES

COMPATIBILITY		ACCESSORY		FEATURES							VERTICAL MARKETS: Recommendations based on typical use case for each vertical listed.							
PORTABLE RADIOS		DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	FULL DUPLEX WITH ION (for telephony calls)	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
R7 ION		IMPRES™ 1-Wire Surveillance Kit with Translucent Tube, Loud Audio, Black	PMLN8341	•	•	• (With ION only)	Clear Rubber Eartip				UL	•	•	•		•	•	•
		IMPRES™ 2-Wire Surveillance Kit with Translucent Tube, Loud Audio, Black	PMLN8342	•	•	• (With ION only)	Clear Rubber Eartip				UL	•	•	•		•	•	•
		IMPRES™ 3-Wire Surveillance Kit with Translucent Tube, Loud Audio, Black	PMLN8343	•	•	• (With ION only)	Clear Rubber Eartip				UL	•	•	•		•	•	•
		IMPRES™ 2-Wire Swivel Earhook with Removable Eartip, Loud Audio, Black	PMLN8295 ¹	•	•	• (With ION only)	Removable Black Rubber Eartip				UL	•	•	•		•	•	•
		IMPRES™ 1-Wire Single Earbud with Removable Earhook, Loud Audio, Black	PMLN8337 ¹	•	•	• (With ION only)	Single Earbud					UL	•	•	•		•	•

¹ Requires ION radio with software version M-ION.2022.03 and beyond.

REMOTE SPEAKER MICROPHONES ACCESSORIES WITH STANDARD 3.5MM JACK

These earpieces give you the flexibility to receive radio communications more discreetly.

COMPATIBILITY		ACCESSORY		FEATURES	
RSMS		DESCRIPTION	PART NUMBER	EARPIECE TYPE	HAZLOC CAPABLE**
RM780 RM760 RM730		Receive-Only Earpiece with Translucent Tube, Loud Audio (for PMMN4128, PMMN4140 & PMMN4131)	PMLN8120	Clear Rubber Eartip	UL
WM500		Receive-Only Earpiece with Translucent Tube and Rubber Eartip (For PMMN4127)	PMLN7560	Clear Rubber Eartip	








**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.







IMPRES™ 3-Wire Surveillance Kit with Translucent Tube

MOTOTRBO R7 & ION RADIO ACCESSORIES

SURVEILLANCE ACCESSORY REPLACEMENT KITS

ACCESSORY		FEATURES		
DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE EARPIECES	
 Replacement Quick Disconnect Translucent Tube with Clear Rubber Eartip	PMLN8092	Clear Rubber Eartip	PMLN8120 PMLN8341	PMLN8342 PMLN8343
 Replacement Rubber Eartip, Small (5 per pack)	PMLN8068	Black Rubber Eartip	PMLN8295	
 Replacement Rubber Eartip, Medium (5 per pack)	PMLN8069			
 Replacement Rubber Eartip, Large (5 per pack)	PMLN8070			
 Replacement Rubber Sleeve, Small (25 per pack)	PMLN8363	Black Rubber Sleeve Clear Rubber Eartip	PMLN8337	
 Replacement Rubber Sleeve, Medium (25 per pack)	PMLN8364			
 Replacement Rubber Sleeve, Large (25 per pack)	PMLN8365			



REMOTE SPEAKER MICROPHONES REPLACEMENT KITS

COMPATIBILITY	ACCESSORY	
RSMS	DESCRIPTION	PART NUMBER
RM780 RM760 RM730	 Replacement Coil Cord Kit for PMMN4128, PMMN4131, PMMN4140	PMKN4232
	 Low Profile Swivel Clip for PMMN4128, PMMN4131, PMMN4140	PMLN8121
	 Replacement Dust Cover (10 per pack) for PMMN4128, PMMN4140	PMLN8122
	 Replacement Dust Cover (10 per pack) for PMMN4131	PMLN8253





HEADSETS

COMPATIBILITY		ACCESSORY	FEATURES									VERTICAL MARKETS: Recommendations based on typical use case for each verticals listed.						
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES	INTELLIGENT AUDIO	NOISE REDUCTION RATING	MICROPHONE	PTT	WEIGHT	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
R7	 Heavy Duty Behind-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN8085	Behind-the-Head	Dual-Muff	•	•	24 dB	Boom	On Ear Cup	Heavy Duty	UL	•	•	•	•			
ION	 Heavy Duty Over-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN8086	Over-the-Head	Dual-Muff	•	•	24 dB	Boom	On Ear Cup	Heavy Duty	UL	•	•	•	•			





**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

3M PELTOR HEADSETS

The 3M Peltor CH-3 Series is designed for industrial users working in high noise environments.

COMPATIBILITY		ACCESSORY	FEATURES							VERTICAL MARKETS: Recommendations based on typical use case for each vertical listed.						
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	NOISE REDUCTION RATING (NRR)	MICROPHONE	PTT (MOTOTRBO)	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)

PTT ADAPTER CONFIGURATIONS




R7	 CH-3 Series Over-the-Head Headset with Nexus Connector (See user guide for replacement parts)	PMLN8265 ¹	Over-the-Head	Nexus	Dual-Ear	26 dB	Boom	Requires PTT Adapter PMLN8297		•	•	•	•			
	 CH-3 Series Neckband Headset with Nexus Connector (See user guide for replacement parts)	PMLN8266 ¹	Neckband	Nexus	Dual-Ear	24 dB	Boom	Requires PTT Adapter PMLN8297		•	•	•	•			
	 CH-3 Series Hard Hat Attached with Nexus Connector (Hat not included) (See user guide for replacement parts)	PMLN8267 ¹	Hard Hat Attached	Nexus	Dual-Ear	24 dB	Boom	Requires PTT Adapter PMLN8297		•	•	•	•			
ION	 PTT Nexus Adapter (Requires headset - options listed above)	PMLN8297 ¹	N/A	N/A	N/A	N/A	N/A	N/A		•	•	•	•			

¹ Requires ION radio with software version M-ION.2022.03 and beyond.

MOTOTRBO R7 & ION RADIO ACCESSORIES

BATTERIES




Slim, high capacity batteries, powered by new lithium cells. Our batteries are uniquely designed and rigorously tested, not compromising on quality.

COMPATIBILITY	ACCESSORY		FEATURES							
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES*	CHEMISTRY	TYPICAL CAPACITY (mAh)	DIMENSIONS (MM) H X L X D	WEIGHT (GRAMS)	HAZLOC CAPABLE**	IP RATING	OPERATING TEMPERATURE (DISCHARGE)
R7	 IMPRES Li-Ion 2200mAh IP68 Slim Battery	PMNN4807	•	Li-Ion	2200	116 x 55 x 17	118		IP66, IP68	-20°C to +60°C
	 IMPRES Li-Ion 2850mAh IP68 Slim Battery	PMNN4809	•	Li-Ion	2850	116 x 55 x 17	135		IP66, IP68	-20°C to +60°C
	 IMPRES Li-Ion 3200mAh IP68 TIA4950 Battery	PMNN4810	•	Li-Ion	3200	116 x 55 x 23	168	UL	IP66, IP68	-20°C to +60°C

* MOTOTRBO R7 IMPRES batteries comes with self-calibration feature when used with IMPRES Single-Unit Charger and IMPRES 2 Multi-Unit Fast Charger (SW ver V2.01 and above) listed under Charging Solutions for MOTOTRBO R7.

** HAZLOC details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL- approved MOTOTRBO portable.

Powered by IMPRES™ 2 batteries augmented with energy management intelligence, MOTOTRBO ION extends your lifeline a full shift or beyond.

COMPATIBILITY	ACCESSORY		FEATURES							
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES 2*	CHEMISTRY	TYPICAL CAPACITY (mAh)	DIMENSIONS (MM) H X L X D	WEIGHT (GRAMS)	HAZLOC CAPABLE*	IP RATING	OPERATING TEMPERATURE (DISCHARGE)
ION	 IMPRES 2 Li-Ion 2820mAh IP68 Slim Battery	PMNN4803	•	Li-Ion	2820	114 x 69 x 16	145		IP68	-20°C to +60°C
	 IMPRES 2 Li-Ion 2900mAh IP68 TIA4950 Battery	PMNN4804	•	Li-Ion	2900	114 x 69 x 24	171	UL	IP68	-20°C to +60°C
	 IMPRES 2 Li-Ion 4400mAh IP68 TIA4950 Battery	PMNN4805	•	Li-Ion	4400	114 x 69 x 27	211	UL	IP68	-20°C to +60°C

* HAZLOC details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL- approved MOTOTRBO portable.

EXTENDED BATTERY LIFE. BUILT TO LAST.

You face challenges every day. Battery life shouldn't be one of them. IMPRES 2 batteries, when combined with an IMPRES 2 charger, deliver up to 60% more charging cycles than traditional Lithium Ion batteries, so they're on the job longer. Which means you can stock fewer spares, and replace fewer batteries.

WHAT IS IMPRES SELF-CALIBRATION?



IMPRES batteries with self calibration feature can be identified through this logo on the battery label. These batteries do not require long hours of IMPRES calibration or recondition process, when charged with:

- IMPRES Single Unit Charger
- IMPRES 2 Multi Unit Charger (SW ver V2.01* and above)




* If the R7 IMPRES battery is initially inserted into the charger with older software, it will begin the initialization process with a solid yellow indication. Do not remove the battery from the charger until the charger indicates solid green. This process may take up to 8 hours.

HOW DO IMPRES BATTERIES AND CHARGERS SAVE MONEY?


They reduce the number of spare batteries you would need to buy and increase the time before you need replacements. Only IMPRES batteries can be charged 150 additional times versus a standard battery – a 43% increase in charge cycles. If you charge radios two to three times a week, you will get more than an extra year out of every IMPRES battery.

ONLY IMPRES BATTERIES CAN BE CHARGED 150 TIMES MORE THAN STANDARD BATTERIES AND LAST 43% LONGER




CHARGING SOLUTIONS

Choose from a variety of solutions including single-unit, multi-unit, travel and in-vehicle chargers and be confident your radio is charged and ready to go the moment you need it.

COMPATIBILITY	ACCESSORY			FEATURES					
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS	
R7		IMPRES Single-Unit Charger	US/CAN Plug	PMPN4576A	•	Li-Ion, NiMh	120 VAC	51 x 88 x 94	1
			ARG Plug	PMPN4573A	•	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
			BRZ Plug	PMPN4575A	•	Li-Ion, NiMh	100-240 VAC	51 x 88 x 94	1
			UK Plug	PMPN4572A	•	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
			EURO Plug	PMPN4577A	•	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
			AU/NZ Plug	PMPN4571A	•	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
			JAP Plug	PMPN4578A	•	Li-Ion, NiMh	100-240 VAC	51 x 88 x 94	1
			KOR Plug	PMPN4574A	•	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
			CHN Plug	PMPN4579A	•	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
			INDIA Plug	PMPN4582A	•	Li-Ion, NiMh	100-240 VAC	51 x 88 x 94	1



Charge a single battery or while it is attached to your radio.

COMPATIBILITY	ACCESSORY			FEATURES					
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES 2	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS	
ION		IMPRES 2, Single-Unit Charger	US Plug	PMPN4524	•	Li-Ion, NiMh	120 VAC	52 x 88 x 94	1
			ARG Plug	PMPN4512	•	Li-Ion, NiMh	240 VAC	52 x 88 x 94	1
			BRZ Plug	PMPN4515	•	Li-Ion, NiMh	240 VAC	52 x 88 x 94	1
			UK Plug	PMPN4510	•	Li-Ion, NiMh	240 VAC	52 x 88 x 94	1
			EURO Plug	PMPN4525	•	Li-Ion, NiMh	240 VAC	52 x 88 x 94	1
			AU/NZ Plug	PMPN4511	•	Li-Ion, NiMh	240 VAC	52 x 88 x 94	1
			JAP Plug	PMPN4609	•	Li-Ion, NiMh	100-240 VAC	52 x 88 x 94	1
			KOR Plug	PMPN4514	•	Li-Ion, NiMh	240 VAC	52 x 88 x 94	1
			INDIA Plug	PMPN4641	•	Li-Ion, NiMh	240 VAC	52 x 88 x 94	1

IMPRES 2 SINGLE UNIT CHARGERS

IMPRES 2 charging algorithms increase charge cycles up to 60% over non-IMPRES

Calibration mode can be disabled through selection switch

California Energy Commission (CEC) energy efficiency compliant



Plug included in kit




MOTOTRBO R7 & ION RADIO ACCESSORIES

CHARGING SOLUTIONS

Charge up to 6 R7 or Ion radios or batteries simultaneously with our IMPRES 2 Multi-Unit Fast Charger.

COMPATIBILITY	ACCESSORY		FEATURES				
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
R7	IMPRES 2 Multi-Unit Fast Charger with 1 Display* US/CAN Plug	PMPN4284	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	UK Plug	PMPN4290	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	EURO Plug	PMPN4289	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	AU/NZ Plug	PMPN4293	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	ARG Plug	PMPN4291	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	BZL Plug	PMPN4292	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	JAP Plug	PMPN4295	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	KOR Plug	PMPN4294	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	CHN Plug	PMPN4296	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	TW Plug	PMPN4462	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
R7	 Interchangeable Charging Pocket	AS000129A01	*Charger Software version should be upgraded to v2.02. Chargers can be updated to the latest software version using the MSI Charger Reprogrammer Installation Software . An installation guide is included in the software download package.				
ION	 Wall Mount Bracket for IMPRES 2 Multi-Unit Charger	BR000272A01					

COMPATIBILITY	ACCESSORY		FEATURES				
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
ION	IMPRES 2 Multi-Unit Fast Charger with 1 Display* US Plug	PMPN4498	•	Li-Ion, NiMh	100-240 VAC	170 x 445 x 116	6
	UK Plug	PMPN4516	•	Li-Ion, NiMh	100-240 VAC	170 x 445 x 116	6
	EURO Plug	PMPN4499	•	Li-Ion, NiMh	100-240 VAC	170 x 445 x 116	6
	AU/NZ Plug	PMPN4517	•	Li-Ion, NiMh	100-240 VAC	170 x 445 x 116	6
	ARG Plug	PMPN4518	•	Li-Ion, NiMh	100-240 VAC	170 x 445 x 116	6
	BZL Plug	PMPN4521	•	Li-Ion, NiMh	100-240 VAC	170 x 445 x 116	6
	JAP Plug	PMPN4295	•	Li-Ion, NiMh	100-240 VAC	170 x 445 x 116	6
	KOR Plug	PMPN4520	•	Li-Ion, NiMh	100-240 VAC	170 x 445 x 116	6
	INDIA Plug	PMPN4642	•	Li-Ion, NiMh	100-240 VAC	170 x 445 x 116	6
		 Interchangeable Charging Pocket for ION	AS000180A01				



**MOTOTRBO R7
IMPRES 2 Multi-Unit Fast Charger**



**MOTOTRBO ION
IMPRES 2 Multi-Unit Fast Charger**



MOTOTRBO R7 & ION RADIO ACCESSORIES

CHARGING SOLUTIONS SINGLE-UNIT CHARGER REPLACEMENT KITS

COMPATIBILITY	ACCESSORY		FEATURES	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	POWER SOURCE	
R7 ION	Replacement Power Supply for IMPRES Single-Unit Charger US/CAN Plug	25009297001	120 VAC	
	ARG Plug	PS000037A04	240 VAC	
	BRZ Plug	EPNN9356A	100-240 VAC	
	UK Plug	PS000037A02	240 VAC	
	EURO Plug	PS000037A01	240 VAC	
	AU/NZ Plug	PS000037A03	240 VAC	
	JAP Plug	PMLN5229A	100-240 VAC	
	KOR Plug	PS000037A06	240 VAC	
	CHN Plug	PS000037A05	240 VAC	
	INDIA Plug	EPNN9295A	100-240 VAC	
	ION	BRZ Plug	PS000037A07	240 VAC
		INDIA Plug	PS000037A08	240 VAC








CHARGING SOLUTIONS MULTI-UNIT CHARGER REPLACEMENT KITS

COMPATIBILITY	ACCESSORY		FEATURES
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	CABLE LENGTH (MM)
R7 ION	Replacement Power Supply, 100-240 VAC without Power Cord	PS000242A01	n/a
	Power Cord for IMPRES 2 Multi-Unit Charger, US/CAN Plug	3087791G01	2300
	UK Plug	3087791G07	2300
	EURO Plug	3087791G04	2300
	AU/NZ Plug	3087791G10	2300
	BZL Plug	3087791G22	2300
	JAP Plug	3087791G20	2300
	KOR Plug	3087791G16	2300
	CHN Plug	CB000199A01	2500
	TW Plug	CB000805A01	2500
	ARG Plug	3087791G13	2300

MOTOTRBO R7 & ION RADIO ACCESSORIES

VEHICLE CHARGING SOLUTIONS

COMPATIBILITY	ACCESSORY		FEATURES				
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
R7	 IMPRES Single-Unit Rapid Rate Vehicular Charger, Heavy-Duty Permanent Mount	NNTN7616	•	Li-Ion, NiMh	12 VDC (hardwire)	200 x 83 x 97	1
	 Travel Charger, Rapid Rate with Voltage Regulated Adapter, Custom Charger Base, Mounting Bracket and Coil Cord	NNTN8525		Li-Ion, NiMh	12 VDC Cigarette Lighter Adapter	58 x 64 x 67	1
ION	 IMPRES 2 Charging Cradle with Mounting Kit	PMPN4607	•	Li-Ion	12 VDC Cigarette Lighter Adapter	75 x 45 x 133	1
	 Replacement Cigarette Lighter Adapter	PS000514A01					
	 Replacement Strap	HW003289A01					

IMPRES 2 Vehicle Charging Cradle


The IMPRES 2 Charging Cradle allows you to communicate efficiently, while your MOTOTRBO Ion radio is securely mounted in your vehicle. The cradle is mounted using a compatible RAM mount (comes with RAM Mounts' Drill Down Adapter) enabling safer driving. This charging cradle was designed to give you full access to radio functions including the front screen, camera, push-to-talk, buttons and knobs.



MOTOTRBO PORTABLE RADIO ACCESSORIES

IMPRES BATTERY MANAGEMENT TOOLS

With the unique IMPRES Battery Fleet Management systems, efficiently manage your batteries with real-time data not available with other manufacturers' batteries. Our easy-to-use software applications show you if there is enough capacity for a full shift, alert you to low capacity batteries, prevent downtime and eliminate throwing batteries out prematurely.


COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
 <p>R7</p>	IMPRES Battery Fleet Management Entitlement ID (EID), NA/CAN	HKVN4036
	IMPRES Battery Fleet Management Entitlement ID (EID), EMEA	HKVN4037
	IMPRES Battery Fleet Management Entitlement ID (EID), LA	HKVN4038
	IMPRES Battery Fleet Management Entitlement ID (EID), Asia	HKVN4039

For details on the 3 BFM on-prem configurations and how to order the Entitlement ID, view the [Ordering and Deployment Guide](#). The IMPRES Battery Fleet Management Software is available to download from Motorola Solutions' internal [MyView](#) portal.

Scan QR code to view the IMPRES Battery Fleet Management brochure:













IMPRES BATTERY FLEET MANAGEMENT VERSION 4.0



MOTOTRBO R7 RADIO ACCESSORIES

CARRY SOLUTIONS

Secure your R7 radio with a variety of attachment options including high quality leather cases and belt clips.

COMPATIBILITY	ACCESSORY		FEATURES				
	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP / CLIP DIMENSION (INCHES)	SWIVEL / FIXED	DISPLAY / NON-DISPLAY	D - RINGS
R7	 Hard Leather Case with 2.5 inch Swivel Belt Loop (display model)	PMLN8300	Hard Leather	2.5	Swivel	Display	•
	 Hard Leather Case with 3 inch Fixed Belt Loop (display model)	PMLN8299	Hard Leather	3	Swivel	Display	•
	 Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)	PMLN8301	Hard Leather	3	Fixed	Display	•
	 Hard Leather Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN8303	Hard Leather	2.5	Swivel	Non-Display	•
	 Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)	PMLN8302	Hard Leather	3	Swivel	Non-Display	•
	 Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)	PMLN8304	Hard Leather	3	Fixed	Non-Display	•
	 Replacement 2.5 inch Swivel Belt Loop	PMLN5610	Hard Leather	2.5	Swivel	Display/Non Display	
	 Replacement 3 inch Leather Swivel Belt Loop	PMLN5611	Hard Leather	3	Swivel	Display/Non Display	
	 Spring Action 2 inch Belt Clip	PMLN4651	Plastic	2		Display/Non Display	
	 Spring Action 2.5 inch Belt Clip	PMLN7008	Plastic	2.5		Display/Non Display	

LEATHER CARRY CASES


Carrying cases are available in sizes designed to fit your radio and battery while allowing clear audio transmissions. This leather case with 3-inch fixed belt loop is designed to work with the R7 non display radio. The D - rings allow the cases to be attached to a radio carrying strap









PMLN8304
(Radio is sold separately)

D - Rings






PROGRAMMING CABLES

COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
R7	 Mini GCAI Interface cable connects the radio to your computer through the USB port. Allows full rate data transfer such as audio recordings from the device to the computer.	PMKN4265

COMPATIBILITY	ACCESSORY		FEATURES
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	MATERIAL
R7	 Waterproof Bag with Large Strap for Securely Carrying Motorola Two-Way Radios	HLN9985	
	 Universal Chest Pack with Radio Holder, Pen Holder and Velcro Secured Pouch	HLN6602	
	 Adjustable Nylon Carrying Strap	NTN5243	Nylon
	 Leather Radio Strap	RLN6486	Leather
	 Leather Radio Strap - XL	RLN6487	Leather
	 Anti-Sway Strap for Leather Radio Straps	RLN6488	Leather
	 Nylon Wrist Strap for Securely Carrying Motorola Two-Way Radios	PMLN6074	Nylon
	 Mini GCAI Dust Cover Whenever, accessory is not in use, users are advised to install dust cover	PMHN4429	Plastic

SCREEN PROTECTORS

Protect your radio screen from scratches with our clear screen protector.

COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
R7	 Screen Protector, Clear (single pack - Qty 1)	AY000808A01
	 Screen Protector, Clear (bulk pack - Qty 10)	AY000808A02
	 Screen Protector, Clear (bulk pack - Qty 50)	AY000808A03





MOTOTRBO ION RADIO ACCESSORIES

CARRY SOLUTIONS

Choose from plastic carry cases and belt clips, all designed for easy yet secure access to the MOTOTRBO Ion radio when wearing it on the waist or hip - so your team can stay hands free and focused on the task ahead.

COMPATIBILITY	ACCESSORY		FEATURES		
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP / CLIP DIMENSION (INCHES)	SWIVEL / FIXED
ION	 Plastic Carry Case with 2.5in Fixed-Angle Spring-Action Belt Clip	PMLN8126	Plastic	2.5	Fixed
	 Plastic Carry Case with 2.5in Hard Leather Swivel Belt Loop	PMLN8127	Plastic	2.5	Swivel
	 Replacement 2in Fixed Angle Spring-Action Belt Clip	PMLN4651	Plastic	2	Fixed
	 Replacement 2.5in Fixed Angle Spring-Action Belt Clip	PMLN7008	Plastic	2.5	Fixed
	 Replacement 2.5in Hard Leather Swivel Belt Loop	PMLN5407	Leather	2.5	Swivel
	 Replacement 3in Hard Leather Swivel Belt Loop	PMLN5409	Leather	3	Swivel

PROGRAMMING CABLES

COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
ION	 Mini GCAI Interface cable connects the radio to your computer through the USB port. Allows full rate data transfer such as audio recordings from the device to the computer.	PMKN4265
	 UL Certified Programming/Data Cable	PMKN4230



Carry Case with 2.5" Fixed Belt Clip (Radio sold separately)

MOTOTRBO ION PLASTIC CARRY CASE

The lightweight, plastic carry cases simplify one handed device access without compromising device security so your hands are free and information is within reach. A quick connect 2.5 in fixed belt clip or swivel belt loop also allows you to easily disconnect and quickly retrieve your radio when needed. The swivel belt loops enable rotation of the radio to a comfortable position, while belt clips will hold your MOTOTRBO Ion securely on your waist.

KEY FEATURES

- Secure retention allows simple one hand device access
- Design protects MOTOTRBO Ion's touch screen by keeping it facing in on the belt
- Built-in audio ports enable you to leave your radio in the case for audio applications without degrading device transmit and receive performance
- Accommodates connection of all compatible audio accessories







Carry Case with 2.5in Swivel Belt Loop (Radio sold separately)


MOTOTRBO R7 & ION PORTABLE RADIO ACCESSORIES





ANTENNAS

Motorola Solutions' redesigned antennas provide convenience without compromising performance. Shorter and more compliant conforming to the user than other MOTOTRBO antennas, MOTOTRBO Ion antennas are comfortable to wear and easier to use without snagging on clothing.

COMPATIBILITY		ACCESSORY		FEATURES			
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	TYPE	
R7 ION	 UHF SHORT Stubby Antenna (400-450 MHz)	AN000350A01	UHF	400-450	6	Short Stubby	
	 UHF SHORT Stubby Antenna (400-527 MHz)	AN000351A01	UHF	440-490	6	Short Stubby	
	 UHF Stubby Wideband (400-527 MHz)	AN000348A01	UHF	400-527	9	Stubby	
ION	 8/900 Whip Antenna (806-941 MHz)	AN000415A01	800/900	806-941	14	Whip	

ANTENNAS ACCESSORIES

COMPATIBILITY		ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	
R7 ION	 Gray Antenna ID Bands (pack of 10pcs)	32012144001	
	 Yellow Antenna ID Bands (pack of 10pcs)	32012144002	
	 Green Antenna ID Bands (pack of 10pcs)	32012144003	
	 Blue Antenna ID Bands (pack of 10pcs)	32012144004	
	 Purple Antenna ID Bands (pack of 10pcs)	32012144005	

COMPATIBILITY		ACCESSORY		FEATURES			
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	TYPE	
R7		UHF/GPS Combination Wideband Slim Whip Antenna (400-527 MHz)	PMAE4079	UHF	403-527	15	Whip
		VHF/GPS Combination Helical Antenna (136-155 MHz)	PMAD4117	VHF	136-155	15	Helical
		VHF/GPS Combination Helical Antenna (144-165 MHz)	PMAD4116	VHF	144-165	15	Helical
		VHF/GPS Combination Helical Antenna (152-174 MHz)	PMAD4118	VHF	152-174	15	Helical
		VHF/GPS Combination Wideband Slim Whip Antenna (400-527 MHz)	PMAD4147	VHF	136-174	20	Whip
		UHF/GPS Combination Stubby Antenna (400-450 MHz)	PMAE4069	UHF	403-450	11	Stubby
		UHF/GPS Combination Stubby Antenna (440-490 MHz)	PMAE4070	UHF	440-490	11	Stubby
		UHF/GPS Combination Stubby Antenna (470-527 MHz)	PMAE4071	UHF	470-527	11	Stubby
		VHF/GPS Combination Stubby Antenna (136-148 MHz)	PMAD4119	VHF	136-148	9	Stubby
		VHF/GPS Combination Stubby Antenna (146-160 MHz)	PMAD4120	VHF	146-160	9	Stubby
		VHF Stubby Antenna (160-174 MHz)	PMAD4121	VHF	403-433	9	Stubby
		800 MHz Flexible Whip Antenna (806-870 MHz)	PMAF4011	800/900 MHz	806-870	16.4	Whip
		900 MHz Flexible Whip Antenna (896-941 MHz)	PMAF4012	800/900 MHz	896-941	14	Whip
			800/900 Stubby Antenna (806-870 MHz)	PMAF4009	800/900 MHz	806-870	12
800/900 Stubby Antenna (896-941 MHz)	PMAF4010		800/900 MHz	896-941	11.2	Short Whip	



MOTOTRBO PORTABLE RADIO ACCESSORIES



OPERATIONS CRITICAL PERFORMANCE FOCUSED ON DURABILITY AND FLEXIBILITY TO KEEP YOU CONNECTED, PRODUCTIVE AND SAFE ON THE JOB

MOTOTRBO™ radios are already best-in-class, but to help you work at your best, you need enhancements targeted to your specific workplace. Motorola Solutions has developed an expansive line of accessories, with unique features designed to optimize the performance of your radio in your work environment.

MOTOROLA'S EXCLUSIVE ENERGY AND AUDIO FEATURES ARE MADE FOR OPERATION CRITICAL JOBS

IMPRES™ BATTERIES AND CHARGERS: YOUR BATTERY, SAFER, SMARTER, POWERED FOR LONGER

Eliminate the guesswork and get more from every battery. Maximize every charge and eliminate the surprise of "low battery alerts" with IMPRES Audio solutions. IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life. Enjoy 43% longer battery life from IMPRES over non-IMPRES batteries – without spending time and effort on maintenance or record keeping. With IMPRES Battery Fleet Management Software, you can check the status of 25 or 25,000 batteries at a glance, from one computer, giving you the power to manage your complex power solutions.

FLEXIBLE AND CUSTOMIZABLE: ACCESSORIZE YOUR DEVICE TO MAXIMIZE COMFORT AND USABILITY

OPERATIONS CRITICAL WIRELESS: YOUR RADIO, UNLEASHED

Work with your radio like never before. Place your radio on a desk or cart, in a purse, medical bag or backpack and converse seamlessly with your wireless earpiece up to 30 feet away from your radio. Put your wireless PTT where you want to – on a clipboard, steering wheel or coat pocket – without wires getting in the way. Motorola Bluetooth enabled radios allow both an Operations Critical Wireless PTT and audio accessory to be connected and used at the same time. And Operations Critical Wireless accessories last up to 10 hours – up to 3 times the battery life of commercial Bluetooth® headsets.

IMPRES™ AUDIO

Make sure every word is heard regardless of the level or direction you're speaking into the accessory. Eliminate repeating yourself with clear audio every time from Motorola exclusive IMPRES Audio technology. Whether you need to talk loudly or quietly, into or away from the accessory, IMPRES Audio lowers the loud talker level and raises the soft talker level automatically so listeners do not have to adjust the volume depending on who is talking. Policing a busy airport, fixing equipment on a noisy production floor or assisting guests in a quiet hotel, IMPRES Audio promises a high quality communication experience.



DP3000e SERIES

DP4000 EX SERIES

XPR 3000 SERIES
XPR 3000e SERIES

XPR 6000 SERIES
(Discontinued)

XPR 7000 SERIES
XPR 7000e SERIES

SL 3500e

SL 7000 SERIES
SL 7000e SERIES

MOTOROLA SOLUTIONS EXCLUSIVE AUDIO FEATURES THAT ENSURE YOUR MESSAGE IS HEARD IN THE MOST DEMANDING WORK CONDITIONS

IMPRES™ AUDIO: I HEAR YOU, HOWEVER YOU SPEAK

Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

INTELLIGENT AUDIO: YOUR CALLS, ALWAYS AT THE PERFECT VOLUME

Set your volume once and depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.

DUAL MICROPHONE AUDIO: I HEAR YOU, EVEN WHEN YOU CAN'T HEAR YOURSELF

Virtually block out all background noise in demanding and extreme noise environments so you can always communicate clearly.

WINDPORTING AND NOISE-CANCELING AUDIO: I HEAR YOU, NOT THE WIND

Reduce the effect of wind and other outdoor noises so your Messages are always heard clearly.

WHAT ARE THE BENEFITS OF THE INDUSTRIAL NOISE-CANCELING (INC) REMOTE SPEAKER MICROPHONE?

SUPPRESSES HIGH NOISE SO YOU HEAR CLEARLY – The dual-microphone design suppresses background noise so your message gets through.

The large 1-watt speaker delivers the loudest, clearest audio available – up to 25% more than other MOTOTRBO RSMs.

WEAR IT WHILE YOU WORK AND COMMUNICATE FREELY – Best practices is always to speak directly into your RSM. This is especially important in high noise environments. In moderate noise environments the INC RSM allows you to clip the RSM to your shoulder or lapel and talk freely with a touch of the prominent push-to-talk button.

EASY TO CLEAN DIRT, GRIT AND DEBRIS – Debris and fine particles can clog remote speaker microphones and reduce the quality of your voice transmissions. With the INC RSM, simply vacuum out the speaker grill (when dry), then brush out the debris using soapy water, rinse and you are ready to go.

> [Experience Dual-Microphone Noise Suppression](#)

WHICH MICROPHONE IS RIGHT FOR ME?

WINDPORTING – for outdoor, demanding weather, high winds, rain (keep on the shoulder or in front of your mouth).

> [Hear the Difference Windporting Makes](#)

INDUSTRIAL NOISE-CANCELING (DUAL MICROPHONE NOISE SUPPRESSION)





– loud, industrial, outdoor, rain, dusty/dirty environments. To optimize its noise suppression capabilities, hold the RSM 1" directly in front of your mouth or turn your head toward the RSM on your shoulder and speak into the closest microphone on the RSM; also washable.

NOISE-CANCELING – noisy, indoor environments. To optimize its noise reduction capabilities, hold the microphone in the correct use position directly in front of your mouth, facing the source of the noise (as shown in photo).

MOTOTRBO PORTABLE RADIO ACCESSORIES

REMOTE SPEAKER MICROPHONES

Our robust portfolio of Remote Speaker Microphones and secondary audio accessories are engineered to give you clearer communications even in loud environments. All remote speaker microphones are built with top quality materials including durable **Kevlar®** cables that survive tough working conditions.

























COMPATIBILITY		ACCESSORY		FEATURES								VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.						
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING, NOISE-CANCELING OR DUAL MIC. NOISE SUPPRESSION	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE/ ORANGE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	HAZLOC CAPABLE**	DIMENSIONS (MM) H X L X D	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
 <p>XPR 6000 SERIES</p>	 <p>Windporting Remote Speaker Microphone, small (IP54)</p>	PMMN4024		•	Windporting				IP54	UL	Small 55 x 60 x 27 (without clip)	•	•	•	•	•	•	•
	 <p>IMPRES Windporting Remote Speaker Microphone, small (IP54)</p>	PMMN4025	•	•	Windporting				IP54	UL	Small 55 x 60 x 27 (without clip)	•	•	•	•	•	•	•

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

MOTOTRBO PORTABLE RADIO ACCESSORIES

REMOTE SPEAKER MICROPHONES

Our robust portfolio of Remote Speaker Microphones and secondary audio accessories are engineered to give you clearer communications even in loud environments. All remote speaker microphones are built with top quality materials including durable **Kevlar®** cables that survive tough working conditions.

COMPATIBILITY		ACCESSORY		FEATURES								VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.							
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING, NOISE-CANCELING OR DUAL MIC. NOISE SUPPRESSION	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE/ ORANGE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	HAZLOC CAPABLE**	DIMENSIONS (MM) H X L X D	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)	
 <p>XPR 6000 SERIES XPR 7000e XPR 7000e SERIES</p>	 Windporting Remote Speaker Microphone, small, submersible (IP57)	PMMN4040		•	Windporting				• IP57	UL	Small 55 x 60 x 27 (without clip)	•	•	•	•				
	 IMPRES Windporting Remote Speaker Microphone, large, submersible (IP57)	PMMN4046	•		Windporting				• IP57	UL	Large 60 x 78 x 28 (without clip)	•	•	•	•				
	 IMPRES Noise-Canceling Remote Speaker Microphone, large (IP54)	PMMN4050	•		Noise-Canceling				IP54	UL	Large 60 x 78 x 28 (without clip)		•				•	•	
	 IMPRES Industrial Noise-Canceling (INC) Dual Mic. Noise Suppression Remote Speaker Microphone, submersible (IP57)	NNTN8382	•		Dual Mic. Noise Suppression				• IP57	UL	Large 60 x 78 x 28 (without clip)	•	•	•			•	•	•
	 IMPRES Industrial Noise-Canceling (INC) Dual Mic. Noise Suppression Remote Speaker Microphone (IP54)	NNTN8383	•		Dual Mic. Noise Suppression				IP54	UL	Large 60 x 78 x 28 (without clip)	•	•	•			•	•	•
 <p>DP4000 EX SERIES</p>	 IMPRES Windporting Remote Speaker Microphone (IP64)	PMMN4067	•		Windporting			IP64	ATEX	Large 60 x 78 x 28 (without clip)	•	•	•	•	•	•	•	•	
	 IMPRES ATEX Active Noise-Canceling Remote Speaker Microphone with Large front PTT and Side PTT (IP67)	PMMN4094	•	•	Noise-Canceling	•		Nexus and 3.5mm locking	• IP67	ATEX	Large 68 x 94 x 29 (without clip)	•	•	•	•	•	•	•	
	 IMPRES ATEX Omni Remote Speaker Microphone with Large front PTT and side PTT (IP67)	PMMN4110	•	•	Windporting	•		Nexus and 3.5mm locking	• IP67	ATEX	Large 68 x 94 x 29 (without clip)	•	•	•	•	•	•	•	
 <p>XPR 7000e SERIES</p>	 IMPRES Active Noise-Canceling Remote Speaker Microphone with Large front PTT and Side PTT (IP67)	PMMN4102	•	•	Noise-Canceling	•		Nexus and 3.5mm locking	• IP67	UL	Large 68 x 94 x 29 (without clip)	•	•	•		•			
	 IMPRES Omni Remote Speaker Microphone with Large front PTT and Side PTT (IP67)	PMMN4113	•	•	Windporting	•		Nexus and 3.5mm locking	• IP67	UL	Large 68 x 94 x 29 (without clip)	•	•	•		•			
	 IMPRES Windporting Remote Speaker Microphone, large, submersible (IP68)	PMMN4099	•		Windporting				• IP68	UL	Large 60 x 78 x 28 (without clip)	•	•	•	•	•	•	•	•

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.



MOTOTRBO PORTABLE RADIO ACCESSORIES

REMOTE SPEAKER MICROPHONES

Our robust portfolio of Remote Speaker Microphones and secondary audio accessories are engineered to give you clearer communications even in loud environments. All remote speaker microphones are built with top quality materials including durable **Kevlar®** cables that survive tough working conditions.

COMPATIBILITY		ACCESSORY		FEATURES								VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.						
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING, NOISE-CANCELING OR DUAL MIC. NOISE SUPPRESSION	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	HAZLOC CAPABLE**	DIMENSIONS (MM) H X L X D	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
 DP3000e SERIES	 IMPRES Noise-Canceling Remote Speaker Microphone, large (IP54)	PMMN4071	•		Noise-Canceling				IP54	UL	Large 60 x 78 x 28 (without clip)		•				•	•
	 IMPRES Windporting Remote Speaker Microphone, small (IP55)	PMMN4073	•		Windporting				IP55	UL	Small 55 x 60 x 27 (without clip)	•		•			•	•
 XPR 3000 XPR 3000e SERIES	 Windporting Remote Speaker Microphone, small, submersible (IP57)	PMMN4075		•	Windporting				IP57	UL	Small 55 x 60 x 27 (without clip)	•		•		•		
	 Windporting Remote Speaker Microphone, small (IP54)	PMMN4076		•	Windporting				IP54	UL	Small 55 x 60 x 27 (without clip)	•		•		•	•	•
SL SERIES	 RM250 Wired Remote Speaker Microphone, large (IP67)	PMMN4125		•	Windporting				IP67		Large 58 x 84 x 24 (without clip)	•	•			•	•	•










**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.



MOTOTRBO PORTABLE RADIO ACCESSORIES



REMOTE SPEAKER MICROPHONES ACCESSORIES WITH STANDARD 3.5MM JACK

These earpieces give you the flexibility to receive radio communications more discreetly.

COMPATIBILITY	ACCESSORY		FEATURES	
	DESCRIPTION	PART NUMBER	EARPIECE TYPE	HAZLOC CAPABLE**
AUDIO JACK (3.5 MM)	 Receive-Only Covered Earbud with Coiled Cord	AARLN4885/ MDRLN4885	Foam Covered Earbud	UL
DP3000e SERIES	 Receive-Only Earpiece with Translucent Tube and Rubber Eartip	RLN4941/ MDRLN4941	Clear Rubber Eartip	UL
XPR 3000 XPR 3000e SERIES	 Receive-Only Earpiece with Translucent Tube and Rubber Eartip	PMLN7560	Clear Rubber Eartip	
XPR 6000 SERIES	 Receive-Only Flexible Earpiece	WADN4190	Over-the-Ear	UL
	 Receive-Only D-Shell Earpiece	PMLN4620	Over-the-Ear	UL
XPR 7000 XPR 7000e SERIES	 D-Shell Adjustable Earpiece	PMLN7396	Over-the-Ear	
XPR 6000 SERIES	 Replacement Coil Cord Kit for PMMN4024 and PMMN4040	RLN6074		
XPR 7000 XPR 7000e SERIES	 Replacement Coil Cord Kit for PMMN4025, PMMN4046 and PMMN4050	RLN6075		
DP4000 EX SERIES XPR 7000e SERIES	 Translucent Tube (RX only) for PMMN4094, PMMN4110, PMMN4102 and PMMN4113	PMLN7188	Clear Rubber Eartip	ATEX

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.




REMOTE SPEAKER MICROPHONE ACCESSORIES WITH THREADED 3.5MM JACK

COMPATIBILITY	ACCESSORY		FEATURES	
	DESCRIPTION	PART NUMBER	EARPIECE TYPE	HAZLOC CAPABLE**
REMOTE SPEAKER MICROPHONE	 One-wire Flexible Ear Receiver, Black. Compatible with NNTN8383 only	BDN6719	Over-the-Ear	UL
	 One-wire Earpiece, Black. Compatible with NNTN8383 only	BDN6726	Over-the-Ear	UL
XPR 6000 SERIES				
XPR 7000 XPR 7000e SERIES				

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

MOTOTRBO PORTABLE RADIO ACCESSORIES

PUBLIC SAFETY MICROPHONE ANTENNAS

COMPATIBILITY	ACCESSORY		FEATURES				
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	TYPE	
 <p>XPR 6000 SERIES</p>		UHF Public Safety Microphone Antenna for the 403-433 MHz Range	PMAE4046	UHF	403-433	9	Stubby
		UHF Public Safety Microphone Antenna for the 430-470 MHz Range	PMAE4047	UHF	430-470	9	Stubby
		VHF Public Safety Microphone Antenna for 136-153 MHz Range	PMAD4087	VHF	136-153	11	Whip
		VHF Public Safety Microphone Antenna for 150-174 MHz Range	PMAD4086	VHF	150-174	11	Whip





MOTOTRBO PORTABLE RADIO ACCESSORIES

PUBLIC SAFETY MICROPHONES

Deliver the same advanced features as our Remote Speaker Microphones and also includes an antenna (purchased separately) to improve reception. All remote speaker microphones are built with top quality materials including durable **Kevlar®** cables that survive tough working conditions.

COMPATIBILITY		ACCESSORY		FEATURES						VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.						
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	WINDPORTING OR NOISE-CANCELING	CABLE LENGTH (INCH)	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
 XPR 6000 SERIES (UHF/VHF only)	 IMPRES Windporting Public Safety Microphone with 3.5mm Audio Jack, large (IP54)	PMMN4041	•	Windporting	30				IP54			•		•		•
	 IMPRES Windporting Public Safety Microphone with 3.5mm Audio Jack, large (IP54)	PMMN4042	•	Windporting	24				IP54			•		•		•
	 IMPRES Windporting Public Safety Microphone with 3.5mm Audio Jack, large (IP54)	PMMN4043	•	Windporting	18				IP54			•		•		•
	 IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4047	•	Windporting	30		 		 IP57			•		•		
	 IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4048	•	Windporting	24				 IP57			•		•		
	 IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4049	•	Windporting	18				 IP57			•		•		



HOW DOES IMPRES IMPROVE AUDIO PERFORMANCE?

IMPRES enhances the clarity and audio quality of Motorola accessories by reducing ambient noise and improving voice intelligibility.













If you speak quietly or normally, but not directly into a microphone, IMPRES Audio detects changes in your voice and automatically adjusts the transmitted volume so your listener won't have to adjust volume up and down.

> [Experience IMPRES audio](#)

MOTOTRBO PORTABLE RADIO ACCESSORIES

SURVEILLANCE ACCESSORIES AND EARPIECES








































Transmit and receive discreetly with a variety of surveillance kits that feature a streamlined design and rugged cables that withstand tough conditions. A quick-disconnect, durable and comfortable translucent tube enables easy sharing between shifts. Two-wire kits have one wire for receiving transmissions and one wire with a combined microphone and push-to-talk. Three-wire kits feature separate wires for receiving transmissions, push-to-talk and microphone.

COMPATIBILITY		ACCESSORY		FEATURES							VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.						
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)	
 XPR 6000 SERIES  XPR 7000 XPR 7000e SERIES		1-Wire Receive-only Earpiece, Black	PMLN6125		•	Earpiece								•	•	•	
		1-Wire Receive-only Earpiece, Beige	PMLN6126		•	Earpiece								•	•	•	
		IMPRES 2-Wire Earhook With Earbud Earpiece, Black	PMLN6127	•	•	Earpiece				UL					•	•	•
		IMPRES 2-Wire Earhook With Earbud Earpiece, Beige	PMLN6128	•	•	Earpiece				UL					•	•	•
		1-Wire Surveillance Kit with Translucent Tube, Black	NNTN8459			Clear Rubber Eartip				UL					•	•	•

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

MOTOTRBO PORTABLE RADIO ACCESSORIES





















SURVEILLANCE ACCESSORIES AND EARPIECES


COMPATIBILITY		ACCESSORY		FEATURES						VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.						
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
 XPR 6000 SERIES	 IMPRES 2-Wire Surveillance Kit with Translucent Tube, Black	PMLN6129	•	•	Clear Rubber Eartip				UL					•	•	•
	 IMPRES 2-Wire Surveillance Kit with Translucent Tube, Beige	PMLN6130	•	•	Clear Rubber Eartip				UL					•	•	•
 XPR 7000 XPR 7000e SERIES	 IMPRES 3-Wire Surveillance Kit with Translucent Tube, Black	PMLN6123	•	•	Clear Rubber Eartip				UL					•	•	•
	 IMPRES 3-Wire Surveillance Kit with Translucent Tube, Beige	PMLN6124	•	•	Clear Rubber Eartip				UL					•	•	•
 XPR 3000 XPR 3000e SERIES	 2-Wire Surveillance Kit with Translucent Tube, Black	PMLN7269		•	Clear Rubber Eartip									•	•	•
	 2-Wire Surveillance Kit with Translucent Tube, Beige	PMLN7270		•	Clear Rubber Eartip									•	•	•
	 IMPRES 3-Wire Surveillance Kit with Quick Disconnect Translucent Tube, Black	PMLN6754	•	•	Clear Rubber Eartip									•	•	•
	 IMPRES 3-Wire Surveillance Kit with Quick Disconnect Translucent Tube, Beige	PMLN6755	•	•	Clear Rubber Eartip									•	•	•
	 1-Wire Surveillance Kit, Black	PMLN7158			Clear Rubber Eartip							•		•	•	•
 2-Wire Surveillance Kit, Black	PMLN7157			Clear Rubber Eartip							•		•	•	•	

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

MOTOTRBO PORTABLE RADIO ACCESSORIES













SURVEILLANCE ACCESSORY REPLACEMENT KITS

COMPATIBILITY	ACCESSORY		FEATURES		
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS	
 DP4000 EX SERIES	 Low Noise Kit with Translucent Tube and 1 Clear Rubber Eartip	RLN6242	Clear Rubber Eartip	PMLN6123 PMLN6124 PMLN6125 PMLN6126 PLMN6127 PMLN6128 PMLN6129 PMLN6130 NNTN8459	RLN4941 PMLN7269 PMLN7270 PMLN6754 PMLN6755 PMLN7157 PMLN7158 PMLN7560
 XPR 3000 XPR 3000e SERIES	 Note: for High Noise Kit Solution Combine Low Noise Kit and 5080384F72 Replacement Foam Plugs	RLN6242	Foam Eartip		
 XPR 6000 SERIES	 Replacement Standard Clear Rubber Eartip. Pack of 50	RLN6282	Clear Rubber Eartip	PMLN5111 PMLN5112 PMLN6123 PMLN6124 PMLN6125 PMLN6126 PLMN6127 PMLN6128 PMLN6129 PMLN6130 NNTN8459	RLN5882 RLN5883 RLN4941 PMLN7269 PMLN7270 PMLN6754 PMLN6755 PMLN7157 PMLN7158 PMLN7560 PMLN7188
 XPR 7000 XPR 7000e SERIES	 Replacement Foam Plugs for RLN6242. Noise reduction = 24 dB. Pack of 50 pairs	5080384F72	Foam Eartip		
 XPR 6000 SERIES	 Low Noise Kit with 1 Clear Rubber Eartip	RLN5886	Clear Rubber Eartip	RLN5882 RLN5883 PMLN5111 PMLN5112	
 XPR 7000 XPR 7000e SERIES					
 DP3000e SERIES  XPR 3000 / XPR 3000e SERIES  SL 7000 / SL7000e SERIES	 Replacement Standard Clear Rubber Eartip. Pack of 10 (replacement for PMLN5724/PMLN5726 and PMLN5957)	67009254001	Clear Rubber Eartip	PMLN5724 PMLN5726 PMLN5957	
 DP3000e SERIES  XPR 3000 / XPR 3000e SERIES	 Replacement Quick Disconnect Translucent Tube with 1 Clear Rubber Eartip (replacement for PMLN5724/26)	HKLN4608	Clear Rubber Eartip	PMLN5724 PMLN5726	
 SL 7000 SL 7000e SERIES	 Replacement Quick Disconnect Translucent Tube with 1 Clear Rubber Eartip (replacement for PMLN5957)	PMLN6175	Clear Rubber Eartip	PMLN5957	



MOTOTRBO PORTABLE RADIO ACCESSORIES

SURVEILLANCE ACCESSORY REPLACEMENT KITS

COMPATIBILITY	ACCESSORY		FEATURES	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS
 <p>XPR 6000 SERIES</p>  <p>XPR 7000 XPR 7000e SERIES</p>  <p>SL 7000 SL 7000e SERIES</p>	 Small Custom Earpiece - Right Ear	RLN4760	Custom Earpiece	RLN6242
	 Medium Custom Earpiece - Right Ear	RLN4761	Custom Earpiece	
	 Large Custom Earpiece - Right Ear	RLN4762	Custom Earpiece	
	 Small Custom Earpiece - Left Ear	RLN4763	Custom Earpiece	
	 Medium Custom Earpiece - Left Ear	RLN4764	Custom Earpiece	
	 Large Custom Earpiece - Left Ear	RLN4765	Custom Earpiece	
 Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction =28 dB	RLN6511	Comply™ foam eartip	RLN5313 RLN5314 RLN4941 NNTN8459 RLN5882 RLN5883 PMLN6123 PMLN6124 PMLN6125 PMLN6126 PMLN6127	PMLN6128 PMLN6129 PMLN6130 PMLN7269 PMLN7270 PMLN6754 PMLN6755 PMLN7157 PMLN7158 PMLN7560 RLN6242
 Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction =28 dB	RLN6512	Comply™ foam eartip		
 Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction =28 dB	RLN6513	Comply™ foam eartip		

OPTIMIZED FOR DIGITAL





Make sure to only use Motorola approved and certified MOTOTRBO audio accessories, as these accessories have been optimized for performance in both digital and analog modes. You may experience chopper noise if Motorola digital approved accessories are not used.

> [See what Chopper Noise sounds like](#)



MOTOTRBO PORTABLE RADIO ACCESSORIES

EARPIECES









COMPATIBILITY	ACCESSORY		FEATURES				VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.				
	PORTABLE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	HAZLOC CAPABLE**	PRIVATE SECURITY	MANUFACTURING AND CONSTRUCTION	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
XPR 3000 / XPR 3000e SERIES	 Adjustable D-Style Earpiece with In-Line Microphone and Push-To-Talk, Black	PMLN6757	Adjustable D-Style	In-Line	In-Line			•	•	•	•
XPR 6000 SERIES XPR 7000 XPR 7000e SERIES	 D-Style Earset with Boom Microphone and In-Line Push-To-Talk	PMLN5096	D-Style	Boom	In-Line	UL		•	•	•	•
SL 3500e SL 7000 SL 7000e SERIES	 Swivel Earpiece with In-Line Microphone and Push-To-Talk	PMLN7189	Over-the-Ear	In-Line	In-Line		•		•		•
SL 7000 SL 7000e SERIES	 Adjustable D-style Earpiece with In-Line Microphone and Push-To-Talk, Black	PMLN7159	Adjustable D-Style	In-Line	In-Line		•		•		•

**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

HOW DO TEMPLE TRANSDUCERS WORK?

These headsets use transducers that rest on your temple to convert audio into sound vibration and transmit it to your inner ear. If you're using hearing protection or directing heavy traffic, you can hear the audio from your radio and the surrounding environment. Since the transducer sits in front of your ears, you can also wear earplugs and still hear the radio.










MAG ONE™ EARPIECES

COMPATIBILITY	ACCESSORY		FEATURES				VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.				
	PORTABLE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	HAZLOC CAPABLE**	PRIVATE SECURITY	MANUFACTURING AND CONSTRUCTION	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
XPR 7000 XPR 7000e SERIES	 Mag One Earbud with In-Line Microphone and Push-To-Talk	PMLN6069	Earbud	In-Line	In-Line			•		•	•
	 Mag One Flexible Earpiece with In-Line Microphone and Push-To-Talk	PMLN5973	Over-the-Ear	In-Line	In-Line			•		•	•
	 Mag One Swivel Earpiece with In-Line Microphone and Push-To-Talk	PMLN5975	Over-the-Ear	In-Line	In-Line			•		•	•
	 Mag One Earset with Boom Microphone and In-Line Push-To-Talk	PMLN5976	Earset	In-Line	In-Line			•		•	•
SL 3500e	 Mag One Earbud with In-Line Microphone and Push-To-Talk, Black	PMLN7156	Earbud	In-Line	In-Line			•		•	•
DP 3441 DP 3441e SERIES	 Mag One Earbud with In-Line Microphone and Push-To-Talk	PMLN5733	Earbud	In-Line	In-Line			•		•	•
	 Mag One Swivel Earpiece with In-Line Microphone and Push-To-Talk	PMLN5727	Over-the-Ear	In-Line	In-Line			•		•	•
	 Mag One Earset with Boom Microphone and In-Line Push-To-Talk	PMLN5732	Earset	Boom	In-Line			•		•	•



MOTOTRBO PORTABLE RADIO ACCESSORIES










HEADSETS

COMPATIBILITY		ACCESSORY		FEATURES								VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.								
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES	INTELLIGENT AUDIO	NOISE REDUCTION RATING	MICROPHONE	PTT	WEIGHT	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)		
 XPR 3000 XPR 3000e SERIES	 Lightweight Over-the-Head Headset Single Muff with In-Line Push-To-Talk and Boom Microphone	PMLN6635	Over-the-Head	Single-Ear				Boom	In-Line	Lightweight	UL									
	 Heavy Duty Behind-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN6760	Behind-the-Head	Dual-Muff			•	24 dB	Boom	On Ear Cup	Heavy Duty		•	•	•	•				
	 Heavy Duty Behind-the-Head Headset with Noise-Canceling Boom Microphone	PMLN6763	Behind-the-Head	Dual-Muff			•	24 dB	Boom	On Ear Cup	Heavy Duty	UL	•	•	•	•				
	 Heavy Duty Over-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN7464	Over-the-Head	Dual-Muff			•	24 dB	Boom	On Ear Cup	Heavy Duty		•	•	•	•				
	 Heavy Duty Over-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN7465	Over-the-Head	Dual-Muff			•	24 dB	Boom	On Ear Cup	Heavy Duty	UL	•	•	•	•				
 XPR 3000 XPR 3000e SERIES	 Mag One Ultra-Lite Behind-the-Head Headset (Replacement parts: 6104000K01-Windscreen; 4204005K01-Clothing clip)	PMLN6761	Behind-the-Head	Single-Ear			•	Boom	In-Line	Ultra Lightweight			•	•		•	•	•		
	 IMPRES Temple Transducer with Boom Microphone and In-Line Push-To-Talk	PMLN6759	Behind-the-Head	Bone Conduction		•	•		Boom	In-Line	Lightweight		•	•	•		•	•	•	


**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

MOTOTRBO PORTABLE RADIO ACCESSORIES



HEADSETS

COMPATIBILITY		ACCESSORY		FEATURES								VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.						
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES	INTELLIGENT AUDIO	NOISE REDUCTION RATING	MICROPHONE	PTT	WEIGHT	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
 XPR 6000 SERIES	 Heavy Duty Behind-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN6852	Behind-the-Head	Dual-Muff		•	24 dB	Boom	On Ear Cup	Heavy Duty		•	•	•	•			
	 Heavy Duty Over-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN7466	Over-the-Head	Dual-Muff		•	24 dB	Boom	On Ear Cup	Heavy Duty		•	•	•	•			
	 IMPRES Temple Transducer Headset	PMLN5101	Behind-the-Head	Bone Conduction	•	•			Boom	In-Line	Lightweight		•	•	•	•	•	•
 XPR 7000 XPR 7000e SERIES	 Lightweight Over-the-Head Headset	RMN5058	Over-the-Head	Single-Ear		•		Boom	In-Line	Lightweight	UL		•	•		•	•	•
	 Heavy Duty Behind-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN6853	Behind-the-Head	Dual-Muff		•	24 dB	Boom	On Ear Cup	Heavy Duty	UL		•	•	•	•		
 XPR 7000 XPR 7000e SERIES	 Heavy Duty Over-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN7467	Over-the-Head	Dual-Muff		•	24 dB	Boom	On Ear Cup	Heavy Duty	UL		•	•	•	•		

TACTICAL HEADSETS

 XPR 6000 SERIES	 Tactical PTT Only Interface Module	PMLN6827										•	•	•		•		•
	 Tactical Temple Transducer with Noise-Canceling Boom Microphone (requires interface module PMLN6827)	PMLN6833	Over-the-Head	Bone Conduction					Boom	Interface module PMLN6827	Heavy Duty		•	•	•		•	
 XPR 7000 XPR 7000e SERIES	 Tactical Remote Body PTT (for use with interface module PMLN6827)	PMLN6767										•	•	•		•		•
	 Tactical Remote Ring PTT (for use with interface module PMLN6827)	PMLN6830											•	•	•		•	

MAG ONE™ HEADSETS

 XPR 7000 XPR 7000e SERIES	 Mag One Lightweight Over-the-Head Headset	PMLN5974	Over-the-Head	Single-Ear				Boom	In-Line	Lightweight			•	•		•	•	•
	 Mag One Ultra-Lite Behind-the-Head Headset	PMLN5979	Behind-the-Head	Single-Ear				Boom	In-Line	Ultra Lightweight				•	•		•	•




**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

MOTOTRBO PORTABLE RADIO ACCESSORIES

HEAVY DUTY HEADSETS

COMPATIBILITY		ACCESSORY		FEATURES						VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.						
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	SIGNAL NOISE RATING (SNR)	MICROPHONE	PTT	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
 DP4000 EX SERIES	 Heavy Duty Headset with Over-The-Head Headband and Boom Microphone (ATEX)	PMLN6087	Over-the-Head	Nexus	Dual-Ear	SNR=33 dB H=33 dB M=31 dB L=23 dB	Boom	Requires RSM PMMN4094 or PMMN4110 OR Adapter PMLN6368 or PMLN6803	ATEX	•	•	•	•			
	 Heavy Duty Headset with Helmet Attachment and Boom Microphone (ATEX)	PMLN6092	Helmet Attach	Nexus	Dual-Ear	SNR=32 dB H=33 dB M=32 dB L=24 dB	Boom	Requires RSM PMMN4094 or PMMN4110 OR Adapter PMLN6368 or PMLN6803	ATEX	•	•	•	•			
	 Twin Cup Heavy Duty Headset with Helmet Attachment, Boom Microphone and Extra High-Attenuating Twin Shells (ATEX)	PMLN6333	Helmet Attach	Nexus	Dual-Ear	SNR=33 db H=33 db M=31 db L=24 db	Boom	Requires RSM PMMN4094 or PMMN4110 OR Adapter PMLN6368 or PMLN6803	ATEX	•	•	•	•			
	 Tactical Heavy Duty Headset with Over-The-Head Headband and Boom Microphone, Includes Volume Control (ATEX)	PMLN6090	Over-the-Head	Nexus	Dual-Ear	SNR=30 dB H=33 dB M=28 dB L=20 dB	Boom	Requires RSM PMMN4094 or PMMN4110 OR Adapter PMLN6368 or PMLN6803	ATEX	•	•	•	•			
	 Tactical Heavy Duty Headset with Helmet Attachment and Boom Microphone, Includes Volume Control (ATEX)	PMLN6089	Helmet Attach	Nexus	Dual-Ear	SNR=31 dB H=32 dB M=29 dB L=20 dB	Boom	Requires RSM PMMN4094 or PMMN4110 OR Adapter PMLN6368 or PMLN6803	ATEX	•	•	•	•			
	Tactical Heavy Duty Headset with Neck Band and Boom Microphone and Volume Control (ATEX)	PMLN7535	Over-the-Head	Nexus	Dual-Ear	SNR=33 dB H=35 dB M=31 dB L=23 dB		Requires RSM PMMN4094 or PMMN4110 OR Adapter PMLN6368 or PMLN6803	ATEX	•	•	•	•			
	HC-1 Helmet-COM Bone Conduction Microphone with Single Speaker (ATEX)	RMN5123	Helmet Attach	Bone Conduction	Single-Ear			Requires RSM PMMN4094 or PMMN4110 OR Adapter PMLN6368 or PMLN6803	ATEX	•	•	•	•			
	 HC-2 Helmet-COM Bone Conduction Microphone with Dual Speaker (ATEX)	GMMN4580	Helmet Attach	Bone Conduction	Dual-Ear											





AUDIO ACCESSORY ADAPTERS

COMPATIBILITY		ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	
 DP4000 EX SERIES	 ATEX Push-to-Talk Adapter, must be ordered with any Heavy Duty Headset	PMLN6368	
	 ATEX Small Push-to-Talk Adapter	PMLN6803	











MOTOTRBO PORTABLE RADIO ACCESSORIES

3M PELTOR HEADSETS

COMPATIBILITY		ACCESSORY		FEATURES							VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.						
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	PELTOR PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	NOISE REDUCTION RATING (NRR)	MICROPHONE	PTT (MOTOTRBO)	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
 <p>XPR 7000 XPR 7000e SERIES</p>	 <p>MT Series Over-The-Head Headset, Direct Radio Connect</p>	RMN5137	MT7H79A-97-UL-34	Over-the-Head	Connects directly to Radio	Dual-Ear	25 dB	Boom	On Ear Cup	UL	•	•	•	•			
	 <p>MT Series Neckband Headset, Direct Radio Connect</p>	RMN5138	MT7H79B-97-UL-34	Neckband	Connects directly to Radio	Dual-Ear	24 dB	Boom	On Ear Cup	UL	•	•	•	•			
	 <p>MT Series Hard Hat Attached Headset, Direct Radio Connect</p>	RMN5139	MT7H79P3E-97-UL-34	Hard Hat Attached	Connects directly to Radio	Dual-Ear	21 dB	Boom	On Ear Cup	UL	•	•	•	•			





PTT ADAPTER CONFIGURATIONS

 <p>XPR 6000 SERIES</p>	 <p>MT Series Over-the-Head Headset with Nexus Connector</p>	PMLN6088	MT7H79A-34	Over-the-Head	Nexus	Dual-Ear	25 dB	Boom	Requires PTT Adapter PMLN6095		•	•	•	•			
	 <p>MT Series Neckband Headset with Nexus Connector</p>	RLN6477	MT7H79B-34	Neckband	Nexus	Dual-Ear	24 dB	Boom	Requires PTT Adapter PMLN6095		•	•	•	•			
	 <p>MT Series Hard Hat Attached with Nexus Connector</p>	RMN4051	MT7H79P3E-34	Hard Hat Attached	Nexus	Dual-Ear	21 dB	Boom	Requires PTT Adapter PMLN6095		•	•	•	•			
 <p>XPR 7000 XPR 7000e SERIES</p>	 <p>TacticalPro Series Over-The-Head Headset with Nexus Connector</p>	RMN4052	MT15H7A-34	Over-the-Head	Nexus	Dual-Ear	26 dB	Boom	Requires PTT Adapter PMLN6095		•	•	•	•			
	 <p>TacticalPro Series Neckband Headset with Nexus Connector</p>	RMN5135	MT15H7B-07-34	Neckband	Nexus	Dual-Ear	25 dB	Boom	Requires PTT Adapter PMLN6095		•	•	•	•			
	 <p>PTT Nexus Adapter (Requires headset - options listed above)</p>	PMLN6095	FL5063-34	N/A	N/A	N/A	N/A	N/A	N/A	N/A		•	•	•	•		





**HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

MOTOTRBO PORTABLE RADIO ACCESSORIES

3M PELTOR HEADSETS – RSM CONFIGURATIONS

COMPATIBILITY	ACCESSORY				FEATURES					VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.						
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	PELTOR PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	NOISE REDUCTION RATING (NRR)	MICROPHONE	PTT (MOTOTRBO)	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	 <p>HT Series Listen Only Over-The-Head Headset with 3.5mm NON Threaded Connector</p>	RMN4055	HTM79A-34	Over-the-Head	3.5mm NON threaded	Dual-Ear	25 dB	(Listen-Only)	MOTOTRBO radios require RSM: PMMN4024, PMMN4025, PMMN4041, PMMN4042, PMMN4043, PMMN4050, PMMN4071, PMMN4073 or PMMN4076	•	•	•	•			
	 <p>HT Series Listen Only Over-The-Head Headset with 3.5 Threaded Connector</p>	RMN4056	HTM79A-42	Over-the-Head	3.5mm threaded	Dual-Ear	25 dB	(Listen-Only)	MOTOTRBO radios require RSM: NNTN8383	•	•	•	•			
	 <p>HT Series Listen Only Hard Hat Attached Headset with 3.5 Threaded Connector</p>	RMN4057	HTM79P3E-42	Hard Hat Attached	3.5mm threaded	Dual-Ear	23 dB	(Listen-Only)		•	•	•	•			

HEADSET REPLACEMENT PARTS

COMPATIBILITY	ACCESSORY		
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	PELTOR PART NUMBER
	 <p>Earmuff Hygiene Kit Black Earseals</p>	RLN4923	HY79
	 <p>Boom Microphone Wind Screen</p>	RLN6543	M40/1
	 <p>Metal Boom with Microphone</p>	RMN5131	MT7N

HEARING PROTECTION ACCESSORIES – CAN BE USED ALONE OR IN CONJUNCTION WITH HEAVY-DUTY HEADSETS


COMPATIBILITY	ACCESSORY		FEATURES	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS
	 <p>Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28 dB</p>	RLN6511	Comply™ foam eartip	RLN5313, RLN5314, RLN4941, NNTN8459, RLN5882, RLN5883, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6127, PMLN6218, PMLN6129, PMLN6130, RLN4941, PMLN7269, PMLN7270, PMLN6754, PMLN6755, PMLN7560
	 <p>Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28 dB</p>	RLN6512	Comply™ foam eartip	
	 <p>Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28 dB</p>	RLN6513	Comply™ foam eartip	



MOTOTRBO PORTABLE RADIO ACCESSORIES

OPERATIONS CRITICAL WIRELESS BLUETOOTH® ACCESSORIES

This portfolio is a game changer, giving you the flexibility to remove the radio from your belt and stay connected within 30 feet.

COMPATIBILITY		ACCESSORY		FEATURES										VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.									
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)		
XPR 6000 SERIES*	 Operations Critical Wireless Bluetooth Adapter	PMLN5712	N/A	N/A	On Adapter			30	65 x 22 x 20	Operations Critical	Standard		IP57										
 XPR 6000 SERIES	 Operations Critical Wireless Remote Speaker Microphone with Battery and Belt Clip (see page 50 for charger and power supplies)	RLN6561	N/A	Omni directional, Windporting equivalent	On Microphone	28	3	158	88 x 63 x 26	Operations Critical	Standard	30	IP54										
	 Operations Critical Wireless Remote Speaker Microphone with Battery and Belt Clip and Dual Unit Charger (US plug)	RLN6562	N/A	Omni directional, Windporting equivalent	On Microphone	28	3	158	88 x 63 x 26	Operations Critical	Standard	30	IP54										
	 Operations Critical Wireless Remote Speaker Microphone with Battery and Belt Clip and Dual Unit Charger (AU/NZ plug)	PMLN7669	N/A	Omni directional, Windporting equivalent	On Microphone	28	3	158	88 x 63 x 26	Operations Critical	Standard	30	IP54										
 XPR 6000 SERIES  XPR 7000 XPR 7000e SERIES	 XBT Operations Critical Wireless Behind-the-Neck Headset	RLN6490	Dual-Muff	Boom	On Ear Cup	22	7	429		Operations Critical	Standard	30	IP54										
	 XBT Operations Critical Wireless Headband Style Headset	RLN6491	Dual-Muff	Boom	On Ear Cup	22	7	422		Operations Critical	Standard	30	IP54										

*Bluetooth is not embedded in radio. Separate external adapter is required.



HOW DO OPERATIONS CRITICAL WIRELESS ACCESSORIES HELP ME?

They free you from being physically connected to the radio. This means a line worker can put the radio on a shelf and communicate. A receptionist can place her radio out of sight and confer unobtrusively with staff while welcoming guests. Or a sports trainer can leave the radio in a medical bag while he tends to injured athletes on the field.

> [See Operations Critical Wireless Accessories in action](#)

MOTOTRBO PORTABLE RADIO ACCESSORIES

OPERATIONS CRITICAL WIRELESS BLUETOOTH® ACCESSORIES

Note: Bluetooth is embedded in the radio unless otherwise indicated and then requires a separate external adapter.

COMPATIBILITY		ACCESSORY		FEATURES										VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.							
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)	
	Operations Critical Wireless Earpiece with 12 inch Cable (with US/JP charger)	NNTN8125	Over-the-Ear (CommPort™)	Directional, above the Earpiece	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	30	IP54	•	•	•	•	•	•	•	
	Operations Critical Wireless Earpiece with 12 inch Cable (without Charger)	NNTN8189	N/A	N/A	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	30	IP54	•	•	•	•	•	•	•	
XPR 3000 XPR 3000e SERIES	Operations Critical Wireless Push-To-Talk Pod (with US charger)	NNTN8127	N/A	N/A	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	30	IP54	•	•	•	•	•	•	•	
	Operations Critical Wireless Push-To-Talk Pod (without Charger)	NNTN8191	N/A	N/A	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	30	IP54	•	•	•	•	•	•	•	
XPR 6000 SERIES	Bluetooth Accessory Kit with Flexible Earpiece, Bluetooth Pod, and Charging Cradle with Power Supply (US plug)	RLN6500	Over-the-Ear (Swivel)	In-line	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30		•	•	•	•	•	•	•	
	Bluetooth Accessory Kit with Flexible Earpiece, Bluetooth Pod, and Charging Cradle with Power Supply (ARG plug)	RLN6502	Over-the-Ear (Swivel)	In-line	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30		•	•	•	•	•	•	•	•
XPR 7000 XPR 7000e SERIES	Bluetooth Accessory Kit with Flexible Earpiece, Bluetooth Pod, and Charging Cradle with Power Supply (EURO plug)	RLN6503	Over-the-Ear (Swivel)	In-line	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30		•	•	•	•	•	•	•	
	Bluetooth Accessory Kit with Flexible Earpiece, Bluetooth Pod, and Charging Cradle with Power Supply (BZL plug)	RLN6504	Over-the-Ear (Swivel)	In-line	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30		•	•	•	•	•	•	•	•
SL 7000 SL 7000e SERIES																					












*Note: PTT on radio or with separate wireless PTT.

**Bluetooth is not embedded in radio. Separate external adapter is required.

MOTOTRBO PORTABLE RADIO ACCESSORIES

OPERATIONS CRITICAL WIRELESS BLUETOOTH® ACCESSORIES

Note: Bluetooth is embedded in the radio unless otherwise indicated and then requires a separate external adapter.

COMPATIBILITY		ACCESSORY		FEATURES											VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.								
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)		
DP3000e XPR 3000 XPR 3000e SERIES XPR 7000 XPR 7000e SERIES SL 3500e SL 7000 SL 7000e SERIES		Operation Critical Wireless Bluetooth Earpiece with PTT	PMLN7851	Over-the-Ear (Swivel)	Boom	On Boom Mic	8	3	23	107 x 72 x 26	Operations Critical	Standard	30										
		Bluetooth Accessory Kit with Swivel Earpiece and Battery Clip	PMLN6462	Over-the-Ear (Swivel)	In-line	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30										
		Bluetooth Accessory Kit with Swivel Earpiece and Battery Clip	PMLN6463	Over-the-Ear (Swivel)	In-line	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30										
		Bluetooth Accessory Kit with Flexible Earpiece, Bluetooth Pod and Charging Cradle	PMLN7181	Over-the-Ear (Swivel)	Boom	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30										
		Bluetooth Accessory Kit with Flexible Earpiece, Bluetooth Pod and Charging Cradle with Power Supply (US plug)	RLN6556	Over-the-Ear (Swivel)	Boom	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30										
		Operations Critical Wireless 1-Wire Surveillance Kit with Translucent Tube	PMLN7052	Clear Rubber Eartip	In-line	On Pod (order separately)					Operations Critical and Enhanced Operations Critical												
		Operations Critical Wireless Earbud with 11.5 inch Cable	NNTN8294	Earbud	In-line	On Pod (order separately)	10				Operations Critical and Enhanced Operations Critical												
		Operations Critical Wireless Earbud with 45 inch Cable	NNTN8295	Earbud	In-line	On Pod (order separately)	10				Operations Critical and Enhanced Operations Critical												
		Wireless Covert Kit (includes 2 sets of two-wire earbud (1 black and 1 white), a single-wire black earbud and a 3.5mm adapter to plug in any consumer off-the shelf headphones)	NNTN8296	Earbud	In-line	On Pod (order separately)					Operations Critical and Enhanced Operations Critical												
		Swivel Earpiece with In-line microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit	RLN6550	Over-the-Ear (Swivel)	Boom	Radio only*					Operations Critical												
	Flexible Fit Swivel Earpiece with Boom Microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit	PMLN7203	Over-the-Ear (Swivel)	Boom	Radio only*					Operations Critical													

*Note: PTT on radio or with separate wireless PTT. ** Bluetooth is not embedded in radio. Separate external adapter is required.



BLEND IN PERFECTLY WITH YOUR ENVIRONMENT






> [Experience the Completely Discreet Wireless Kit](#)

MOTOTRBO PORTABLE RADIO ACCESSORIES




ENHANCED OPERATIONS CRITICAL WIRELESS

Note: Bluetooth is embedded in the radio unless otherwise indicated and then requires a separate external adapter.

COMPATIBILITY	ACCESSORY		FEATURES											VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.							
	PORTABLE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
XPR 6000 SERIES*		Enhanced Operations Critical Wireless Adapter with Touch Pairing	PMLN5993	N/A	N/A	On Adapter			35	65 x 22 x 20	Enhanced Operations Critical	Touch	IP57	•	•	•	•	•	•	•	•
XPR 6000 SERIES* (use with PMLN5993)		Enhanced Operations Critical Wireless Earpiece with 12 inch Cable and Push-To-Talk Pod	NTN2570	Over-the-Ear (CommPort™)	Directional, above the Earpiece	On PTT Pod	10	3	43	70 x 41 x 25	Enhanced Operations Critical	Touch	30	IP54	•	•	•	•	•	•	•
SL 7000 SL 7000e SERIES		Enhanced Operations Critical Wireless Push-To-Talk Pod	NTN2571	N/A	N/A	On PTT Pod	10	3	43	70 x 41 x 25	Enhanced Operations Critical	Touch	30	IP54	•	•	•	•	•	•	•

OPERATIONS CRITICAL WIRELESS COMPLETELY DISCREET KIT









Must order all 3 items for the complete solution - PMLN7696, NNTN8385 and NNTN8127.







XPR 6000 SERIES* (EXCEPT XPR 6100)		Completely Discreet Earpiece Kit (includes RLN4920 Phonak Inductive Neckloop and RLN4921 Phonak Phonito)	PMLN7696	Completely discreet	On Y-adapter (order separately)	On Pod (order separately)					Operations Critical or Operations Critical and Enhanced Operations Critical										•	
		Wireless Neckloop Y-adapter and Retention Hook	NNTN8385		Separate wire	On Pod (order separately)						Operations Critical or Operations Critical and Enhanced Operations Critical										•
SL 3500e XPR7000, XPR7000e series SL 7000, SL 7000e series		Wireless Push-to-Talk Pod	NNTN8127		On Y-adapter (order separately)	On PTT Pod					Operations Critical											•

*Bluetooth is not embedded in radio. Separate external adapter is required.

MOTOTRBO PORTABLE RADIO ACCESSORIES

OPERATIONS CRITICAL WIRELESS REPLACEMENT PARTS

COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
 <p>XPR 6000 SERIES</p>  <p>XPR 7000 XPR 7000e SERIES</p>  <p>SL 7000 SL 7000e SERIES</p>	 Replacement Wireless Earpiece 12 inch Cable for NNTN8125	NTN2572
	 Wireless Earpiece Maintenance Kit with 10 silicone Ear Tubes, 10 Microphone Seal Strips and 2 Foam Windscreens for Comport Earpiece	NTN8821
	 Ear Strap for Comport Earpiece (pack of 10)	NTN8988
	 Replacement Ear Tips Kit for Wireless Ear Buds (20 Small, 20 Medium, 20 Large and 10 Clips)	NNTN8361
	 Swivel clip for Operations Critical and Enhanced Operations Critical Wireless Pods	PMLN6246
	Replacement or Spare Micro-USB Plug-in Charger for Wireless Pod (US plug)	PMPN4027
	Replacement or Spare Micro-USB Plug-in Charger for Wireless Pod (AU/NZ)	PMPN4007
	Replacement or Spare Micro-USB Plug-in Charger for Wireless Pod (EU/UK)	PMPN4006
	Replacement or Spare Micro-USB Plug-in Charger for Wireless Pod (PRC)	PMPN4008
	Replacement or Spare Micro-USB Plug-in Charger for Wireless Pod (Korea)	PMPN4015
	Replacement or Spare Micro-USB Plug-in Charger for Wireless Pod (ARG)	PMPN4016
	Replacement or Spare Micro-USB Plug-in Charger for Wireless Pod (BRZL)	PMPN4023
	Replacement or Spare Micro-USB Plug-in Charger for Wireless Pod (EU)	PMPN4028








COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
<p>XPR 6000 SERIES* (EXCEPT XPR 6100)</p> <p>SL 3500e</p>  <p>XPR 6000 SERIES</p>  <p>XPR 7000 XPR 7000e SERIES</p>  <p>SL 7000 SL 7000e SERIES</p>	 Replacement Retention Hooks for NNTN8385 and PMLN7696 (pack of 10)	NNTN8457
	Replacement Phonak Inductive Neckloop for PMLN7696	RLN4920
	Replacement Phonak Nano Ear Receiver, brown* for PMLN7696	GMLN5262
	 Replacement Phonak Nano Ear Receiver, beige* for PMLN7696	GMLN5261
	Replacement 1.4 Volt Battery for PMLN7696 (pack of 6)	RNN4005
	Replacement Universal 5V Power Supply for XBT Headsets	RLN6498
	Replacement Hygiene Kit for XBT Headsets	RLN6497
	Replacement Cooling Pads for XBT Headsets	RLN6496
	 Replacement Boom Microphone for XBT Headsets	RLN6495
	Replacement Behind-the-Neck Replacement Band for XBT Headsets	RLN6493
Replacement Headband Style Replacement Band for XBT Headsets	RLN6492	
Replacement Swivel Earpiece with Inline Microphone (pack of 3) for RLN6500	PRLN6550	

*Bluetooth is not embedded in radio. Separate external adapter is required.
 Note: XPR 7000/XPR 7000e and SL 7000/SL 7000e Series portable radios have Bluetooth embedded in the radio and do not require a separate external adapter. XPR 6000 Series require separate external adapter for Bluetooth.

MOTOTRBO PORTABLE RADIO ACCESSORIES

MOTOROLA ORIGINAL® TWO-WAY RADIO BATTERIES

The only batteries developed, tested and certified for optimal performance with your MOTOTRBO radio. MOTOTRBO batteries are Proven Tough, in lab test after lab test, to withstand shocks, knocks, drops and shakes and outperform the other brands.


COMPATIBILITY		ACCESSORY		FEATURES								
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	TYPICAL CAPACITY (mAh)	DIMENSIONS (MM) H x L x D	WEIGHT (GRAMS)	HAZLOC CAPABLE*	IP RATING	OPERATING TEMPERATURE (DISCHARGE)		
 XPR 7000 XPR 7000e SERIES  XPR 3000 XPR 3000e SERIES		IMPRES Slim Li-Ion 2100mAh IP68 Battery	PMNN4491	•	Li-Ion	2100	113 x 52 x 18	130		IP68	-10°C to +60°C	
		IMPRES Li-Ion 2450mAh IP68 Battery	PMNN4544	•	Li-Ion	2450	113 x 52 x 23	150		IP68	-20°C to +60°C	
			IMPRES Li-Ion 3000mAh IP68 Battery	PMNN4493	•	Li-Ion	3000	113 x 52 x 23	155		IP68	-10°C to +60°C
			IMPRES Li-Ion 3000mAh IP68 Battery (for use with Silent Alert Belt Clip PMLN7296)	PMMN4488	•	Li-Ion	3000	113 x 52 x 23	155		IP68	-10°C to +60°C
 XPR 3000e SERIES		IMPRES Li-Ion 2900mAh IP68 Battery	PMNN4490	•	Li-Ion	2900	113 x 52 x 23	210	UL	IP68	-10°C to +60°C	

* HAZLOC details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL- approved MOTOTRBO portable.

HOW DO IMPRES BATTERIES AND CHARGERS SAVE MONEY?

They reduce the number of spare batteries you buy and increase the time before you need replacements. Only IMPRES batteries can be charged 150 additional times versus a standard battery – a 43% increase in charge cycles. If you charge radios two to three times a week, you'll get more than an extra year out of every IMPRES battery.

ONLY IMPRES BATTERIES CAN BE CHARGED 150 TIMES MORE THAN STANDARD BATTERIES AND LAST 43% LONGER











WHAT IS THE LONG-LIFE COLD TEMPERATURE BATTERY?

The Motorola Original® Long-Life Cold Temperature Lithium Manganese battery has up to 1000 full charge/discharge cycles and is rated to withstand extreme temperatures down to -30 degrees C. Maintenance-free and lightweight, this battery does not require reconditioning or hazardous waste disposal.


MOTOTRBO PORTABLE RADIO ACCESSORIES

MOTOROLA ORIGINAL® TWO-WAY RADIO BATTERIES

The only batteries developed, tested and certified for optimal performance with your MOTOTRBO radio. MOTOTRBO batteries are Proven Tough, in lab test after lab test, to withstand shocks, knocks, drops and shakes and outperform the other brands.

COMPATIBILITY		ACCESSORY		FEATURES						
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	TYPICAL CAPACITY (mAh)	DIMENSIONS (MM) H X L X D	WEIGHT (GRAMS)	HAZLOC CAPABLE*	IP RATING	OPERATING TEMPERATURE (DISCHARGE)
 XPR 7000 XPR 7000e SERIES	 IMPRES Li-Ion 2800mAh IP67 Battery	PMNN4448	•	Li-Ion	2800	113 x 52 x 23	155		IP67	-10°C to +60°C
	 IMPRES Li-Ion 2500mAh IP67 TIA4950 Battery	NNTN8560	•	Li-Ion	2500	113 x 52 x 23	210	UL	IP67	-10°C to +60°C
	 IMPRES Li-Ion 2900mAh IP68 TIA4950 Battery	PMNN4489	•	Li-Ion	2900	113 x 52 x 23	210	UL	IP68	-10°C to +60°C
 XPR 6000 SERIES	 IMPRES Li-Ion 1700mAh IP57 Battery	PMNN4066	•	Li-Ion	1700	129 x 55 x 19	145		IP57	-10°C to +60°C
	 IMPRES Li-Ion 2400mAh IP57 Battery	PMNN4077	•	Li-Ion	2400	129 x 55 x 23	160		IP57	-20°C to +60°C
	 Motorola Original NiMH 1480mAh IP57 Battery	PMNN4065			NiMH	1480	129 x 55 x 21	215		IP57











* HAZLOC details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL- approved MOTOTRBO portable.



MOTOTRBO PORTABLE RADIO ACCESSORIES

MOTOROLA ORIGINAL® TWO-WAY RADIO BATTERIES


The only batteries developed, tested and certified for optimal performance with your MOTOTRBO radio. MOTOTRBO batteries are Proven Tough, in lab test after lab test, to withstand shocks, knocks, drops and shakes and outperform the other brands.

COMPATIBILITY		ACCESSORY		FEATURES							
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	TYPICAL CAPACITY (mAh)	DIMENSIONS (MM) H X L X D	WEIGHT (GRAMS)	HAZLOC CAPABLE*	IP RATING	OPERATING TEMPERATURE (DISCHARGE)	
 XPR 7000 IS DP 4000 EX SERIES		IMPRES Li-Ion 2075mAh IP67 ATEX Battery NNTN8359	•	Li-Ion	2075	135 x 57 x 23	220	ATEX / IECEx	IP67**	-10°C to +50°C***	
		IMPRES Li-Ion 2075mAh IP67 CSA157 Battery NNTN8386	•	Li-Ion	2075	135 x 57 x 23	220	CSA157	IP67	-10°C to +50°C	
 DP3000e SERIES		Motorola Original Li-Ion 1700mAh IP68 Battery PMNN4440		Li-Ion	1700	96 x 56 x 15	110		IP68	-10°C to +60°C	
		IMPRES Li-Ion 3000mAh IP68 Battery PMNN4502	•	Li-Ion	3000	96 x 56 x 23	155		IP68	-10°C to +60°C	
		IMPRES Li-Ion 2900mAh IP68 Battery PMNN4511	•	Li-Ion	2900	96 x 56 x 23	155	UL	IP68	-20°C to +60°C	
SL 300 SL 3500e SL 7000 SL 7000e SERIES		Motorola Original Li-Ion 2300mAh Battery PMNN4468		Li-Ion	2300	12 x 36 x 54	50			-10°C to +60°C	
SL 7000 SL 7000e SERIES		Replacement Battery Cover to use with PMNN4468 PMLN6745									
SL 300 SL 3500e		Replacement Battery Cover to use with PMNN4468 PMLN7074									

* HAZLOC details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL- approved MOTOTRBO portable.

** DP4000 EX Series radios with NNTN8359 batteries are rated IP67 and are also certified to the highest ingress protection available under ATEX/IECEx test conditions - IP64









*** DP4000 EX Series radios with NNTN8359 batteries are certified under ATEX/IECEx test requirements of -20°C to +55°C




MOTOTRBO PORTABLE RADIO ACCESSORIES

CHARGER SOLUTIONS

Choose from a variety of solutions including single-unit, multi-unit, travel and in-vehicle chargers and be confident your radio is charged and ready to go the moment you need it.





COMPATIBILITY	ACCESSORY		FEATURES				
	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
 XPR 3000 XPR 3000e SERIES		Single-Unit Rapid Rate Charger with Power Supply, Linear CHN Plug	NNTN8224	Li-Ion, NiMh	240 VAC	61 x 97 x 163	1
		Single-Unit Rapid Rate Charger with Power Supply, Linear ARG Plug	NNTN8225	Li-Ion, NiMh		61 x 97 x 163	1
		Single-Unit Rapid Rate Charger with Power Supply, Switch-Mode – 21W, BZL Plug	NNTN8280	Li-Ion, NiMh	100-240 VAC	61 x 97 x 163	1
		Single-Unit Rapid Rate Charger with Power Supply, Linear, EURO Plug	NNTN8292	Li-Ion, NiMh	240 VAC	61 x 97 x 163	1
		Single-Unit Rapid Rate Charger with Power Supply, Linear, UK Plug	NNTN8293	Li-Ion, NiMh	240 VAC	61 x 97 x 163	1
DP4000 EX SERIES		IMPRES Single-Unit Charger, US Plug	PMPN4576A	Li-Ion, NiMh	120 VAC	51 x 88 x 94	1
		IMPRES Single-Unit Charger, ARG Plug	PMPN4573A	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
		IMPRES Single-Unit Charger, BRZ Plug	PMPN4575A	Li-Ion, NiMh	100-240 VAC	51 x 88 x 94	1
XPR 3000 XPR 3000e SERIES		IMPRES Single-Unit Charger, UK Plug	PMPN4572A	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
		IMPRES Single-Unit Charger, EURO Plug	PMPN4577A	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
XPR 6000 SERIES		IMPRES Single-Unit Charger, AU/NZ Plug	PMPN4571A	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
		IMPRES Single-Unit Charger, KOR Plug	PMPN4574A	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
XPR 7000 XPR 7000e SERIES		IMPRES Single-Unit Charger, CHN Plug	PMPN4579A	Li-Ion, NiMh	240 VAC	51 x 88 x 94	1
		IMPRES Single-Unit Charger, INDIA Plug	PMPN4582A	Li-Ion, NiMh	100-240 VAC	51 x 88 x 94	1
XPR 3000 XPR 3000e SERIES XPR 6000 SERIES XPR 7000 XPR 7000e SERIES		IMPRES Single-Unit Rapid Rate Vehicular Charger, Heavy-Duty Permanent Mount	NNTN7616	Li-Ion, NiMh	12 VDC (hardwire)	200 x 83 x 97	1
			Travel Charger, Rapid Rate with Voltage Regulated Adapter, Custom Charger Base, Mounting Bracket and Coil Cord	NNTN8525	Li-Ion, NiMh	12 VDC Cigarette Lighter Adapter	58 x 64 x 67

ACCESSORY		FEATURES				
DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
	Replacement Power Supply for IMPRES Single-Unit Charger, US Plug	25009297001		120 VAC		
	Replacement Power Supply for IMPRES Single-Unit Charger, ARG Plug	PS000037A04		240 VAC		
	Replacement Power Supply for IMPRES Single-Unit Charger, BRZ Plug	EPNN9356A		100-240 VAC		
	Replacement Power Supply for IMPRES Single-Unit Charger, UK Plug	PS000037A02		240 VAC		
	Replacement Power Supply for IMPRES Single-Unit Charger, EURO Plug	PS000037A01		240 VAC		
	Replacement Power Supply for IMPRES Single-Unit Charger, AU/NZ Plug	PS000037A03		240 VAC		
	Replacement Power Supply for IMPRES Single-Unit Charger, JAP Plug	PMLN5229A		100-240 VAC		
	Replacement Power Supply for IMPRES Single-Unit Charger, KOR Plug	PS000037A06		240 VAC		
	Replacement Power Supply for IMPRES Single-Unit Charger, CHN Plug	PS000037A05		240 VAC		
	Replacement Power Supply for IMPRES Single-Unit Charger, INDIA Plug	EPNN9295A		100-240 VAC		

MOTOTRBO PORTABLE RADIO ACCESSORIES

CHARGER SOLUTIONS

Choose from a variety of solutions including single-unit, multi-unit, travel and in-vehicle chargers and be confident your radio is charged and ready to go the moment you need it.





COMPATIBILITY	ACCESSORY		FEATURES				
	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
DP3000e SERIES	IMPRES 2 Multi-Unit Fast Charger with 1 Display, US/CAN Plug	PMPN4284	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	IMPRES 2 Multi-Unit Fast Charger with 1 Display, UK Plug	PMPN4290	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
DP4000 EX SERIES	IMPRES 2 Multi-Unit Fast Charger with 1 Display, EURO Plug	PMPN4289	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	IMPRES 2 Multi-Unit Fast Charger with 1 Display, AU/NZ Plug	PMPN4293	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
XPR 3000 XPR 3000e SERIES	 IMPRES 2 Multi-Unit Fast Charger with 1 Display, ARG Plug	PMPN4291	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	IMPRES 2 Multi-Unit Fast Charger with 1 Display, BZL Plug	PMPN4292	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
XPR 6000 SERIES	IMPRES 2 Multi-Unit Fast Charger with 1 Display, JAP Plug	PMPN4295	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	IMPRES 2 Multi-Unit Fast Charger with 1 Display, KOR Plug	PMPN4294	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
XPR 7000 XPR 7000e SERIES	IMPRES 2 Multi-Unit Fast Charger with 1 Display, CHN Plug	PMPN4296	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	 IMPRES 2 Multi-Unit Fast Charger with 1 Display, TW Plug	PMPN4462	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	 Wall Mount Bracket for IMPRES 2 Multi-Unit Charger	BR000272A01					
	 Interchangeable Charging Pocket	AS000129A01					
	Replacement Power Supply, 100-240 VAC without Power Cord	PS000242A01			100-240 VAC		





ACCESSORY		FEATURES				
DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
Power Cord for IMPRES 2 Multi-Unit Charger, US/CAN Plug	3087791G01				2300	
Power Cord for IMPRES 2 Multi-Unit Charger, UK Plug	3087791G07				2300	
Power Cord for IMPRES 2 Multi-Unit Charger, EURO Plug	3087791G04				2300	
Power Cord for IMPRES 2 Multi-Unit Charger, AU/NZ Plug	3087791G10				2300	
Power Cord for IMPRES 2 Multi-Unit Charger, BZL Plug	3087791G22				2300	
Power Cord for IMPRES 2 Multi-Unit Charger, JAP Plug	3087791G20				2300	
Power Cord for IMPRES 2 Multi-Unit Charger, KOR Plug	3087791G16				2300	
Power Cord for IMPRES 2 Multi-Unit Charger, CHN Plug	CB000199A01				2500	
Power Cord for IMPRES 2 Multi-Unit Charger, TW Plug	CB000805A01				2500	

MOTOTRBO PORTABLE RADIO ACCESSORIES

CHARGER SOLUTIONS

Choose from a variety of solutions including single-unit, multi-unit, travel and in-vehicle chargers and be confident your radio is charged and ready to go the moment you need it.

COMPATIBILITY	ACCESSORY	FEATURES						
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS	
 <p>SL 7000 SL 7000e SERIES</p>	 Standard Micro-USB Single-Unit Rapid Rate, Plug-In Charger, US/CAN Plug	PMPN4009		Li-Ion	120 VAC		1	
		Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device), US Plug	PMLN6701		Li-Ion	120 VAC	52 x 93 x 113	2+1
		Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device), EU Plug	PMLN6705		Li-Ion	220-240 VAC	52 x 93 x 113	2+1
		Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device), UK Plug	PMLN6704		Li-Ion	230 VAC	52 x 93 x 113	2+1
		Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device), PRC Plug	PMLN6703		Li-Ion		52 x 93 x 113	2+1
		Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device), AU/NZ Plug	PMLN6700		Li-Ion	220-240 VAC	52 x 93 x 113	2+1
		Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device), BZL Plug	PMLN6698		Li-Ion	100-240 VAC	52 x 93 x 113	2+1
		Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device), ARG Plug	PMLN6702		Li-Ion	220 VAC	52 x 93 x 113	2+1
		Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device), KOR Plug	PMLN6699		Li-Ion	110-230 VAC	52 x 93 x 113	2+1

COMPATIBILITY	ACCESSORY	FEATURES						
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS	
 <p>SL 3500e</p>		Single-Unit Rapid Rate Desk Charger, US/CAN Plug	PMLN7109	Li-Ion	100-240 VAC	52 x 70 x 70	1	
		Single-Unit Rapid Rate Desk Charger, UK Plug	PMLN7163	Li-Ion	100-240 VAC	52 x 70 x 70	1	
		Single-Unit Rapid Rate Desk Charger, EU Plug	PMLN7110	Li-Ion	100-240 VAC	52 x 70 x 70	1	
		Single-Unit Rapid Rate Desk Charger, AU/NZ Plug	PMLN7111	Li-Ion	100-240 VAC	52 x 70 x 70	1	
		Single-Unit Rapid Rate Desk Charger, ARG Plug	PMLN7112	Li-Ion	100-240 VAC	52 x 70 x 70	1	
		Single-Unit Rapid Rate Desk Charger, BRL Plug	PMLN7114	Li-Ion	100-240 VAC	52 x 70 x 70	1	
		Single-Unit Rapid Rate Desk Charger, JAP Plug	PMLN7115	Li-Ion	100-240 VAC	52 x 70 x 70	1	
		Single-Unit Rapid Rate Desk Charger, KOR Plug	PMLN7113	Li-Ion	100-240 VAC	52 x 70 x 70	1	
		Single-Unit Rapid Rate Desk Charger, CHN Plug	PMLN7108	Li-Ion	100-240 VAC	52 x 70 x 70	1	
		Compact Multi-Unit Charger, US/CAN Plug	PMLN7101	Li-Ion	100-240 VAC	66 x 450 x 92	6	
		Compact Multi-Unit Charger, UK Plug	PMLN7162	Li-Ion	100-240 VAC	66 x 450 x 92	6	
		Compact Multi-Unit Charger, EU Plug	PMLN7102	Li-Ion	100-240 VAC	66 x 450 x 92	6	
		Compact Multi-Unit Charger, AU/NZ Plug	PMLN7103	Li-Ion	100-240 VAC	66 x 450 x 92	6	
		Compact Multi-Unit Charger, ARG Plug	PMLN7104	Li-Ion	100-240 VAC	66 x 450 x 92	6	
		Compact Multi-Unit Charger, KOR Plug	PMLN7105	Li-Ion	100-240 VAC	66 x 450 x 92	6	
		Compact Multi-Unit Charger, BRL Plug	PMLN7106	Li-Ion	100-240 VAC	66 x 450 x 92	6	
		Compact Multi-Unit Charger, JAP Plug	PMLN7107	Li-Ion	100-240 VAC	66 x 450 x 92	6	
		Micro-USB Rapid-Rate Plug-In Charger	25009298001			120 VAC	44 x 34 x 70	

MOTOTRBO PORTABLE RADIO ACCESSORIES

IMPRES BATTERY MANAGEMENT TOOLS

With the unique IMPRES Battery Fleet Management systems, efficiently manage your batteries with real-time data not available with other manufacturers' batteries. Our easy-to-use software applications show you if there is enough capacity for a full shift, alert you to low capacity batteries, prevent downtime and eliminate throwing batteries out prematurely.

COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
XPR 3000 XPR 3000e SERIES	IMPRES Battery Fleet Management License Key, NA/CAN	HKVN4036
	IMPRES Battery Fleet Management License Key, EMEA	HKVN4037
XPR 6000 SERIES	IMPRES Battery Fleet Management License Key, LA	HKVN4038
XPR 7000 XPR 7000e SERIES	IMPRES Battery Fleet Management License Key, Asia	HKVN4039

For details on the 3 BFM on-prem configurations and how to order the Entitlement ID, view the [Ordering and Deployment Guide](#). The IMPRES Battery Fleet Management Software is available to download from Motorola Solutions' internal [MyView](#) portal. Now over-the-air capable with XPR 7000 and XPR 3000 Series models.

Scan QR code to view the IMPRES Battery Fleet Management brochure:



IMPRES BATTERY FLEET MANAGEMENT VERSION 4.0

Active Battery Details



















MORE INFO	Battery Serial Number	Radio ID	Radio Alias	Battery Group	Kit Number	Battery Last Reading	Radio Last Registration	Battery Status	Percent Charge	Capacity Remaining Years to EOL	In Charger
View	5000003C3606	10009101	APX_JohnP1	John_Group	NNTN7034A	05/04/2022, 06:05:13 PM	05/05/2022, 03:12:32 PM		100%	REPLACE AGE	NO
View	50000043841C	10061441	APX_James1		NNTN7037A	05/04/2022, 06:58:02 PM			100%	REP HEALTH + AGE	JOHN-MUC#1-APX Pocket 5
View	50000043804B	10061441	APX_James1		NNTN7038A	05/05/2022, 04:07:27 PM			100%	2-3 YEARS	JOHN-MUC#2-APX Pocket 3
View	500000502196	10061441	APX_James1		NNTN7037A	05/04/2022, 06:05:11 PM	05/04/2022, 06:12:26 PM		100%	REPLACE AGE	NO
View	500000552CBB				NNTN7037A	04/25/2022, 03:09:21 PM			100%	REPLACE AGE	NO
View	5000005F8567	10009102	APX_JohnP2		NNTN7033A	05/05/2022, 04:07:27 PM			100%	REPLACE AGE	JOHN-MUC-APX-j2 Pocket 3
View	500000799EFE				NNTN7038A	05/05/2022, 04:04:56 PM			100%	REPLACE AGE	JOHN-MUC-APX-j1 Pocket 6
View	5000007E1A62				NNTN7034A	05/04/2022, 03:57:22 PM			100%	REPLACE AGE	NO
View	50000080FD8A	10009100	APX_JohnP0	James_Group	NNTN8092A	05/04/2022, 06:05:12 PM	05/04/2022, 06:09:51 PM		100%	REPLACE AGE	NO
View	50000085B9C8				NNTN7038A	05/05/2022, 04:08:05 PM			100%	REPLACE AGE	LAB-APX&SI-MUC#1 Pocket 2
View	5000008BA4EB	10061440	APX_James0	John_Group	NNTN8092A	05/04/2022, 06:05:10 PM	05/04/2022, 08:49:26 PM		100%	REPLACE AGE	NO
View	5000008A44FB				NNTN7038A	04/20/2022, 03:48:41 PM			100%	REPLACE AGE	NO
View	500000CBEE15	10063371	APX_Serge1	Serge_Group	NNTN7038A	04/20/2022, 03:36:10 PM			100%	REPLACE AGE	NO
View	500000CC4F1F				NNTN7037A	05/05/2022, 04:08:04 PM			100%	REPLACE AGE	LAB-APX&SI-MUC#3 Pocket 1
View	500000DD4E9E	10061440	APX_James0	John_Group	PMNN4403A	05/05/2022, 04:07:29 PM			100%	< 1 YEAR	JOHN-MUC-APX-j2 Pocket 4
View	500000DD8DA9	10037540	APX_JasonA0		NNTN7038A	04/14/2022, 02:55:00 PM	04/14/2022, 03:00:57 PM		82%	REPLACE AGE	NO
View	500000DE2B02	10061441	APX_James1		PMNN4403A	05/05/2022, 04:07:27 PM			100%	REPLACE AGE	JOHN-MUC#1-APX Pocket 1

IMPRES battery fleet management active battery details

MOTOTRBO PORTABLE RADIO ACCESSORIES

CARRY SOLUTIONS

Carrying cases are available in sizes designed to fit your radio and battery and permit audio to be heard clearly. Our carry accessories keep your hands-free, so you can concentrate on the task at hand.















COMPATIBILITY	ACCESSORY		FEATURES				
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP / CLIP DIMENSION (INCHES)	SWIVEL / FIXED	DISPLAY / NON-DISPLAY	D RINGS
 DP4000 EX SERIES	 Hard Leather Case with 2.5 inch Swivel Belt Loop for Non-Display ATEX Model	PMLN6096	Hard Leather	2.5	Swivel	Non-Display	•
	 Hard Leather Case with 2.5 inch Swivel Belt Loop for Display ATEX Model	PMLN6097	Hard Leather	2.5	Swivel	Display	•
	 Soft Leather Case with 2.5 inch Swivel Belt Loop for Non-Display ATEX Model	PMLN6098	Soft Leather	2.5	Swivel	Non-Display	•
	 Soft Leather Case with 2.5 inch Swivel Belt Loop for Display ATEX Model	PMLN6099	Soft Leather	2.5	Swivel	Display	•
 SL 3500e	 Heavy-Duty Belt Clip	PMLN7128	Plastic	N/A	N/A	N/A	
	 Swivel Carry Holster	PMLN7190	Plastic	N/A	Swivel	Display	
 DP3000e SERIES	 Carry Holster with Belt Clip	PMLN7559	Plastic	N/A	Fixed	N/A	
	 Synthetic Leather Case with 3 inch Fixed Belt Loop for Standard Battery	PMLN7536	Synthetic Leather	3	Fixed	Display/Non-Display	•
	 Synthetic Leather Case with 3 inch Fixed Belt Loop for High Capacity Battery	PMLN7537	Synthetic Leather	3	Fixed	Display/Non-Display	•
 XPR 3000 XPR 3000e SERIES	 Nylon Case with 3 inch Fixed Belt Loop (limited keypad model)	PMLN5869	Nylon	3	Fixed	Display	•
	 Hard Leather Case with 2.5 inch Swivel Belt Loop (limited keypad model)	PMLN5867	Hard Leather	2.5	Swivel	Display	•
	 Hard Leather Case with 3 inch Swivel Belt Loop (limited keypad model)	PMLN5865	Hard Leather	3	Swivel	Display	•
	 Hard Leather Carry Case with 3 inch Fixed Belt Loop (limited keypad model)	PMLN5863	Hard Leather	3	Fixed	Display	•
XPR 6000 SERIES	 Soft Leather Case with 2.5 inch Swivel Belt Loop (display model)	PMLN5016	Soft Leather	2.5	Swivel	Display	•


















MOTOTRBO PORTABLE RADIO ACCESSORIES

CARRY SOLUTIONS

Carrying cases are available in sizes designed to fit your radio and battery and permit audio to be heard clearly. Our carry accessories keep your hands-free, so you can concentrate on the task at hand.






















COMPATIBILITY	ACCESSORY		FEATURES				
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP / CLIP DIMENSION (INCHES)	SWIVEL / FIXED	DISPLAY / NON-DISPLAY	D RINGS
XPR 6000 SERIES	 Soft Leather Case with 3 inch Swivel Belt Loop (display model)	PMLN5017	Soft Leather	3	Swivel	Display	•
	 Soft Leather Case with 3 inch fixed Belt Loop (display model)	PMLN5018	Soft Leather	3	Fixed	Display	•
 XPR 3000 XPR 3000e SERIES	 Nylon Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5870	Nylon	3	Fixed	Non-Display	•
	 Hard Leather Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5868	Hard Leather	2.5	Swivel	Non-Display	•
	 Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5866	Hard Leather	3	Swivel	Non-Display	•
	 Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5864	Hard Leather	3	Fixed	Non-Display	•
 XPR 6000 SERIES	 Soft Leather Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5025	Soft Leather	2.5	Swivel	Non-Display	•
	 Soft Leather Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5026	Soft Leather	3	Swivel	Non-Display	•
	 Soft Leather Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5027	Soft Leather	3	Fixed	Non-Display	•
	 Nylon Case with 3 inch Fixed Belt Loop (display model)	PMLN5015	Nylon	3	Fixed	Display	•
	 Nylon Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5024	Nylon	3	Fixed	Display	•
	 Hard Leather Case with 2.5 inch Swivel Belt Loop (display model)	PMLN5019	Hard Leather	2.5	Swivel	Display	•

Choose from a wide range of nylon cases, leather cases, straps, holsters and clips, all designed to keep your radio protected, yet still easy to access.

COMPATIBILITY	ACCESSORY		FEATURES				
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP / CLIP DIMENSION (INCHES)	SWIVEL / FIXED	DISPLAY / NON-DISPLAY	D RINGS
 XPR 6000 SERIES	 Hard Leather Case with 3 inch Swivel Belt Loop (display model)	PMLN5020	Hard Leather	3	Swivel	Display	•
	 Hard Leather Case with 3 inch Fixed Belt Loop (display model)	PMLN5021	Hard Leather	3	Fixed	Display	•
	 Hard Leather Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5028	Hard Leather	2.5	Swivel	Non-Display	•
	 Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5029	Hard Leather	3	Swivel	Non-Display	•
	 Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5030	Hard Leather	3	Fixed	Non-Display	•
 XPR 7000 XPR 7000e SERIES	 Nylon Case with 3 inch Fixed Belt Loop (full keypad model)	PMLN5844	Nylon	3	Fixed	Display	•
	 Hard Leather Case with 2.5 inch Swivel Belt Loop (full keypad model)	PMLN5842	Hard Leather	2.5	Swivel	Display	•
	 Hard Leather Case with 3 inch Swivel Belt Loop (full keypad model)	PMLN5840	Hard Leather	3	Swivel	Display	•
	 Hard Leather Case with 3 inch Fixed Belt Loop (full keypad model)	PMLN5838	Hard Leather	3	Fixed	Display	•
	 Nylon Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5845	Nylon	3	Fixed	Non-Display	•
	 Hard Leather Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5843	Hard Leather	2.5	Swivel	Non-Display	•
	 Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5846	Hard Leather	3	Swivel	Non-Display	•
	 Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5839	Hard Leather	3	Fixed	Non-Display	•

MOTOTRBO PORTABLE RADIO ACCESSORIES

CARRY SOLUTIONS





COMPATIBILITY	ACCESSORY		FEATURES			
	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP / CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D RINGS
 DP4000 EX SERIES	 2.5 inch Belt Clip for ATEX models	PMLN6086	Plastic	2.5		
	 2.5 inch Replacement Leather Swivel Belt Loop	PMLN5610	Hard Leather	2.5	Swivel	
 XPR 3000 XPR 3000e SERIES	 Silent Alert Belt Clip for use with IMPRES Battery PMMN4488, Clip only	PMLN7296	Plastic			
	 Spring Action 2 inch Belt Clip	PMLN4651	Plastic	2		
	 Spring Action 2.5 inch Belt Clip	PMLN7008	Plastic	2.5		
	 XPR 7000 XPR 7000e SERIES	 Replacement 2.5 inch Swivel Belt Loop	PMLN5610	Hard Leather	2.5	Swivel
 Replacement 3 inch Leather Swivel Belt Loop		PMLN5611	Hard Leather	3	Swivel	
 XPR 6000 SERIES	 Replacement 2.5 inch Leather Swivel Belt Loop	PMLN5022	Hard Leather	2.5	Swivel	
	 Replacement 3 inch Leather Swivel Belt Loop	PMLN5023	Hard Leather	3	Swivel	
	 Spring Action 2.5 inch Belt Clip	PMLN4652	Plastic	2.5		
 SL 7000 SL 7000e SERIES	 Carry Holder/Holster for SL Series Radio with Swivel Belt Loop	PMLN5956	Plastic		Swivel	
	 Soft Leather Case with 1.5 inch Quick Release Swivel Belt Clip	PMLN7040	Soft Leather	1.5	Swivel	
 SL 3500e SL 7000 SL 7000e SERIES	 Nylon Wrist Strap for Securely Carrying Motorola Two-Way Radios	PMLN6074	Nylon			
 SL 3500e	 Flexible Hand Strap	PMLN7076	Nylon			

COMPATIBILITY	ACCESSORY		FEATURES	
	DESCRIPTION	PART NUMBER		MATERIAL
 XPR 3000 XPR 3000e SERIES	 Waterproof Bag with Large Strap for Securely Carrying Motorola Two-Way Radios	HLN9985		
	 1.75 inch Wide Leather Belt	4200865599		Leather
 XPR 6000 SERIES	 Universal Chest Pack with Radio Holder, Pen Holder and Velcro Secured Pouch	HLN6602		
	 Break-a-Way Chest Pack with Radio Holder, Pen Holder and Velcro Secured Pouch	RLN4570		
	 Replacement Strap for HLN6602 and RLN4570	1505596Z02		
	 Radio Pack Radio Utility Case	RLN4815		
 XPR 7000 XPR 7000e SERIES	 Radio Pack Extension Belt for Waists Larger than 40 inches	4280384F89		
	 Adjustable Nylon Carrying Strap	NTN5243		Nylon
	 Leather Radio Strap	RLN6486		Leather
 XPR 7000 XPR 7000e SERIES	 Leather Radio Strap - XL	RLN6487		Leather
	 Anti-Sway Strap for Leather Radio Straps	RLN6488		Leather
 DP4000 EX SERIES	 Accessory Connector Dust Cover	15012157001		Plastic
 XPR 6000 SERIES	 Accessory Connector Dust Cover	1571477L01		Plastic
 XPR 3000 XPR 3000e SERIES	 Accessory Connector Dust Cover	PMLN6066		Plastic
 XPR 7000 XPR 7000e SERIES	 Accessory Connector Dust Cover	15012157001		Plastic



MOTOTRBO PORTABLE RADIO ACCESSORIES












SCREEN PROTECTORS

COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
 <p>SL 7000 SL 7000e SERIES</p>	 <p>Screen Protector, Clear (single pack - Qty 1)</p>	AY000269A01
 <p>XPR 7000 XPR 7000e SERIES</p>	 <p>Screen Protector, Clear (single pack - Qty 1)</p>	AY000267A01



ANTENNAS





Get the best possible reception wherever you operate. New stubby antennas for the XPR 7000 and XPR 3000 series radios offer superior performance over XPR 6000 Series stubby antennas.






COMPATIBILITY	ACCESSORY	PART NUMBER	FEATURES				
			UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
 <p>XPR 6000 SERIES</p>		PMAE4018	UHF	403-433	•	14	Whip
		PMAE4024	UHF	430-470	•	14	Whip
		PMAE4050	UHF	450-495	•	14	Whip
		PMAE4051	UHF	495-527	•	14	Whip
		PMAD4067	VHF	136-147	•	16	Helical
		PMAD4068	VHF	147-160	•	16	Helical
		PMAD4069	VHF	160-174	•	16	Helical
		PMAF4003	800/900 MHz	806-941	•	18	Helical
		NAF5087	800/900 MHz	806-870		7	Whip
		NAF5088	800/900 MHz	896-941		6.6	Whip

MOTOTRBO PORTABLE RADIO ACCESSORIES

ANTENNAS













Get the best possible reception wherever you operate. New stubby antennas for the XPR 7000 and XPR 3000 series radios offer superior performance over XPR 6000 Series stubby antennas.

COMPATIBILITY	ACCESSORY		FEATURES					
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE	
 <p>XPR 6000 SERIES</p>		UHF Wideband Flexible Whip Antenna for the 403-470 MHz Range	PMAE4022	UHF	403-470		16	Whip
		UHF Wideband Flexible Whip Antenna for the 450-512 MHz Range	PMAE4049	UHF	450-512		16	Whip
		VHF Wideband Flexible Whip Antenna for the 136-174 MHz Range	PMAD4124/ PMAD4088	VHF	136-174		21	Whip
		UHF/GPS Combination Stubby Antenna for the 403-433 MHz Range	PMAE4021	UHF	403-433	•	9	Stubby
		UHF/GPS Combination stubby antenna for the 430-470 MHz Range	PMAE4023	UHF	430-470	•	9	Stubby
		UHF/GPS Combination Stubby Antenna for the 450-512 MHz Range	PMAE4048	UHF	450-512	•	9	Stubby
		VHF Stubby Antenna for the 136-147 MHz Range	PMAD4093	VHF	136-147		11	Stubby
		VHF Stubby Antenna for the 147-160 MHz Range	PMAD4094	VHF	147-160		11	Stubby
		VHF Stubby Antenna for the 160-174 MHz Range	PMAD4095	VHF	160-174		11	Stubby
		Whip 350-400 MHz + GPS Fld Mnp Antenna 16.5cm	PMAD4112	VHF	350-400	•	16.5	Whip

COMPATIBILITY	ACCESSORY		FEATURES					
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE	
 <p>XPR 3000 XPR 3000e SERIES</p> <p>XPR 7000 XPR 7000e SERIES</p>		UHF/GPS Combination Wideband Slim Whip Antenna (400-527 MHz)	PMAE4079	UHF	403-527	•	15	Whip
		VHF/GPS Combination Helical Antenna (136-155 MHz)	PMAD4117	VHF	136-155	•	15	Helical
		VHF/GPS Combination Helical Antenna (144-165 MHz)	PMAD4116	VHF	144-165	•	15	Helical
		VHF/GPS Combination Helical Antenna (152-174 MHz)	PMAD4118	VHF	152-174	•	15	Helical
		UHF/GPS Combination Stubby Antenna (400-450 MHz)	PMAE4069	UHF	403-450	•	11	Stubby
		UHF/GPS Combination Stubby Antenna (440-490 MHz)	PMAE4070	UHF	440-490	•	11	Stubby
		UHF/GPS Combination Stubby Antenna (470-527 MHz)	PMAE4071	UHF	470-527	•	11	Stubby
		VHF/GPS Combination Stubby Antenna (136-148 MHz)	PMAD4119	VHF	136-148	•	9	Stubby
		VHF/GPS Combination Stubby Antenna (146-160 MHz)	PMAD4120	VHF	146-160	•	9	Stubby
		VHF Stubby Antenna (320-360 MHz)	PMAD4135	VHF	320-360			Stubby
	VHF Stubby Antenna (300-337 MHz)	PMAD4137	VHF	300-337			Stubby	

MOTOTRBO PORTABLE RADIO ACCESSORIES

ANTENNAS







COMPATIBILITY		ACCESSORY		FEATURES			
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	TYPE	
 <p>DP4000 EX SERIES</p>	 UHF Folded Monopole Whip Antenna for ATEX Radio (403-433 MHz)	PMAE4081	UHF	403-433		Whip	
	 UHF Folded Monopole Whip Antenna for ATEX Radio (430-470 MHz)	PMAE4082	UHF	430-470		Whip	
	 UHF Stubby Antenna for ATEX Radio (403-433 MHz)	PMAE4083	UHF	403-433		Stubby	
	 UHF Stubby Antenna for ATEX Radio (430-470 MHz)	PMAE4084	UHF	430-470		Stubby	
	 UHF Wideband Whip Antenna for ATEX Radio (403-470 MHz)	PMAE4085	UHF	403-470		Whip	
	 VHF/GPS Helical Whip Antenna for ATEX Radio (136-147 MHz)	PMAD4126	VHF	136-147		Whip	
	 VHF/GPS Helical Whip Antenna for ATEX Radio (147-160 MHz)	PMAD4127	VHF	147-160		Whip	
	 VHF/GPS Helical Whip Antenna for ATEX Radio (160-174 MHz)	PMAD4128	VHF	160-174		Whip	
	 VHF Stubby Antenna for ATEX Radio (136-147 MHz)	PMAD4129	VHF	136-147	11	Stubby	
	 VHF Stubby Antenna for ATEX Radio (147-160 MHz)	PMAD4130	VHF	147-160	11	Stubby	
	 VHF Stubby Antenna for ATEX Radio (160-174 MHz)	PMAD4131	VHF	160-174	11	Stubby	



MOTOTRBO PORTABLE RADIO ACCESSORIES

ANTENNAS

MOTOTRBO XPR 3000 and 7000 series have GPS antennas integrated inside the radio.







COMPATIBILITY	ACCESSORY		FEATURES			
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	TYPE
 DP4000 EX SERIES	 VHF Wideband Antenna for ATEX Radio (136-174 MHz)	PMAD4132	VHF	136-174		Whip
 DP3000e SERIES	 VHF Stubby Antenna (160-174 MHz)	PMAD4121	VHF	160-174		Stubby
	VHF Stubby Antenna (350-380 MHz)	PMAD4136	VHF	350-380		Stubby
 XPR 3000 XPR 3000e SERIES	VHF Stubby Antenna (360-400 MHz)	PMAD4133	VHF	360-400		Stubby
 XPR 7000 XPR 7000e SERIES	VHF Whip Antenna (300-360 MHz)	PMAD4138	VHF	300-360		Whip
	VHF Whip Antenna (350-400 MHz)	PMAD4139	VHF	350-400		Whip



MOTOTRBO PORTABLE RADIO ACCESSORIES

ANTENNAS







MOTOTRBO XPR 7000 and SL series have GPS antennas integrated inside the radio.

COMPATIBILITY	ACCESSORY		FEATURES				
	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	TYPE	
 <p>XPR 7000 XPR 7000e SERIES</p>		800 MHz Flexible Whip Antenna (806-870 MHz)	PMAF4011	800/ 900 MHz	806-870	16.4	Whip
		900 MHz Flexible Whip Antenna (896-941 MHz)	PMAF4012	800/ 900 MHz	896-941	14	Whip
		800/900 Stubby Antenna (806-870 MHz)	PMAF4009	800/ 900 MHz	806-870	12	Short Whip
		800/900 Stubby Antenna (896-941 MHz)	PMAF4010	800/ 900 MHz	896-941	11.2	Short Whip
 <p>SL 7000 SL 7000e SERIES</p>		UHF Antenna Kit for the 403-425 MHz Range	PMAE4078	UHF	403-425	1.9	Stubby
		UHF Antenna Kit for the 420-445 MHz Range	PMAE4076	UHF	420-445	1.9	Stubby
		UHF Antenna Kit for the 438-470 MHz Range	PMAE4077	UHF	438-470	1.9	Stubby
		UHF Stubby Antenna Kit for the 450-490 MHz Range	PMAE4091	UHF	450-490	1.9	Stubby
		UHF Stubby Antenna Kit for the 480-527 MHz Range	PMAE4092	UHF	480-527	1.9	Stubby
		Antenna Kit for the 800 MHz Range	PMAF4017	800/ 900 MHz	806-870	1.1	Stubby
		Antenna Kit for the 900 MHz Range	PMAF4018	800/ 900 MHz	896-941	0.5	Stubby



MOTOTRBO PORTABLE RADIO ACCESSORIES












ANTENNAS ACCESSORIES

COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
 <p>XPR 3000 XPR 3000e SERIES</p> <p>XPR 7000 XPR 7000e SERIES</p>	 <p>Gray Antenna ID Bands (pack of 10pcs)</p>	32012144001
	 <p>Yellow Antenna ID Bands (pack of 10pcs)</p>	32012144002
	 <p>Green Antenna ID Bands (pack of 10pcs)</p>	32012144003
	 <p>Blue Antenna ID Bands (pack of 10pcs)</p>	32012144004
	 <p>Purple Antenna ID Bands (pack of 10pcs)</p>	32012144005



MOTOTRBO PORTABLE RADIO ACCESSORIES

PROGRAMMING CABLES

COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
DP3000e SERIES XPR 3000 XPR 3000e SERIES	Programming Cable Slim Conn to DB25 and TTR	PMKN4116
 XPR 3000 XPR 3000e SERIES	Portable Programming Cable (USB) for XPR 3000 Series	PMKN4115
	 Programming, Test, and Alignment Cable for XPR 3000 Series	PMKN4117
 XPR 6000 SERIES	 Portable Programming Cable (USB) for XPR 6000/7000 Series	PMKN4012
	Programming, Test, and Alignment Cable for XPR 6000/7000 Series	PMKN4013
 XPR 7000 XPR 7000e SERIES	 Portable Telemetry Cable	PMKN4040
	 Portable to RS232 DB25M Connector Cable	PMKN4071
XPR 7000 XPR 7000e SERIES	 Test Alignment, TTR and Programming Cable	PMKN4126
 SL 7000 SL 7000e SERIES	 Portable Programming Cable (micro USB) for SL series	25-124330-01R
	 Programming Cable, Micro USB, with Tuning Connector	30012055001





MOTOTRBO MOBILE RADIO ACCESSORIES



MOTOTRBO MOBILE RADIOS

UNRIVALED VOICE AND DATA ON THE GO



XPR 5000 / XPR 5000e SERIES

The XPR 5000 series shares the same connector as the XPR 4000 series accessories enabling easy migration. This portfolio is enhanced with integrated Bluetooth®, giving more flexibility than ever before. Now your drivers can check on packages or walk around the loading dock and stay connected within 30 feet of their radio. A new IMPRES keypad microphone features a four-way navigation button that makes accessing critical features on the large color display, dialing phone numbers and sending text messages easy.

INTEGRATED VOICE AND DATA ON THE GO



XPR 4000 SERIES

Handling dispatch for a delivery company or hauling freight across the country, accessories must meet challenging installation and operational requirements. XPR 4000 series mobile accessories are specifically designed for hassle-free communication in a vehicle, for dispatch-enabled communication, and for easy installation.








XPR 2500 SERIES














The XPR 2500 features a durable telco accessory connector that enables microphones, external speakers and vehicular solutions. Many of the XPR 2500 microphones feature Intelligent Audio. Intelligent Audio listens to sounds in the background and automatically raises or lowers your radio volume so you can always hear clearly. If you're driving an empty bus that quickly fills with chattering children – you will still be able to hear important communication without taking your hands off the wheel to adjust the radio volume.

MOTOTRBO PORTABLE RADIO ACCESSORIES

MICROPHONES

Keypad microphones let you easily navigate menus on your XPR 4550 or XPR 5550, dial phone numbers and send text messages. The heavy-duty microphone is easy to use while wearing gloves and the telephone-style handset enables more discreet communication.







COMPATIBILITY	ACCESSORY		FEATURES	
MOBILE RADIOS	DESCRIPTION	PART NUMBER	MICROPHONE STYLE	IMPRES
 XPR 5000 XPR 5000e SERIES	 IMPRES Keypad Microphone with 4-way Navigation Button	RMN5127	Keypad + Navigation	•
	 MOTOTRBO Mobile Handheld Control Head Upgrade Kit with 3M Straight Cable	PMLN7131		
	 MOTOTRBO Mobile Handheld Control Head 5 Meter Straight Extension Cable	PMKN4174		
	 MOTOTRBO Mobile Handheld Control Head Upgrade Kit without Transceiver Adaptor	PMLN7209		
	 MOTOTRBO Mobile Handheld Control Head Transceiver Adaptor	PMLN7033		
XPR 4000 SERIES	 IMPRES Keypad Microphone	RMN5065	Keypad	•

COMPATIBILITY	ACCESSORY		FEATURES	
MOBILE RADIOS	DESCRIPTION	PART NUMBER	MICROPHONE STYLE	IMPRES
 XPR 5000 XPR 5000e SERIES	 Standard Compact Microphone	RMN5052	Compact	
	 IMPRES Heavy-Duty Microphone	RMN5053	Heavy-Duty	•
	 IMPRES Telephone Style Handset	HMN4098	Telephone Style Handset	•
	 IMPRES Visor Microphone	RMN5054	Visor	•
	 Desktop Microphone	RMN5050	Desktop	
 XPR 4000 SERIES	 Compact Microphone	PMMN4090	Compact	
	 Heavy-Duty Microphone	PMMN4091	Heavy-Duty	
	 Keypad Microphone	PMMN4089	Keypad	
	 Visor Microphone	GMMN4065	Visor	
	 Telephone Style Handset with Hang-up Cup	PMLN6481	Telephone Style Handset	
	 Desktop Microphone	PMMN4098	Desktop	



MOTOTRBO MOBILE RADIO ACCESSORIES

MICROPHONE ACCESSORIES







COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
XPR 5000 XPR 5000e SERIES XPR 4000 SERIES XPR 2500 SERIES	 Microphone Hang-Up Clip (Requires installation)	HLN9073
	 Universal Microphone Hang-Up Clip (No installation required)	HLN9414
XPR 5000 XPR 5000e SERIES	 10-Foot Mobile Microphone Extension Cable	PMKN4033
	 20-Foot Mobile Microphone Extension Cable	PMKN4034
XPR 4000 SERIES	 Compact Microphone Replacement Cable	3075336B07
	 Heavy Duty Keypad Microphone Replacement Cable	3075336B10


HOW CAN I COMMUNICATE SAFELY IN MY VEHICLE?

The IMPRES Visor Microphone mounts to your vehicle's visor for safe, convenient communication. Press the external push-to-talk button on the steering wheel to converse without taking your hands off the wheel or your eyes off the road. IMPRES Audio compensates for the distance of the visor mic from your mouth so that your radio communications are loud and clear.

External Push-to-Talk (PTT)

Activate the PTT or emergency footswitch without having to use the mobile microphone. A simple push button PTT can be held in the hand or mounted in your vehicle for easy access, while the emergency footswitch lets you discreetly activate emergency hands-free when a critical situation arises.

COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
XPR 5000 XPR 5000e SERIES XPR 4000 SERIES	 Pushbutton Push-To-Talk to Interface with your Visor Microphone	RLN5926
	 Emergency Footswitch can be used with a Visor Microphone	RLN5929
XPR 5000 XPR 5000e SERIES XPR 2500 SERIES	 Remote Mount Footswitch Push-to-Talk to Interface with your Visor Microphone	RLN4856
	 Remote Mount Pushbutton Push-to-Talk to Interface with your Visor Microphone	RLN4857
	 External PTT with Emergency Footswitch	RLN4836
	 Gooseneck PTT	RLN4858A



OPTIMIZED FOR DIGITAL

Make sure to only use Motorola audio accessories with this digital symbol, it indicates these accessories have been optimized for performance in both digital and analog mode. All accessories with this symbol have been certified and approved for XPR™ 2500 mobile radios.



LONG RANGE WIRELESS SOLUTIONS

Designed for customers who depend on their high power mobile radio for system connection but must work outside of their vehicle. The Long Range Wireless solution allows you to maintain critical communications even on remote job site.



Works up to 100 meters away line-of-sight from the mobile radio, keeping you in communication where you never thought possible.

MOTOTRBO MOBILE RADIO ACCESSORIES

LONG RANGE WIRELESS




The Long Range Wireless Remote Speaker Microphone (RSM) pairs instantly with touch pairing to the mobile microphone with Bluetooth gateway.












Plug and play - Just attach the mobile gateway microphone to your radio, align the two devices where indicated by the blue dot and you are ready to go. Voice prompts will walk you through pairing quickly.

COMPATIBILITY	ACCESSORY		FEATURES													VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.				
MOBILE RADIOS	DESCRIPTION	PART NUMBER	WINDPORTING/ NOISE-CANCELING	VOLUME CONTROL	ORANGE PROGRAMMABLE BUTTON	AUDIO JACK (3.5MM)	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING/ SUBMERSIBLE	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	PRIVATE SECURITY	EDUCATION (CAMPUSES)	
	 Long Range Wireless Kit with charger Includes: Long Range Wireless RSM; Mobile Microphone Bluetooth Gateway; Vehicular Charger	RLN6551	Windporting				28	3	158	88 x 26 x 63	Enhanced Operations Critical	Touch	300	IP55	•	•	•	•	•	
	 Long Range Wireless Kit Includes: Long Range Wireless RSM; Mobile Microphone Bluetooth Gateway	RLN6552	Windporting				28	3	158	88 x 26 x 63	Enhanced Operations Critical	Touch	300	IP55	•	•	•	•	•	
	 Mobile Microphone with Bluetooth Gateway	PMMN4097									Enhanced Operations Critical	Touch	300	IP55	•	•	•	•	•	
	 Wireless RSM (Remote Speaker Microphone) with Battery and Clip	RLN6544	Windporting				28	3	158	88 x 26 x 63	Enhanced Operations Critical	Touch	300	IP55	•	•	•	•	•	
	 Wireless RSM Battery, 1750 mAh Li-Ion 3.6 VDC battery only	PMNN4461					28	3							•	•	•	•	•	

MOTOTRBO MOBILE RADIO ACCESSORIES

LONG RANGE WIRELESS CHARGERS AND REPLACEMENT PARTS

COMPATIBILITY	ACCESSORY		FEATURES		
MOBILE RADIOS	DESCRIPTION	PART NUMBER	CHARGE TIME (HOURS)	POWER SUPPLY	
 XPR 5000 XPR 5000e SERIES  XPR 4000 SERIES		Dual Unit Charger with Power Supply	PMLN7120	3	US/CAN
		Dual Unit Charger with Power Supply	PMLN7121	3	EU
		Dual Unit Charger with Power Supply	PMLN7122	3	UK
		Dual Unit Charger with Power Supply	PMLN7123	3	PRC
		Dual Unit Charger with Power Supply	PMLN7124	3	AU/NZ
		Dual Unit Charger with Power Supply	PMLN7125	3	BZL
		Dual Unit Charger with Power Supply	PMLN7126	3	AR
		Dual Unit Charger with Power Supply	PMLN7127	3	KOR
		Power Supply for Dual Unit Charger	25012022003		UK
	Power Supply for Dual Unit Charger	25012022007		BZL	
	Power Supply for Dual Unit Charger	25012022009		KOR	
	Power Supply for Dual Unit Charger	25012022002		EU	
	Power Supply for Dual Unit Charger	25012022006		AU/NZ	
	Power Supply for Dual Unit Charger	25012022008		AR	
	Power Supply for Dual Unit Charger	25012022001		US/JAPAN TAIWAN	
Power Supply for Dual Unit Charger	25012022004		PRC		

COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
 XPR 5000 XPR 5000e SERIES  XPR 4000 SERIES		Vehicular Charger with Coil Cord Cigarette Lighter Plug PMLN6716
		Hang Up Clip, Required for Vehicular Charger HLN5391
		Swivel Clip PMLN6743
		D Ring Swivel Clip 42009312001
		Receive-Only Earpiece with Comfort Eartube PMLN7560
		Clear EP7 Hearing Protectors [Sonic Defenders] Ultra Earplugs with Comply™ Foam Eartip Noise Reduction = 28dB for RLN4941/PMLN7560 - Small RLN6511
		Clear EP7 Hearing Protectors [Sonic Defenders] Ultra Earplugs with Comply™ Foam Eartip Noise Reduction = 28dB for RLN4941/PMLN7560 - Medium RLN6512
		Clear EP7 Hearing Protectors [Sonic Defenders] Ultra Earplugs with Comply™ Foam Eartip Noise Reduction = 28dB for RLN4941/PMLN7560 - Large RLN6513
		Receive-Only Earbud AARLN4885



MAINTAIN CRITICAL COMMUNICATIONS EVEN ON REMOTE JOB SITES

SITUATION

Keep in touch even on remote job sites when you depend on your high power mobile radio but have to work outside your vehicle. You are a utility worker and need to check the meter readings. You have to park your truck about 100 meters away from the utility box due to access restrictions, yet you stay connected to your radio with your Long Range Wireless Remote Speaker Microphone. You communicate key readings immediately to dispatch. Get your job done safely and more efficiently.

SOLUTION

The Long Range Wireless Remote Speaker Microphone (RSM) pairs instantly with touch pairing to the mobile microphone with Bluetooth gateway. The Bluetooth microphone is compatible with MOTOTRBO XPR 4000 and XPR 5000 series mobile radios. The Long Range Wireless RSM works up to 100 meters away from the mobile radio, keeping you in communication where you never thought possible.









HOW DO MOBILE WIRELESS ACCESSORIES HELP ME?

Use your mobile radio like never before and freely move around your vehicle. This means a driver can sort through packages on the back of the delivery truck, a bus driver can check on students in the back of the bus, or a city worker can trim trees from a cherry picker and all can still remain connected to their mobile radio. And by removing the wired connection to a desktop mobile, a dispatcher can walk around the office and manage calls.

MOTOTRBO MOBILE RADIO ACCESSORIES

OPERATIONS CRITICAL WIRELESS BLUETOOTH® ACCESSORIES

This portfolio is a game changer for your business as you have the flexibility to leave your truck or walk away from your desk and still remain connected to your radio up to 30 feet away.










COMPATIBILITY		ACCESSORY		FEATURES										VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.						
MOBILE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
 XPR 5000 XPR 5000e SERIES	 XBT Operations Critical Wireless Behind-the-Neck Headset	RLN6490	Dual-Muff	Boom	On Ear Cup	22	7	429		Operations Critical	Standard	30	IP54	•	•	•				
	 XBT Operations Critical Wireless Headband Style Headset	RLN6491	Dual-Muff	Boom	On Ear Cup	22	7	422		Operations Critical	Standard	30	IP54	•	•	•				
	 Operations Critical Wireless Earpiece with 12 inch Cable	NNTN8125	Over-the-Ear (CommPort™)	Directional, above the Earpiece	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	30	IP54	•	•	•	•	•	•	•
	 Operations Critical Wireless Push-To-Talk Pod (with US charger)	NNTN8127	N/A	N/A	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	30	IP54	•	•	•	•	•	•	•
	 Operations Critical Wireless Push-To-Talk Pod without Charger	NNTN8191	N/A	N/A	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	30	IP54	•	•	•	•	•	•	•

Note: XPR5000/XPR5000e Series mobile radios have Bluetooth embedded in the radio.



MOTOTRBO MOBILE RADIO ACCESSORIES

OPERATIONS CRITICAL WIRELESS BLUETOOTH® ACCESSORIES








COMPATIBILITY		ACCESSORY	FEATURES												VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.							
MOBILE RADIOS		DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
 XPR 5000 XPR 5000e SERIES		Bluetooth Accessory Kit with Flexible Earpiece, Bluetooth Pod and Charging Cradle with Power Supply (US plug)	RLN6500	Over-the-Ear (Swivel)	In-line	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30									
		Bluetooth Accessory Kit with Flexible Earpiece, Bluetooth Pod and Charging Cradle	PMLN7181	Over-the-Ear (Swivel)	Boom	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30									
		Bluetooth Accessory Kit with Flexible Earpiece, Bluetooth Pod and Charging Cradle With Power Supply (US plug)	RLN6556	Over-the-Ear (Swivel)	Boom	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30									
		Operations Critical Wireless 1-Wire Surveillance Kit with Translucent Tube	PMLN7052	Clear Rubber Eartip	In-line	On Pod (order separately)						Operations Critical and Enhanced Operations Critical										
		Operations Critical Wireless Earbud with 11.5 inch Cable	NNTN8294	Earbud	In-line	On Pod (order separately)	10					Operations Critical and Enhanced Operations Critical										
		Operations Critical Wireless Earbud with 45 inch Cable	NNTN8295	Earbud	In-line	On Pod (order separately)	10					Operations Critical and Enhanced Operations Critical										
		Swivel Earpiece with In-Line Microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit	RLN6550	Over-the-Ear (Swivel)	Boom	Radio only*						Operations Critical										
		Flexible Fit Swivel arpiece with Boom Microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit	PMLN7203	Over-the-Ear (Swivel)	Boom	Radio only*						Operations Critical										



*Note: PTT on radio or with separate wireless PTT.



MOTOTRBO MOBILE RADIO ACCESSORIES

OPERATIONS CRITICAL WIRELESS REPLACEMENT PARTS













COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
 <p>XPR 5000 XPR 5000e SERIES</p>	 <p>Replacement Wireless Earpiece 12 inch Cable for NNTN8125</p>	NTN2572
	 <p>Wireless Earpiece Maintenance Kit with 10 Silicone Ear Tubes, 10 Microphone Seal Strips and 2 Foam Windscreens for Comport Earpiece</p>	NTN8821
	 <p>Ear Strap for Comport Earpiece (pack of 10)</p>	NTN8988
	 <p>Eartube for Comport Earpiece (pack of 10)</p>	RLN5037
	 <p>Replacement Ear Tips Kit for Wireless Ear Buds (20 small, 20 medium, 20 large and 10 clips)</p>	NNTN8361
	 <p>Swivel clip for Operations Critical and Enhanced Operations Critical Wireless Pods</p>	PMLN6246

COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
 <p>XPR 5000 XPR 5000e SERIES</p>	 <p>Replacement or Spare Micro-USB Plug-In Charger for Wireless Pod (US plug)</p>	PMPN4027
	<p>Replacement or Spare Micro-USB Plug-In Charger for Wireless Pod (AU/NZ)</p>	PMPN4007
	<p>Replacement or Spare Micro-USB Plug-In Charger for Wireless Pod (EU/UK)</p>	PMPN4006
	<p>Replacement or Spare Micro-USB Plug-In Charger for Wireless Pod (PRC)</p>	PMPN4008
	<p>Replacement or Spare Micro-USB Plug-In Charger for Wireless Pod (ARG)</p>	PMPN4016
	<p>Replacement or Spare Micro-USB Plug-In Charger for Wireless Pod (BRZL)</p>	PMPN4023
	<p>Replacement or Spare Micro-USB Plug-In Charger for Wireless Pod (EU)</p>	PMPN4028

MOTOTRBO MOBILE RADIO ACCESSORIES

CONTROL STATION ACCESSORIES

Quickly and conveniently convert your radio into a base station. Ideal for transportation, manufacturing and public service operations that have dispatch requirements.





















COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
 XPR 4000 SERIES	 Power Supply 14V 10 Amp 117/240 VAC (1-25W)	HPN4008
	 Euro Line Cord PS Power Cable	NTN7374AR/ 3060665A05
XPR 5000 XPR 5000e SERIES	 Power Cable (UK) (Straight)	3002695B05
 Desktop Tray with Speaker	Desktop Tray with Speaker	RSN4005
	 Desktop Tray without Speaker	GLN7318
	 Adapter Cable for Control Station	HKN9088
 XPR 5000 XPR 5000e SERIES	 Power Supply, 25-60W, 1-60W Cord Included	HPN4007
	 Power Supply Cable for GPN6145	GKN6266
 XPR 4000 SERIES	UK Line Cord PS Power Cable	NTN7375AR/ 300212F02
	Argentina Line Cord PS Power Cable	3085801L01
	US Line Cord for GPN6145	NTN7373AR/ 3060665A04
	 Mini-UHF to PL259 Antenna Adapter Cable	HKN9557









MOTOTRBO MOBILE RADIO ACCESSORIES

INSTALLATION AND MOUNTING ACCESSORIES










Mount your radio in your vehicle without compromising safety. Trunnion kits give you the flexibility to mount the radio under your dash, in your dash, between the seats or on the floor. Remote mount kits allow the radio be mounted in the trunk when dash space is limited.

COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
 XPR 4000 SERIES	 Low Profile Trunnion Kit Keeps Radio Tucked Up Under Dash (Box)	RLN6077
 XPR 5000 XPR 5000e SERIES XPR 2500 SERIES	 Low Profile Trunnion Kit Keeps Radio Tucked Up Under Dash (Box)	RLN6466
 XPR 4000 SERIES	 High Profile Trunnion Kit with Under Dash or Floor Mount	RLN6078
 XPR 5000 XPR 5000e SERIES XPR 2500 SERIES	 High Profile Trunnion Kit with Under Dash or Floor Mount	RLN6467
 XPR 4000 SERIES	 Key Lock Trunnion Kit Provides Extra Protection from Theft	RLN6079
 XPR 5000 XPR 5000e SERIES XPR 2500 SERIES	 Key Lock Trunnion Kit Provides Extra Protection from Theft	RLN6468
 XPR 4000 SERIES	 Direct In Dashboard Mounting Kit	RLN5933
 XPR 5000 XPR 5000e SERIES	 Direct In Dashboard Mounting Kit	RLN6465
 XPR 4000 SERIES	 MOTOTRBO Mobile Remote Mount Adapter Kit	PMLN5404
 XPR 5000 XPR 5000e SERIES	 MOTOTRBO Mobile Remote Mount Adapter Kit	PMLN6404

COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
 XPR 2500 SERIES	 In-Dash Mounting Kit - DIN	FTN6083
	 Power Cable to Battery - 10 foot, 15 amp 14 AWG	HKN4137
	 Power Cable to Battery - 10 foot, 20 amp 12 AWG	HKN4191
	 Power Cable to Battery - 20 foot, 20 amp 10 AWG	HKN4192
	 Ignition Sense Cable	HKN9327
	Trunnion Mounting Screws	3012045001

EXTERNAL SPEAKERS


















Boost audio at your control station on your desk or in your vehicle with external speakers. Different watt speakers can be customized to your environment.
















COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
 XPR 5000 XPR 5000e SERIES	 13W External Speaker	RSN4002
	 7.5W External Speaker	RSN4003
 XPR 4000 SERIES	 5W External Speaker	RSN4004
	 7.5W External Speaker	HSN8145
 XPR 2500 SERIES	 13W External Speaker	RSN4001
	 Speaker Extension Cable	GMKN4084




MOTOTRBO MOBILE RADIO ACCESSORIES

CABLES

COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
 XPR 4000 SERIES	 Mobile Remote Mount 5-Meter Cable Kit	PMKN4073
	 Mobile Remote Mount 3-Meter Cable Kit	PMKN4074
 XPR 5000 XPR 5000e SERIES	 Mobile Remote Mount 5-Meter Cable Kit	PMKN4144
	 Mobile Remote Mount 3-Meter Cable Kit	PMKN4143
	 IMPRES Mobile MAP Non-PC Adapter	PMKN4070
	 IMPRES Mobile MMP Non-PC Adapter	PMKN4072
 XPR 5000 XPR 5000e SERIES	 Power Cable to Battery, 10 foot, 20 amp for 1 to 60W radios, 12 AWG	HKN4191
	 Power Cable to Battery, 20 foot, 20 amp for 1 to 60W radios, 10 AWG	HKN4192
	 Power Cable to Battery, 10 foot, 15 amp for 1 to 25W radios, 14 AWG	HKN4137
 XPR 4000 SERIES	 Ignition Sense Cable	RKN4136
	 Mobile and Repeater Rear Accessory Programming Cable	PMKN4010
	 Mobile and Repeater Rear Programming, Test and Alignment Cable	PMKN4016
	 Mobile Rear Accessory Connector Universal Cable	PMKN4018

COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
 XPR 5000 XPR 5000e SERIES	 Mobile Front Programming Cable	HKN6184
	 Hardware Kit for Rear Accessory Connector	PMLN5072
 XPR 2500 SERIES	 Mobile Front Programming Cable	PMKN4147
	 Mobile Rear Accessory Connector Universal Cable	PMKN4151
	 16 Pin MAP Connector Housing (APAC only)	1580922V01
	 Rear Accessory Connector Seal with Connector and Pins	GMBN1021
	 Rear Accessory Connector USB Programming Cable	PMLN4148
	 16 Pin Accessory Connector Kit	HLN9457
	 Hardware Connection Kit (Pins and Removal Tool) APAC only	HLN9491
	 Connector Extender, 20 pieces	PMLN5620
	 Gasket, Cover, Accessory Connector	3202607Y01
	 Mobile Crimping Tool	6680388A26
 Generic Option Board (APAC, EMEA, LACR)	PMLN6544	

















MOTOTRBO MOBILE RADIO ACCESSORIES

ANTENNAS

A variety of antennas ensure the best possible reception wherever you operate. Choose from antennas with integrated GPS to standalone RF antennas.

COMPATIBILITY	ACCESSORY		FEATURES			
MOBILE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE

COMBINATION GPS/UHF ANTENNAS

 		GPS/UHF Combination 1/4 Wave Antenna for the 403-430 MHz Range	PMAE4030	UHF	403-430	•	Through-Hole
		GPS/UHF Combination 1/4 Wave Antenna for the 450-470 MHz Range	PMAE4031	UHF	450-470	•	Through-Hole
		GPS/UHF Combination Antenna for the 406-420 MHz Range, 3.5 dB Gain	PMAE4032	UHF	406-420	•	Through-Hole
		GPS/UHF Combination Antenna for the 450-470 MHz Range, 3.5 dB Gain	PMAE4033	UHF	450-470	•	Through-Hole
		GPS/UHF Combination Antenna for the 450-470 MHz Range, 5 dB Gain	PMAE4034	UHF	450-470	•	Through-Hole
		GPS/UHF Combination Antenna for the 403-527 MHz Range, 2 dB Gain	HAE6019	UHF	403-527	•	Through-Hole
		GPS/UHF Combination 1/4 Wave Antenna for the 470-527 MHz Range	HAE6020	UHF	470-527	•	Through-Hole
		GPS/UHF Combination Through-Hole Mount Antenna for 470-494 MHz, 3.5 dB Gain	HAE6024	UHF	470-494	•	Through-Hole
		GPS/UHF Combination Through-Hole Mount Antenna, 494-512 MHz, 3 dB Gain	HAE6026	UHF	494-512	•	Through-Hole
		Combination GPS/UHF 403-430 MHz, 1/4 Wave, Through-Hole Mount, BNC	PMAE4035	UHF	403-430	•	Through-Hole
		Combination GPS/UHF 406-420 MHz, 3.5 dB Gain, Through-Hole Mount, BNC	PMAE4036	UHF	406-420	•	Through-Hole
		Combination GPS/UHF 450-470 MHz, 1/4 Wave, Through-Hole Mount, BNC	PMAE4037	UHF	450-470	•	Through-Hole

COMPATIBILITY	ACCESSORY		FEATURES			
MOBILE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE

COMBINATION GPS/UHF ANTENNAS


















 		Combination GPS/UHF 450-470 MHz, 5 dB Gain, Through-Hole Mount, BNC	PMAE4038	UHF	450-470	•	Through-Hole
		Combination GPS/UHF 470-494 MHz, 3.5 dB Gain, Through-Hole Mount, BNC	HAE6025	UHF	470-494	•	Through-Hole
		Combination GPS/UHF 403-527 MHz, 2 dB Gain, Through-Hole Mount, BNC	HAE6017	UHF	403-527	•	Through-Hole
		Combination GPS/UHF 470-527 MHz, 1/4 Wave, Through-Hole Mount, BNC	HAE6018	UHF	470-527	•	Through-Hole
		Antenna, Mobile, Combination GPS/GALILEO/QZSS/GLONASS, UHF 300-340 MHz, 1/4 Wave, Through-Hole Mount, BNC	PMAD4142	UHF	300-340	•	Through-Hole
		Antenna, Mobile, Combination GPS/GALILEO/QZSS/GLONASS, UHF 320-360 MHz, 1/4 Wave, Through-Hole Mount, BNC	PMAD4143	UHF	320-360	•	Through-Hole

MOTOTRBO MOBILE RADIO ACCESSORIES

ANTENNAS

COMPATIBILITY	ACCESSORY		FEATURES			
MOBILE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE

UHF ANTENNAS (RF ONLY)

 XPR 5000 XPR 5000e SERIES  XPR 4000 SERIES  XPR 2500 SERIES		UHF Wide Area Through-Hole Mount Antenna for the 450-470 MHz Range, 3.5 dB Gain, Mini-U	HAE4011	UHF	450-470	Through-Hole
		UHF Wide Area Through-Hole Mount Antenna for the 403-527 MHz Range 2 dB Gain, Mini-U	HAE6022	UHF	403-527	Through-Hole
		UHF Wide Area Through-Hole Mount Antenna for the 445-470 MHz Range, 5 dB Gain, Mini-U (with base)	RAE4004ARB	UHF	445-470	Through-Hole
		UHF Urban Roof Mount 1/4 Wave Antenna for the 403-430 MHz Range, Mini-U	PMAE4040	UHF	403-430	Roof Mount
		UHF Urban Roof Mount 1/4 Wave Antenna for the 450-470 MHz Range, Mini-U	PMAE4041	UHF	450-470	Roof Mount
		UHF Urban Roof Mount 1/4 Wave Antenna for the 470-512 MHz Range, Mini-U	HAE4004	UHF	470-512	Roof Mount
		UHF, 403-430 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAE4151	UHF	403-430	Through-Hole
		UHF, 450-470 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAE4152	UHF	450-470	Through-Hole
		UHF, 450-470 MHz, 5 dB Gain, Through-Hole Mount, BNC	RAE4154	UHF	450-470	Through-Hole
		UHF, 403-527 MHz, 2 dB Gain, Through-Hole Mount, BNC	HAE6021	UHF	403-527	Through-Hole
 XPR 5000 XPR 5000e SERIES  XPR 4000 SERIES		UHF Wide Area Through-Hole Mount Antenna for the 470-494 MHz Range, 3.5 dB Gain	HAE4012	UHF	470-494	Through-Hole
		UHF Wide Area Roof Mount Antenna for the 494-512 MHz Range, 3.5 dB Gain	HAE4013	UHF	494-512	Through-Hole

COMPATIBILITY	ACCESSORY		FEATURES			
MOBILE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE

UHF ANTENNAS (RF ONLY)

 XPR 5000 XPR 5000e SERIES  XPR 4000 SERIES		UHF Stubby Through-Hole Mount Antenna, 410-430 MHz	RAE4163ARB	UHF	410-430	Through-Hole
		UHF Stubby Through-Hole Mount Antenna, 430-450 MHz	RAE4164ARB	UHF	430-450	Through-Hole
		UHF Stubby Through-Hole Mount Antenna, 450-470 MHz	RAE4168ARB	UHF	450-470	Through-Hole
		UHF Antenna Kit 450-470 MHz, 5.0 dB Gain	PMAE4043	UHF	450-470	Through-Hole
		UHF Antenna Kit 470-527 MHz, 1/4 Wave, Through-hole Mount	HAE6030	UHF	470-527	Through-Hole
 XPR 5000 XPR 5000e SERIES		UHF Antenna Kit 403-527 MHz, 2 dB Gain, Through-Hole Mount	HAE6029	UHF	403-527	Through-Hole
		UHF Antenna Kit 470-494 MHz, 3 dB Gain, Through-Hole Mount	HAE6028	UHF	470-494	Through-Hole
		UHF/GPS Antenna, 350-400 MHz 1/4 Wave	PMAD4102	300/400	350-400	Through-Hole
		UHF Antenna, 300-340 MHz, 1/4 Wave, BNC	PMAD4140	300/400	300-340	Through-Hole
		UHF Mobile Antenna, 320-360 MHz, 1/4 Wave, BNC	PMAD4141	300/400	320-360	Through-Hole

MOTOTRBO MOBILE RADIO ACCESSORIES

ANTENNAS

COMPATIBILITY	ACCESSORY		FEATURES			
MOBILE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE

COMBINATION GPS/VHF ANTENNAS








 		GPS/VHF Combination Through-Hole Mount 1/4 Wave Antenna for the 136-144 MHz Range	RAD4214	VHF	136-144	●	Through-Hole
		GPS/VHF Combination Through-Hole Mount 1/4 Wave Antenna for the 146-150.8 MHz Range	RAD4215	VHF	146-150.8	●	Through-Hole
		GPS/VHF Through-Hole Mount 1/4 Wave Antenna for the 150.8-162 MHz Range	RAD4216	VHF	150.8-162	●	Through-Hole
		GPS/VHF Through-Hole Mount 1/4 Wave Antenna for the 162-174 MHz Range	RAD4217	VHF	162-174	●	Through-Hole
		GPS/VHF Through-Hole Mount Antenna for the 146-172 MHz Range, 3 dB Gain	RAD4218	VHF	146-172	●	Through-Hole
		Combination GPS/VHF 136-144 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4219	VHF	136-144	●	Through-Hole
		Combination GPS/VHF 146-150.8 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4220	VHF	146-150.8	●	Through-Hole
		Combination GPS/VHF 150.8-162 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4221	VHF	150.8-162	●	Through-Hole
		Combination GPS/VHF 162-174 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4222	VHF	162-174	●	Through-Hole

VHF ANTENNAS (RF ONLY)

  		VHF Urban Roof Mount 1/4 Wave Antenna for the 136-144 MHz Range, Mini-U	HAD4006	VHF	136-144		Roof Mount
		VHF Urban Roof Mount 1/4 Wave Antenna for the 146-150.8 MHz Range, Mini-U	HAD4007	VHF	146-150.8		Roof Mount
		VHF Urban Roof Mount 1/4 Wave Antenna for the 150.8-162 MHz Range, Mini-U	HAD4008	VHF	150.8-162		Roof Mount
		VHF Urban Roof Mount 1/4 Wave Antenna for the 162-174 MHz Range, Mini-U	HAD4009	VHF	162-174		Roof Mount

COMPATIBILITY	ACCESSORY		FEATURES			
MOBILE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE

VHF ANTENNAS (RF ONLY)


  		VHF Wide Area Through-Hole Mount Antenna for the 132-174 MHz Range 3 dB Gain, Mini-U	HAD4022	VHF	132-174		Through-Hole
		VHF, 136-144 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4198	VHF	136-144		Through-Hole
		VHF, 146-150.8 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4199	VHF	146-150.8		Through-Hole
		VHF, 150.8-162 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4200	VHF	150.8-162		Through-Hole
		VHF, 162-174 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4201	VHF	162-174		Through-Hole
 		VHF Antenna Kit 162-174 MHz, 1/4 Wave	RAD4223	VHF	162-174		Through-Hole
		VHF Antenna Kit 146-150.8 MHz, 1/4 Wave	RAD4225	VHF	146-150.8		Through-Hole
		VHF Antenna Kit 136-144 MHz, 1/4 Wave	RAD4226	VHF	136-144		Through-Hole
		VHF Antenna Kit 146-172 MHz, 3.0 dB Gain	RAD4227	VHF	146-172		Through-Hole

MOTOTRBO MOBILE RADIO ACCESSORIES







ANTENNAS

COMPATIBILITY	ACCESSORY		FEATURES			
MOBILE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE






STANDALONE GPS ANTENNAS

	 Fixed Mount GPS Active Antenna	PMAN4000	N/A	N/A	•	Fixed
	 Glass Mount GPS Active Antenna	PMAN4001	N/A	N/A	•	Glass
	 Magnetic Mount GPS Active Antenna	PMAN4002	N/A	N/A	•	Magnetic
	 Fixed Mount GPS Active Antenna	PMAN4008	N/A	N/A	•	Fixed
	 Glass Mount GPS Active Antenna	PMAN4009	N/A	N/A	•	Glass
	 Magnetic Mount GPS Active Antenna	PMAN4010	N/A	N/A	•	Magnetic

COMBINATION GPS/800/900 ANTENNAS






	 GPS/800/900 MHz 1/4 Wave Through-Hole Mount Combination Antenna for the 806-941 MHz Range	HAF4029	800/900	806-941	•	Through-Hole
	 GPS/800/900 MHz Through-Hole Mount Combination Antenna for the 806-941 MHz Range, 3 dB Gain	HAF4030	800/900	806-941	•	Through-Hole
	 GPS/800/900 MHz Stubby Antenna for the 806-941 MHz Range	HAF4032	800/900	806-941	•	Through-Hole
	 GPS/800/900 MHz Through-Hole Mount Antenna for the 806-941 MHz Range, 5 dB Gain	HAF4033	800/900	806-941	•	Through-Hole

800/900 VHF ANTENNAS (RF ONLY)





	 Wide Area Through-Hole Mount Stubby Antenna for the 806-941 MHz Range, 3 dB Gain	HAF4013	800/900	806-941		Through-Hole
	 Urban Through-Hole Mount 1/4 Wave Antenna for the 806-941 MHz Range	HAF4025	800/900	806-941		Through-Hole
	 Urban Through-Hole Mount 1/4 Wave Antenna for the 806-941 MHz Range	HAF4026	800/900	a806-941		Through-Hole

COMPATIBILITY	ACCESSORY		FEATURES			
MOBILE RADIOS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE

800/900 VHF ANTENNAS (RF ONLY)

	 Wide Area Through-Hole Mount Antenna for the 806-941 MHz Range, 5 dB Gain	HAF4027	800/900	450-470		Through-Hole
	 Kit, Combination GPS+RF, Base Only, Through-Hole Mount, BNC	PMAN4003	N/A	N/A	•	Through-Hole
	 Kit, Combination GPS+RF, Base Only, Through-Hole Mount, Mini-U	PMAN4004	N/A	N/A	•	Through-Hole

ANTENNA ACCESSORIES

COMPATIBILITY	ACCESSORY	
MOBILE RADIOS	DESCRIPTION	PART NUMBER
	 Mobile Mini-U Antenna Adapter, 8-foot cable	HKN9088
	 PL259/Mini-U Antenna Adapter, 8-foot cable	HKN9557

GLOSSARY

FREQUENCY BAND

Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your communication flexibility.

IMPRES

Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

IMPRES Battery Fleet Management is now over the air capable with XPR 7000 and XPR 3000 radios (must use MOTOTRBO software update 2.4 or greater).

IMPRES AUDIO (MOTOROLA EXCLUSIVE)

Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

IMPRES BATTERIES AND CHARGERS

Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

INTEGRATED GPS

To support GPS capability in the radio, the GPS antenna is integrated into the RF antenna. (The XPR 3000/XPR 3000e Series radios do not have GPS capability, but use these antennas.)

INTELLIGENT AUDIO (MOTOROLA EXCLUSIVE)

Set your volume once. Depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.

INTRINSIC SAFETY RATING

Motorola-approved accessories are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe. Non-Motorola approved accessories may not be certified for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.

****Note:** UL = For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

IP RATING

International Protection (IP) is a global standard for rating dust and water protection. The first digit IP5x or IP6x represents increased levels of dust protection. The second digit, IPx7 or IPx8 represents increased levels of water protection.

- ◆ **IPx7** represents withstanding submersion in 1 meter of fresh water for 30 minutes.
- ◆ **IPx8** represents heating accessory to 27°C higher than the water temperature for 2 hours then immediately immersing it to a depth of 1 meter for another 2 hours.
- ◆ **IPx8+Rugged** represents exceeding industry specs by heating accessory to 27°C higher than the water temperature for 2 hours then immediately immersing it to a depth of 2 meters for another 4 hours.

MATERIAL

Choose from comfortable and flexible nylon cases, rugged, durable hard leather cases or carry holsters.

MICROPHONE NOISE SUPPRESSION

Multi Mic Noise Suppression: Five integrated microphones and Adaptive Audio Engine automatically change the level of noise suppression, microphone gain, Windporting and speaker equalization to produce clear and loud audio in any environment.

Dual Mic Noise Suppression: Dual-microphone design tracks your voice so that you can keep your eye on what's in front of you while speaking. A digital signal processor (DSP) algorithm helps suppress background noise so you can be heard clearly regardless of the noise around you.

Windporting (Motorola Exclusive):

Windporting reduces the effect of wind and other outdoor noises on your microphone performance and prevents water from clogging the microphone and distorting your transmission.

Noise-cancelling microphones negate crowd or machinery noise so your voice comes through loud and clear anytime you speak directly into the microphone.

OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL

This Bluetooth® solution specifically for businesses features simple pairing, high quality audio and fast push-to-talk to ensure every word is transmitted. Enhanced Operations Critical Wireless has all this, plus instant pairing with just a touch of the accessory to the radio's Bluetooth adapter, and intrinsically safe certification for hazardous environments. This means multiple workers on shifts who need grab-and-go device can all pair at the same time without connecting to the wrong radio.

SIGNAL NOISE RATING

Signal-to-noise ratio (often abbreviated SNR or S/N) is a measure used in science and engineering that compares the level of a desired signal to the level of background noise. It is defined as the ratio of signal power to the noise power, often expressed in decibels.

SWIVEL OR FIXED LOOP

Secure to a belt loop and the case swings freely from side to side. The swivel latch system also allows the radio and case to be removed from the belt loop by simply inverting, lifting it up and out of the belt loop. Fixed loops provide a sturdy attachment to your belt.





For more information on Motorola accessories, visit motorolasolutions.com/mototrbo or contact your Motorola Solutions Sales Representative.



Motorola Solutions, Inc. 500 West Monroe Street, Chicago, IL 60661 U.S.A. motorolasolutions.com

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2022 Motorola Solutions, Inc. All rights reserved. 10-2023

MOTOTRBO™
DIGITAL REMASTERED.