

KEEP PERSONNEL AND COMMUNITIES SAFER

APX MISSION-CRITICAL P25 COMMUNICATIONS





THE BEST OF WHAT WE DO

Whether you're a state trooper, firefighter, law enforcement officer or highway maintenance technician, people count on you to get the job done. There's no room for error. This is mission critical.

APX[™] radios exist for this purpose. They're designed to be reliable and to optimize your communications, specifically in extreme environments and during life-threatening situations.

Even with the widest portfolio in the industry, APX continues to evolve. The latest APX NEXT smart radio delivers revolutionary new capabilities to keep you safer and more effective.

WE'VE PUT EVERYTHING WE'VE LEARNED OVER THE LAST 90 YEARS INTO APX.
THAT'S WHY IT REPRESENTS THE VERY BEST OF THE MOTOROLA SOLUTIONS PORTFOLIO. THERE IS NO BETTER.



OUTLAST AND OUTPERFORM

RELIABLE COMMUNICATIONS ARE NON-NEGOTIABLE

APX two-way radios are designed for extreme durability, so you can count on them to work under the toughest conditions. From the rugged aluminum endoskeleton of our portable radios to the steel encasement of our mobile radios, APX is built to last.



HEAR AND BE HEARD

CLEAR COMMUNICATION CAN MAKE A DIFFERENCE

The APX family is designed to help you hear and be heard with unparalleled clarity, so you're confident your message will always get through. Multiple microphones and adaptive windporting technology minimize noise from wind, crowds and sirens. And the loud and clear speaker ensures you can hear over background sounds.



KEEP INFORMATION PROTECTED

EVERYDAY, SECURITY IS BEING PUT TO THE TEST

With the APX family, you can be sure that your calls stay private, secure, and confidential. APX supports multiple types of standard and custom encryption. The MACE hardware encryption module equipped within an APX radio provides a hardened tamper-resistant chassis for storing encryption keys.



MADE FOR THE MISSION

APX RADIOS ARE INTUITIVE AND EASY TO USE FOR YOUR MISSION

A distinctive "T-grip" shape allows devices to be easily held with gloved hands or in wet environments. Positive action controls minimize the risk of accidental operation, while extreme ergonomic models are designed for specialized conditions. Easy to read displays, day and night, placed just where you need them for 'at-a-glance' status, or no display for covert operations.



INTELLIGENCE IN ACTION

AN ECOSYSTEM OF CONNECTIVITY HELPS TO KEEP YOU SAFE

APX radios can prioritize emergency calls, send a signal automatically when they sense "man down" or a collision, provide a Bluetooth® beacon to find missing personnel, and automate responses to specific events or when detecting a geofence. And upon recognizing poor signal quality, APX radios can route voice and data over broadband.



APX NEXT ALL-BAND P25 SMART RADIO

IN PUBLIC SAFETY, FOCUS IS YOUR GREATEST RESOURCE. PROTECT THAT FOCUS WITH APX NEXT – OUR REVOLUTIONARY NEW SMART RADIO.

APX NEXT™ is our next step in advancing the lifeline. Designed to military standards for extreme ruggedness, the touchscreen works with or without gloves, in rain, dirt, and snow. High Dynamic Range mics and high-power speakers deliver our best audio ever, while SmartConnect keeps you connected beyond your P25 system. The result is a radio that works when you need it, without pause, distraction or doubt.

APX NEXT is designed for effortless usability when everything is on the line. Intuitive knobs and buttons can be distinguished by touch. A mission-critical touchscreen makes it fast and easy to operate your radio. The ViQi virtual assistant understands natural language voice commands, giving you eyes-up awareness. Every interaction is simple, fast and logical. You stay focused on what matters: your mission and your safety.





APX NEXT mission-critical apps bring new intelligence to the field. ViQi enables natural language database queries, rapidly delivering vital information to the front line. And as part of our unique, end-to-end public safety ecosystem, new capabilities can be added seamlessly as your needs evolve.

APX NEXT gives you back time. A cloud-based provisioning system allows radio managers to prepare radios even before they arrive, while remote updating keeps them in the field, with zero touch and zero downtime, and a range of services helps you manage your operation. With APX NEXT, your ownership experience is streamlined, so your valuable resources stay focused and ready.



APX 8000 SERIES ALL-BAND P25 PORTABLE AND MOBILE RADIOS

CHAOS DOESN'T STOP AT BORDERS.
CRIMINALS DON'T RESPECT BOUNDARIES.
SO YOUR COMMUNICATIONS SHOULDN'T BE
LIMITED TO LOCAL FREQUENCIES.

With multi-mode access to all four major P25 bands, APX 8000 series radios know no limits when it comes to interoperability. You can work seamlessly with virtually any agency on any P25 system—and all from a single radio. Stay connected further with the high-power configuration of the APX 8500 mobile. And if that isn't enough — APX 8000 series radios can reroute your P25 communication over available broadband networks and keep you connected when outside of P25 coverage.

Whether you're frantically yelling for backup or quietly whispering for assistance, you still need that message to get through. The APX 8000 Adaptive Audio Engine dynamically adjusts the radio's audio response to deliver optimal clarity. Wind is filtered out and background noise is wiped away. Quiet audio is boosted and feedback howl is suppressed.

Security is more important than ever. Criminals are testing you on the streets and over the air. Fight back with the entire toolbox. Supporting simultaneous multi-protocol encryption and certified to FIPS 140-2 level 3, the APX 8000 series radios keep your critical communications absolutely iron-tight.



APX 8000HXE

360 DEGREES OF SAFETY

All-band HazLoc portable radio for fire and rescue teams.



APX 8000H

360 DEGREES OF PROTECTION

All-band HazLoc portable radio for first responders and military teams.



APX 8000XE

UNLIMITED MOBILITY. EXTREME PERFORMANCE.

All-band portable radio for fire and rescue teams.



APX 8000

UNLIMITED MOBILITY. UNCOMPROMISING PERFORMANCE.

All-band portable radio for first responders.







APX 8500

UNLIMITED MOBILITY.
MAXIMUM CONNECTIVITY

All-band mobile radio available in high power and mid power versions.



APX 6000 SERIES SINGLE-BAND P25 PORTABLE AND MOBILE RADIOS

THE APX 6000 IS BUILT ON DECADES OF PUBLIC SAFETY EXPERIENCE TO DELIVER EFFORTLESS COMMUNICATION WHEN YOU NEED IT THE MOST.

For a single-band radio, the APX 6000 series does not lack in features. From ergonomics to audio quality, these radios are designed to outperform.

A non-slip T-grip shape sets the portable radio firmly in your hands while optimized placement of button and knobs offer immediate access to radio controls. Need to find the emergency button? Simply slide your hand down the portable radio antenna or reach for the top right corner of the mobile.

The APX 6000 picks up your speech from any direction and then the innovative APX Adaptive Audio Engine applies exactly the right amount of processing: enough to remove background noise, but not enough to degrade speech quality. Dynamically adjusting its algorithms as external conditions change, the APX 6000 automatically gives you the best audio that's possible.

Out on the streets, APX 6000 series radios are ready to take all the abuse you can throw at them. A rugged aluminum endoskeleton protects portable radios against drops, water and dust, while the steel shell helps mobile radios survive impacts. Because when your life is on the line every day, you can't afford to carry an ordinary radio.





APX 6000XE

RELIABLE. RESPONSIVE. READY FOR THE EXTREMES.

Single-band portable radio for fire and rescue teams.



APX 6000

RELIABLE. RESPONSIVE. READY FOR ANYTHING.

Single-band portable radio for first responders.



SRX 2200

RELIABLE. RESPONSIVE. READY FOR ACTION.

Single-band portable radio for military teams.







APX 6500

RELIABLE. RESPONSIVE. READY FOR THE STREETS.

Single-band mobile radio.



APX 2000 AND APX 3000 SERIES SINGLE-BAND P25 PORTABLE AND MOBILE RADIOS

P25 RELIABILITY AND PERFORMANCE WITH SOME OF OUR MOST POPULAR FEATURES.

You need P25 technology and you need the legendary reliability and performance of an APX radio, but you may not need all the features of a high-tier radio. The APX 2000 and 3000 series radios seamlessly connect agencies and departments throughout your city for fast, interoperable communications.

Built on a rugged, reliable platform, the APX 2000 is engineered to survive in the real world, with a screen made from tough Gorilla Glass. Equipped with dual microphones, noise cancellation and powerful audio processing the APX 2000 delivers great audio in noisy conditions.

With no display or speaker, the APX 3000 is designed to be used with earpieces and remote PTT buttons for covert operations.

But we know its not just about the audio and reliability, which is why we also included advanced features - like hardware-based encryption, Mission-Critical Bluetooth, GPS location-tracking and IMPRES smart battery support.



APX 2000

BETTER EQUIPPED FOR CLOSER COLLABORATION.

Single-band portable radio for first responders.



APX 3000

STAY SAFE, CONNECTED AND DISCREET

Specialized covert radio for undercover teams.

APX 2500

BETTER EQUIPPED FOR CLOSER CONNECTIVITY.

Single-band mobile radio.





APX 1000i AND APX 1000 SERIES SINGLE-BAND P25 PORTABLE AND MOBILE RADIOS

P25 CONNECTIVITY. EXCEPTIONAL PRICE.

From city festivals to natural disasters, seamless communication is critical to coordinating effective and safe responses. The APX 1000i and APX 1000 series radios are simple to use and are certified for reliable P25 communication on P25 compliant radio networks.

The APX 1000 comes with a simplified feature set that's easily accessible through the one-knob user interface; it's a radio that your teams will quickly master.

The APX 1000i provides additional ruggedness and complies with P25 encryption algorithms, so you can collaborate confidently and securely between agencies.

The APX 1500 mobile radio provides rugged simplicity with built-in loud and clear speaker, full color display and single knob controls. This self-contained dash-mount configuration is easy to install in most vehicles.



APX 1000 SIMPLE. EASY. MISSION-CRITICAL. Single-knob, single-band portable radio.



APX 1000i
ESSENTIAL
COMMUNICATION.
EXCEPTIONAL
SERVICE.
Dual-knob, single-band

portable radio.







APX ACCESSORIES







ENERGY

AUDIO

CARRY





MOBILE

COVERT

APX CONTROL HEADS

MOBILE RADIOS ARE IDEAL FOR MANY APPLICATIONS, FROM A SIMPLE IN-CAR INSTALLATION, TO A WEATHERPROOF MOTORCYCLE MOUNT, TO A MULTI-HEAD FIRE TRUCK SYSTEM, TO A DESKTOP DISPATCH POSITION. WHATEVER YOU NEED, OUR PORTFOLIO OF CONTROL HEADS HELPS YOU GET THE MOST FROM YOUR RADIO.



INTEGRATED MULTI-FUNCTIONALITY

The O7 is a sophisticated control head with a color display and built-in keypad. It can integrate with your vehicle controls for a single ergonomic interface.



EXTREME USABILITY

The O2 control head provides rugged simplicity for efficient and confident communication.




BEST-IN-CLASS READABILITY

The E5 control head has a bright hi-res display combined with intelligent use of colors to provide all the information you need at-a-glance, day or night.



HANDHELD FLEXIBILITY

The O3 corded control head fits all your mobile controls in your hand. With the O3 your radio controls are never out of reach.



APX PORTABLE RADIOS

PRESIDENT PANDS
Supplies
THE Flags 2
All-Bard Viff, UFF R1, UFF R2, 700/900 simultaneously Y Y Y Y Y Y Y Y Y
Number of Channels
Number of Channels
Analog Conventional Filt Analog non-turked communications Y Y Y Y Y Y Y Y Y
Panding Conventional Manalog non-trunked communications Y
Availog Tunking SmartNet, SmartZone, OCI PY PY PY PY PY PY PY P
Digital P25 Phases FDMA, Conventional and Trunking Y Y Y Y Y Y Y
Digital PSS Phase I TOMA Trunking
Dynamic Dual Mode Automatic switching between P25 Phase I and II (Y) (
Ingress Protection Sealing against dust and water IP68: 2 m, 4 hr IP68: 2 m, 2 hr IP67: IP67
APX 8000Hz & XE FibS 2 m, 4 hr PB8: 2 m, 2 hr PB8
APX 8000Hz & XE FibS 2 m, 4 hr PB8: 2 m, 2 hr PB8
PROBERT PROBLEM PROB
APX 8000H & 8000 - (Y)
Hazırdous location certification (Class I, Div 1 & 2 APX 8000XE, (8000) - Class I, Div 2 Class I, Div 1 & 2 Div 1 &
Adaptive Audio Engine Dynamic optimization of noise suppression 3 3 3 3 2 - 2 Output Power Maximum rated audio power 3 W 3 W 500 mW (3 W) 500 mW - 500 mW 500 SECURITY, SAFETY Algorithms Supported encryption algorithms (256-bit AES, ADP, DES, DES-XL, DES-OFB, DVP-XL) Multikey Number of programmable keys 128 128 64 48 48 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Adaptive Audio Engine Dynamic optimization of noise suppression 3 3 3 3 2 - 2 2 - 2 Dutput Power Maximum rated audio power 3 W 3 W 500 mW (3 W) 500 mW - 500 mW - 500 mW 500
Number of Microphones Support for multi-mic noise suppression 3 3 3 2 - 2 Output Power Maximum rated audio power 3 W 3 W 500 mW (3 W) 500 mW - 500 mW 500 SECURITY, SAFETY Algorithms Supported encryption algorithms (256-bit AES, ADP, DES, DES-XL, DES-OFB, DVP-XL) DES-OFB, DVP-XL) Multikey Number of programmable keys 128 128 64 48 48 8 8 (ADP) DVP-XL) Encryption implementation Hardware Hardware Hardware Hardware Hardware Hardware Level of encryption offered FIPS 140-2 Level 3, FIPS 197 Over-the-Air Rekeying Remote update of encryption keys (Y) (Y) (Y) (V) - (Y) - (
Dutput Power Maximum rated audio power 3 W 3 W 500 mW (3 W) 500 mW - 500 mW 500 SECURITY, SAFETY Algorithms Supported encryption algorithms C256-bit AES, ADP, DES, DES-XL, DES-OFB, DVP-XL) DES-DES-XL, DES-OFB, DVP-XL) DES-XL, DES-OFB, DVP-XL) DES-OFB, DVP-XL) DES-XL, DES-CAL, DES-OFB, DVP-XL) DES-XL, DES-OFB, DVP-XL) DES-XL, DES-DES-XL, DES-OFB, DVP-XL) DES-XL, DES-OFB, DVP-XL DES-XL, DES-OFB, DVP-XL DES-XL, DES-CAL, DES-OFB, DVP-XL DES-XL, DES-CAL, DES-CAL DES-XL, DES-CAL DES-XL, DES-CAL DES-XL, DES-XL, DES-CAL DES-XL, DES-CAL DES-XL, DES-XL, DES-XL, DES-CAL DES-XL, DES-XL, DES-CAL DES-XL, DES-XL, DES-CAL
SECURITY, SAFETY Algorithms Supported encryption algorithms DES. DES. XL, DES. OFB, DVP-XL) DES. DES. XL, DES. OFB, DVP-XL) Multikey Number of programmable keys 128 128 128 64 48 8 8 8 Method Encryption implementation Hardware Encryption Standards Level of encryption offered FIPS 140-2 Level 3 FIPS 197 Des. TIPS 197 Typ 140-2 Level 3, FIPS 197 Typ 140-2 Level 3, FIPS 197 Des. TIPS 140-2 Level 3, FIPS 197 FIPS 140-2 Level 3, FIPS 197 Des. TIPS 140-2 Level 3, FIPS 197 Typ 140-2 Level 3, FIPS 197 Typ 140-2 Level 3, FIPS 197 Des. TIPS 140-2 Level 3, FIPS 197 Typ
Algorithms Supported encryption algorithms (256-bit AES, ADP, DES, DES-XL, DES-OFB, DVP-XL) Multikey Number of programmable keys 128 128 128 64 48 48 8 64 Method Encryption implementation Hardware Encryption Standards Level of encryption offered FIPS 140-2 Level 3, FIPS 197 Over-the-Air Rekeying Remote update of encryption keys (Y) (Y) (Y) FIPS 140-2 Level 3, FIPS 197
Algorithms Supported encryption algorithms
Method Encryption implementation Hardware Hardware Hardware Encryption Standards Level of encryption offered FIPS 140-2 Level 3, FIPS 197 FIPS 140-2 Level 3, FIP
Encryption Standards Level of encryption offered FIPS 140-2 Level 3 FIPS 197 FIPS 140-2 Level 3, FIPS 1
Over-the-Air Rekeying Remote update of encryption keys (Y) (Y) (Y) (Y) -
Over-the-Air Rekeying Remote update of encryption keys (Y) (Y) (Y) (Y) -
Broadband Broadband network support LTE, WiFi (WiFi) (WiFi)
Broadband Broadband network support LTE, WiFi (WiFi) (WiFi)
SmartConnect Seamlessly switch between P25 and broadband (via LTE) (via WiFi) (via WiFi)
Data Modem Tethering Data offload to external modem via WiFi LOCATION-TRACKING GPS/GLONASS Receiver for radio location-tracking Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y
Data Modem Tethering Data offload to external modem via WiFi - (Y) (Y)
LOCATION-TRACKING GPS/GLONASS Receiver for radio location-tracking Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y
GPS/GLONASS Receiver for radio location-tracking Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y
Mission-Critical Automated responses to changes in radio
decirite location
SmartLocate Route location data over broadband Y
SmartMapping Mapping app to locate other radios (Y)
OTHER FEATURES
ViQi Virtual Partner Database query using virtual assistant (Y) (Y) (Y)
ViQi Voice Control Operate radio using spoken commands (Y)
SmartMessaging Multimedia messaging (Y)
RFID Embedded wireless inventory tracking tag - (Y) (Y) (Y) - (Y) (Y)
Voice Announcement Audio announcement of change in radio status Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y
Intelligent Lighting Programmable display backlight color alert Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y
Instant Recall Replay of last received call - Y Y Y Y Y Y Y Man Down Programmable response to movement & orientation Y (Y) (Y) (Y) -
IMPRES / IMPRES 2 Intelligent battery and charging technology, N/Y Y/Y Y/Y Y/N Y/N Y/N Y/N Y/N Y/N Y/N
INTERED / INTERED 2 INCOMPARE DELICITY OF CHARGE PARTY OF THE TABLE PA
DISPLAY & KEYPAD CONFIGURATION MODELS
DISPLAY & KEYPAD CONFIGURATION MODELS 4.5: Touchscreen and top display
DISPLAY & KEYPAD CONFIGURATION MODELS 4.5: Touchscreen and top display Y
DISPLAY & KEYPAD CONFIGURATION MODELS 4.5: Touchscreen and top display Y -
DISPLAY & KEYPAD CONFIGURATION MODELS 4.5: Touchscreen and top display Y - - - - 3.5: Front display, full keypad, top display - (Y) (Y) - - 2.5: Front display, limited keypad, top display - (Y) (Y) - - 1.5: Top display only - 8000XE, 8000 - (Y) (Y) - -
DISPLAY & KEYPAD CONFIGURATION MODELS

APX MOBILE RADIOS

		ALL-BAND	SINGLE-BAND	SINGLE-BAND	SINGLE-BAND
		APX 8500	APX 6500	APX 2500	APX 1500
FREQUENCY BANDS					
VHF	Operation in 136-174 MHz band	Υ	(Y)	(Y)	(Y)
UHF Range 1	Operation in 380-470 MHz band	Υ	(Y)	(Y)	(Y)
UHF Range 2	Operation in 450-512 MHz band	Υ	(Y)	(Y)	(Y)
700/800 MHz	Operation in 762-870 MHz band	Υ	(Y)	(Y)	(Y)
All-Band	VHF, UHF R1, UHF R2, 700/800 simultaneously	Υ	-	-	-
Number of Channels	Max number of channels programmable	3000	1000 (3000)	512 (1000)	512
High-power Version	Availability of 100 W radio variant	(Y)	-	-	-
OPERATION MODES					
Analog Conventional	FM analog non-trunked communications	Y	Υ	Υ	-
Analog Trunking	SmartNet, SmartZone, QCII	(Y)	(Y)	(Y)	-
Digital P25 Phase I	FDMA, Conventional and Trunking	(Y)	(Y)	(Y)	Υ
Digital P25 Phase II	TDMA Trunking	(Y)	(Y)	(Y)	(Y)
Dynamic Dual Mode	Automatic switching between P25 Phase I and II	(Y)	(Y)	(Y)	(Y)
IV&D	Integrated Voice and Data	Υ	Υ	Υ	Υ
AUDIO		75.00.00	75.00.00	75.W. 0.0	75.20.00
Audio Output Power	Maximum rated audio power	7.5 W, 8 Ω 15 W, 3.2 Ω	7.5 W, 8 Ω 15 W, 3.2 Ω	7.5 W, 8 Ω 15 W, 3.2 Ω	7.5 W, 8 Ω 15 W, 3.2 Ω
SECURITY, SAFETY					
Algorithms	Supported encryption algorithms	(256-bit AES, ADP, DES, DVP)	(256-bit AES, ADP, DES, DVP)	(256-bit AES, ADP, DES, DVP)	256-bit AES SW, ADP
Algorithm Capacity	Number of simultaneous encryption schemes	8	8	8	8
Multikey	Number of programmable keys	128	64	8	8
Method	Encryption implementation	Hardware & Software	Hardware & Software	Hardware & Software	Software
Encryption Standards	Level of encryption offered	FIPS 140-2 Level 3 FIPS 197	FIPS 140-2 Level 3 FIPS 197	FIPS 140-2 Level 3 FIPS 197	FIPS 140-2 Level 1 FIPS 197
Over-the-Air Rekeying	Remote update of encryption keys	(Y)	(Y)	-	-
CONNECTIVITY	Land area anti-colorina anti-	(\(\lambda \)	()()	()/)	
WiFi	Local area network support	(Y)	(Y)	(Y)	-
SmartConnect	Seamless switch between P25 and broadband Data offload to external modem such as LTE,	(tethered, or via WiFi)	(tethered, or via Wi-Fi)	-	-
Data Modem Tethering	Wi-Fi or satellite	(Y)	(Y)	(Y)	-
LOCATION-TRACKING					
GPS/GLONASS	Receiver for radio location-tracking	Y	Y	Y	Y
Mission-Critical Geofence	Automated responses to changes in radio location	(Y)	(Y)	(Y)	(Y)
OTHER FEATURES	Detahasa guany uning virtual aggistant	(V)	(V)		
ViQi Virtual Partner	Database query using virtual assistant	(Y)	(Y)	-	-
RFID	Embedded wireless inventory tracking tag	(Y)	(Y)	(Y)	(Y)
Voice Announcement	Audio announcement of change in radio status	Y	Y	Y	Y
Instant Recall	Replay of last received call	Y	Y	Y	Y
Intelligent Lighting	Programmable display backlight color alert	(Y)	(Y)	(Y)	-
Impact Detection	Automatic alert to a collision	(Y)	(Y)	(Y)	-
CONTROL HEAD COMPAT	IRILITY				
O7 Enhanced Control Head	IDILIT I	(Y)	(Y)	(Y)	
E5 Control Head		(Y)	(Y)	(Y)	_
05 Standard Control Head		(Y)	(Y)	(Y)	-
O3 Handheld Control Head		(Y)	(Y) (Y)	(Y) (Y)	•
					- C O L
02 Rugged Control Head (Gree	п/отау)	(Y)	(Y)	(Y)	Grey Only

^() indicates optional feature



ALL THE SUPPORT YOU NEED

MANAGE YOUR APX RADIOS IN THE WAY THAT SUITS YOU BEST

Motorola Solutions offers flexible services consumption options to manage your mission critical communication systems. From hardware repair to preventive maintenance, technical support to programming and provisioning, our services ensure that your radio fleet is fully operational and available for end-users. The services are centrally delivered with the right combination of people, process and tools.

For more information, please visit us on the web at: www.motorolasolutions.com/APX

Motorola Solutions Ltd. Nova South, 160 Victoria Street, London, SW1E 5LB, United Kingdom.

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. ©2020 Motorola Solutions, Inc. All rights reserved. (09-20)

