

EU Declaration of Conformity (DoC-16071800417-A)

Motorola Solutions declares under its sole responsibility that the products, to which this declaration relates, conform to the applicable essential requirements of the following Directives(s) of the Council of the European Community on the approximation of the laws of the Member States:

1999/5/EC on Radio Equipment and Telecommunications Terminal Equipment 2011/65/EU on RoHS-2 for Restriction of the use of Hazardous Substances 2012/19/EU WEEE Waste Electrical and Electronic Equipment

Product: APX6000, APX6000XE, SRX2200 Portable Radio Series 136-174MHz, TX: 1-6W, 12.5 / 20 / 25 kHz, GPS/GLONASSBT/WiFi™

National Licensed Frequencies Only

Description:

APX6000 / APX6000XE standard controls, top Display, with Type Designator, PMBR302DE APX6000 / APX6000XE limited controls, dual display, with Type Designator, PMBR302ME APX6000 / APX6000XE full keypad, dual Display, with Type Designator, PMBR302PE SRX2200 standard controls, Display, with Type Designator, PMSR302DE SRX2200 full keypad, dual Display, with Type Designator, PMSR302PE

Color variants: black, yellow, green, coyote brown

Placed on Market by: Motorola Solutions Germany GmbH, Am Borsigturm 130, 13507 Berlin, Germany

Conformity:

Radio Equipment, Article 3(2):

EN 300 086 - 1 V1.4.1, EN 300 086 - 2 V1.3.1 EN 300 113 - 1 V1.7.1, EN 300 113 - 2 V1.5.1 EN 300 328 V1.9.1

EMC, Article 3(1)b:

EN 301 489 - 1 V1.9.2. EN 301 489 - 5 V1.3.1 EN 301 489 - 17 V2.2.1

Safety, Article 3(1)a:

EN 60950-1:2006/A11:2009/A1:2010/A12:2011/AC:2011/A2:2013 Compliant with the ICNIRP (1998) Occupational / Controlled Exposure Limits EN 62311:2008

Year of first application of CE mark: 2016

The essential radio test suites, as defined in the quoted harmonized standards, have been performed.

BERLIN, 18-JUL-2016

Andreas Scheunemann Managing Director Motorola Solutions Germany GmbH, Am Borsigturm 130, D-13507 Berlin, Germany

Rüdiger Maurer

Director of Product Safety and Regulatory Compliance,

Motorola Solutions Germany GmbH

Document Keeper: Motorola Solutions Germany GmbH, Am Borsigturm 130, D-13507 Berlin, Germany



This declaration of conformity is an addendum to above referenced product DoC and is issued under the sole responsibility of the manufacturer.

AUDIO	
BDN6664A	1-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6666A	1-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH VOLUME CONTROL AND EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6667A	2-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6668A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6669A	2-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA-LOUD EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6670A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA-LOUD EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6726A	1-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6727A	1-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA-LOUD EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6728A	1-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH VOLUME CONTROL AND EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6729A	2-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6730A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6731A	2-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA-LOUD EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6732A	3-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH EXTRA- LOUD EARPIECE, BLACK, 3.5MM THREADED. REQUIRES BDN6783.
BDN6783B	AUDIO ACCY ADPT 3.5MM W/PTT (NON-OPERATIONAL W/ P3A HW)
HMN4101B	IMPRES RSM NO DSPLY W JACK, NO CHNL
HMN4103B	IMPRES RSM DSPLY W JACK, NO CHNL
HMN4104B	IMPRES DISPLAY REMOTE SPEAKER
NMN6271A	IMPRES XP RSM FOR APX W/ DUAL MIC N
NMN6274A	IMPRES XP RSM FOR APX W/ DUAL MIC NOISE SUPPRESSION, 3.5MM THRDJACK
NNTN7869A	6 PIN HIROSE KEYLOAD & AUDIO ADAPTER FM/IS RATED



This declaration of conformity is an addendum to above referenced product DoC and is issued under the sole responsibility of the manufacturer.

AUDIO	
NNTN8203A	IMPRES XE REMOTE SPEAKER MIC
NNTN8203ABLK	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8203AYLW	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8294A	1- WIRE EARBUD FOR WIRELESS PUSH-TO-TALK POD WITH 11.5Ã□¿ CABLE, BLACK
NNTN8295A	1- WIRE EARBUD FOR WIRELESS PUSH-TO-TALK POD WITH 45Ã□¿ CABLE, BLACK
NNTN8296A	COVERT AUDIO KIT FOR MISSION CRITICAL WIRELESS PTT POD
NNTN8442A	MISSION CRITICAL WIRELESS REMOTE CONT KEYFOB WITH PROGRAMMABLE BUTTONS
NNTN8575A	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8575ABLK	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NNTN8575AYLW	AUDIO ACCESSORY-REMOTE SPEAKER MICR
NTN2570C	MISSION CRITICAL WIRELESS EARPIECE WITH LONG CORD (280 MM)
NTN8819B	INTEGRATED EAR MICROPHONE/RECEIVER
PMLN5101A	IMPRES TEMPLE TRANSDUCER
PMLN5275C	HEAVY-DUTY BEHIND-THE-HEAD HEADSET WITH NOISE-CANCELLING BOOM MICROPHONE, NOISE REDUCTION = 24DB
PMLN5653A	IMPRES EAR MICROPHONE WITH BONE CONDUCTION AND PROGRAMMABLE BUTTON, BLACK
PMLN6088A	PELTOR MT SERIES OVER-THE-HEAD HEADSET WITH NEXUS CONNECTOR
PMLN6095A	PELTOR PTT NEXUS ADAPTER
PMLN6123A	IMPRES 3-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE, PROGRAMMABLE BUTTON, BLACK
PMLN6124A	IMPRES 3-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE, PROGRAMMABLE BUTTON, BEIGE
PMLN6125A	RECEIVE ONLY SURVEILLANCE KIT,Ã□Â BLACKÃ□Â



This declaration of conformity is an addendum to above referenced product DoC and is issued under the sole responsibility of the manufacturer.

RECEIVE ONLY SURVEILLANCE KIT,Ã□Â BEIGE
IMPRES 2 WIRE SURVEILLANCE KIT,Ã□Â BLACK
IMPRES 2 WIRE SURVEILLANCE KIT,Ã□Â BEIGE
IMPRES 2 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE,Ã□Â BLACK
IMPRES 2 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE,Ã□Â BEIGE
TACTICAL BOOMLESS TEMPLE TRANSDUCER (REQUIRES INTERFACE MODULE PMLN6765 OR PMLN6766 PMLN6827)
TACTICAL REMOTE BODY PTT (FOR USE WITH INTERFACE MODULE PMLN6765 OR PMLN6827)
TACTICAL PTT ONLY INTERFACE MODULE
TACTICAL EAR MICROPHONE (REQUIRES INTERFACE PMLN6829 MODULE PMLN6765 OR PMLN6827)
TACTICAL REMOTE RING PTT (FOR USE WITH INTERFACE MODULE PMLN6765 OR PMLN6827)
1 -WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE FOR WIRELESS POD
IMPRES REMOTE SPEAKER MICROPHONE, NOISE CANCELLING
IMPRES RSM, IP57
IMPRES RSM, 3.5MM JACK, IP55
IMPRES RSM DELTA-T
PLUS RSM NC IP54 THRD 3.5MM JACK RX
AUDIO ACCESSORY-REMOTE SPEAKER MICR
SMALL CUSTOM EARPIECE, RIGHT EAR, FOR SURVEILLANCE KITS
MEDIUM CUSTOM EARPIECE, RIGHT EAR, FOR SURVEILLANCE KITS
LARGE CUSTOM EARPIECE, RIGHT EAR, FOR SURVEILLANCE KITS



This declaration of conformity is an addendum to above referenced product DoC and is issued under the sole

AUDIO	
RLN4763A	SMALL CUSTOM EARPIECE, LEFT EAR, FOR SURVEILLANCE KITS
RLN4764A	MEDIUM CUSTOM EARPIECE LEFT EAR, FOR SURVEILLANCE KITS
RLN4765A	LARGE CUSTOM EARPIECE, LEFT EAR, FOR SURVEILLANCE KITS
RLN4885B	RECEIVE ONLY EARBUDÃ□Â
RLN4941A	RECEIVE ONLY EARPIECE WITH TRANSLUCENT TUBE
RLN5312B	CMFRT EARPC W/MIC & PTT BLK
RLN5313B	1-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK, 3.5MM THREADED. REQUIRES BDN6783
RLN5314B	1-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783
RLN5887A	HIGH NOISE KIT
RLN6424B	RECEIVE-ONLY EARPIECE WITH TRANSLUCENT TUBE AND RUBBER EARTIP (USED WITH 3.5 MM RSMS)
RLN6477A	PELTOR MT SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RLN6480A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH PALM PTT(INCLUDES ADAPTER BDN6783)
RLN6481A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH PTT ON ADAPTER (INCLUDES ADAPTER BDN6783)
RLN6482A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH RING PTT(INCLUDES ADAPTER BDN6783)
RLN6483A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH SNAP-ON-SIDE PTT (INCLUDES ADAPTER BDN6783)
RLN6484A	INTEGRATED EAR MICROPHONE/RECEIVER SYSTEM WITH BODY PTT(INCLUDES ADAPTER BDN6783)
RLN6489A	MISSION CRITICAL WIRELESS COVERT PACK-N-GO KIT, BASIC. KIT INCLUDES: NNTN8296 BASIC MISSION CRITICAL WIRELESS COVERT KIT, PUSH-TO-TALK (PTT) POD AND NNTN8442 MISSION CRITICAL WIRELESS REMOTE CONTROL UNIT
RLN6490A	XBT OPERATIONS CRITICAL WIRELESS BEHIND-THE-NECK HEADSET
RLN6491A	XBT OPERATIONS CRITICAL WIRELESS HEADBAND STYLE HEADSET
RLN6501A	MISSION CRITICAL WIRELESS COVERT PACK-N-GO KIT, ADVANCED. KIT INCLUDES: ALL CONTENTS OF COVERT PACK-N-GO KIT PLUS RLN4922 RLN6501 COMPLETELY DISCREET EARPIECE KIT AND NNTN8385 WIRELESS NECKLOOP Y-ADAPTER



This declaration of conformity is an addendum to above referenced product DoC and is issued under the sole responsibility of the manufacturer.

The accessories described below are in conformity with the relevant Union harmonisation legislation.

The listed accessories are certified and approved for use with the radios listed in the referenced DoC.

AUDIO	
RLN6511A	CLEAR EP7-SMALL HEARING PROTECTORS [SONIC DEFENDERS] ULTRA EARPLUGS NOISE REDUCTION = 28DB
RLN6512A	CLEAR EP7-MEDIUM HEARING PROTECTORS [SONIC DEFENDERS] ULTRA EARPLUGS NOISE REDUCTION = 28DB
RLN6513A	CLEAR EP7-LARGE HEARING PROTECTORS [SONIC DEFENDERS] ULTRA EARPLUGS NOISE REDUCTION = 28DB
RLN6554A	ACCESSORY KIT,APX WIRELESS RSM W/ D
RMN4051B	PELTOR MT SERIES HARD HAT ATTACHED WITH NEXUS CONNECTOR
RMN4052B	PELTOR TACTICALPRO SERIES OVER-THE-HEAD HEADSET WITH NEXUS CONNECTOR
RMN4053B	PELTOR TACTICALPRO SERIES HARD HAT ATTACHED WITH NEXUS CONNECTOR
RMN4055B	PELTOR HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN4056B	PELTOR HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5 THREADED CONNECTOR
RMN4057B	PELTOR HT SERIES LISTEN ONLY HARD HAT ATTACHED HEADSET WITH 3.5 THREADED CONNECTOR
RMN5058A	LIGHTWEIGHT OVER-THE-HEAD HEADSET SINGLE MUFF WITH IN-LINE PUSH-TO-TALK AND BOOM MIC REX4648 - REPLACEMENT FOAM EARPAD AND MICROPHONE COVER KIT
RMN5116A	RECEIVE AND TRANSMIT BOOMLESS TEMPLE TRANSDUCER(FOR HMN4104, HMN4103 AND RMN5116 HMN4101 ONLY)
RMN5132A	PELTOR HT SERIES LISTEN ONLY NECKBAND HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5133A	PELTOR HT SERIES LISTEN ONLY HARD HAT ATTACHED HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5135A	PELTOR TACTICALPRO SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RMN5137A	PELTOR MT SERIES OVER-THE-HEAD HEADSET, DIRECT RADIO CONNECT
RMN5138A	PELTOR MT SERIES NECKBAND HEADSET, DIRECT RADIO CONNECT
RMN5139A	PELTOR MT SERIES HARD HAT ATTACHED HEADSET, DIRECT RADIO CONNECT
WADN4190B	RECEIVE ONLY OVER THE EAR FLEXIBLE EARPIECE
ZMN6031A	3-WIRE SURVEILLANCE KIT, BEIGE, HIROSE. REQUIRES NNTN7869 HIROSE ADAPTER



This declaration of conformity is an addendum to above referenced product DoC and is issued under the sole responsibility of the manufacturer.

ZMN6038A 2-WIRE SURVEILLANCE KIT, BEIGE, HIROSE CONNECTOR. REQUIRES NNTN7869 HIROSE ADAPTER ZMN6038A 2-WIRE SURVEILLANCE KIT, WITH EXTRA LOUD EARPIECE, BEIGE, HIROSE CONNECTOR REQUIRES NNTN7869 HIROSE ADAPTER ZMN6039A 3-WIRE SURVEILLANCE KIT, WITH EXTRA LOUD EARPIECE, BEIGE, HIROSE CONNECTOR. REQUIRES NNTN7869 HIROSE ADAPTER BATTERY NNTN7034B DELTA T BATTERY 4200 MAH NNTN7037A ASSY,BTRY,IMP STD IP67 NIMH 2100M 2300T NNTN7038B BATT IMP STD IP67 LIION 2900M 3100T NNTN7673A BTRY IMP STD R NIMH 2100M 2300T NNTN8921A BATT IMP LIION TIA4950 IP67 4100T NNTN8930A BATT IMP LIION TIA4950 STD BATTERY PMNN4403B BATT STD IP67 LIION2050M BLK PMNN4439A APX CLAMSHELL BATTERY PACK PMNN4486A APX GEN 2 IMPRES SIM DELTA T (2400 MAH) PMNN4486A APX GEN 2 IMPRES STD DELTA T (3400 MAH) PMNN4494A BATT IMP STD DELTA T RUGGED LIION 5000T CHARGER WPLN4109BR MUC WITH 1 DISPLAY EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4112BR SUC EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4113AR SUC UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169 POCKET INSERT	AUDIO	
CONNECTOR REQUIRES NNTN7869 HIROSE ADAPTER 3-WIRE SURVEILLANCE KIT, WITH EXTRA LOUD EARPIECE, BEIGE, HIROSE CONNECTOR. REQUIRES NNTN7869 HIROSE ADAPTER BATTERY NNTN7034B DELTA T BATTERY 4200 MAH NNTN7037A ASSY,BTRY,IMP STD IP67 NIMH 2100M 2300T NNTN7038B BATT IMP STD IP67 LIION 2900M 3100T NNTN7573A BTRY IMP STD R NIMH 2100M 2300T NNTN8182B BATTERY, R, LI ION 2900M 100T MILITARY BRN NNTN8921A BATT IMP LIION TIA4950 IP67 4100T NNTN8930A BATT IMP LIION TIA4950 STD BATTERY PMNN4403B BATT STD IP67 LIION2050M BLK PMNN4403B BATT STD IP67 LIION2050M BLK PMNN4485A APX GEN 2 IMPRES SLIM DELTA T (2400 MAH) PMNN4486A APX GEN 2 IMPRES STD DELTA T (3400 MAH) PMNN4487A APX GEN 2 IMPRES STD DELTA T (-30 TEMP 4400 MAH) PMNN4494A BATT IMP STD DELTA T RUGGED LIION 5000T CHARGER WPLN4110BR MUC WITH 1 DISPLAY EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4112BR SUC EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4113AR SUC UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169	ZMN6032A	
BATTERY NNTN7034B DELTA T BATTERY 4200 MAH NNTN7037A ASSY,BTRY,IMP STD IP67 NIMH 2100M 2300T NNTN7038B BATT IMP STD IP67 NIMH 2100M 2300T NNTN7573A BTRY IMP STD R NIMH 2100M 2300T NNTN8182B BATTERY, R, LI ION 2900M 3100T NNTN8921A BATT IMP LIION TIA4950 IP67 4100T NNTN8930A BATT IMP LIION TIA4950 STD BATTERY PMNN4403B BATT STD IP67 LIION2050M BLK PMNN4439A APX CLAMSHELL BATTERY PACK PMNN4485A APX GEN 2 IMPRES SLIM DELTA T (2400 MAH) PMNN4486A APX GEN 2 IMPRES STD DELTA T (3400 MAH) PMNN4487A APX GEN 2 IMPRES HI CAP DELTA T (-30 TEMP 4400 MAH) PMNN4494A BATT IMP STD DELTA T RUGGED LIION 5000T CHARGER WPLN4110BR MUC WITH 1 DISPLAY EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4112BR SUC EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4113AR SUC UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169	ZMN6038A	
NNTN7034B NNTN7037A ASSY,BTRY,IMP STD IP67 NIMH 2100M 2300T NNTN7038B BATT IMP STD IP67 LIION 2900M 3100T NNTN7573A BTRY IMP STD R NIMH 2100M 2300T NNTN8182B BATT IMP STD R NIMH 2100M 2300T NNTN8921A BATT IMP LIION 11A4950 IP67 4100T NNTN8930A BATT IMP LIION 11A4950 STD BATTERY PMNN4403B BATT STD IP67 LIION2050M BLK PMNN4439A APX CLAMSHELL BATTERY PACK PMNN4485A APX GEN 2 IMPRES SLIM DELTA T (2400 MAH) PMNN4486A APX GEN 2 IMPRES STD DELTA T (3400 MAH) PMNN4487A APX GEN 2 IMPRES HI CAP DELTA T (-30 TEMP 4400 MAH) PMNN4494A BATT IMP STD DELTA T RUGGED LIION 5000T CHARGER WPLN4109BR MUC WITH 1 DISPLAY EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4110BR WPLN4112BR SUC EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4113AR SUC UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169	ZMN6039A	
NNTN7037A ASSY,BTRY,IMP STD IP67 NIMH 2100M 2300T NNTN7038B BATT IMP STD IP67 LIION 2900M 3100T NNTN7573A BTRY IMP STD R NIMH 2100M 2300T NNTN8182B BATT IMP LIION 1IA4950 IP67 4100T NNTN8930A BATT IMP LIION TIA4950 STD BATTERY PMNN4403B BATT STD IP67 LIION2050M BLK PMNN4439A APX CLAMSHELL BATTERY PACK PMNN4486A APX GEN 2 IMPRES SLIM DELTA T (2400 MAH) PMNN4487A APX GEN 2 IMPRES STD DELTA T (-30 TEMP 4400 MAH) PMNN4494A BATT IMP STD DELTA T RUGGED LIION 5000T CHARGER WPLN4109BR MUC WITH 1 DISPLAY EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4110BR SUC EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169 POCKET INSERT WPLN4113AR SUC UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169	BATTERY	
NNTN7038B BATT IMP STD IP67 LIION 2900M 3100T NNTN8182B BATTERY, R, LI ION 2900M 3100T MILITARY BRN NNTN8921A BATT IMP LIION TIA4950 IP67 4100T NNTN8930A BATT IMP LIION TIA4950 STD BATTERY PMNN4403B BATT STD IP67 LIION2050M BLK PMNN4439A APX CLAMSHELL BATTERY PACK PMNN4485A APX GEN 2 IMPRES SLIM DELTA T (2400 MAH) PMNN4486A APX GEN 2 IMPRES STD DELTA T (3400 MAH) PMNN4487A APX GEN 2 IMPRES HI CAP DELTA T (-30 TEMP 4400 MAH) BATT IMP STD DELTA T RUGGED LIION 5000T CHARGER WPLN4109BR MUC WITH 1 DISPLAY EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4110BR SUC EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4113AR SUC UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169	NNTN7034B	DELTA T BATTERY 4200 MAH
NNTN7038B BATT IMP STD IP67 LIION 2900M 3100T NNTN8182B BATTERY, R, LI ION 2900M 3100T MILITARY BRN NNTN8921A BATT IMP LIION TIA4950 IP67 4100T NNTN8930A BATT IMP LIION TIA4950 STD BATTERY PMNN4403B BATT STD IP67 LIION2050M BLK PMNN4439A APX CLAMSHELL BATTERY PACK PMNN4485A APX GEN 2 IMPRES SLIM DELTA T (2400 MAH) PMNN4486A APX GEN 2 IMPRES STD DELTA T (3400 MAH) PMNN4487A APX GEN 2 IMPRES HI CAP DELTA T (-30 TEMP 4400 MAH) BATT IMP STD DELTA T RUGGED LIION 5000T CHARGER WPLN4109BR MUC WITH 1 DISPLAY EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4110BR SUC EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4113AR SUC UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169	NNTN7037A	ASSY,BTRY,IMP STD IP67 NIMH 2100M 2300T
NNTN8182B NNTN8921A BATT IMP LIION TIA4950 IP67 4100T NNTN8930A BATT IMP LIION TIA4950 STD BATTERY PMNN4403B BATT STD IP67 LIION2050M BLK PMNN4439A APX CLAMSHELL BATTERY PACK PMNN4485A APX GEN 2 IMPRES SLIM DELTA T (2400 MAH) PMNN4486A APX GEN 2 IMPRES STD DELTA T (3400 MAH) PMNN4487A APX GEN 2 IMPRES HI CAP DELTA T (-30 TEMP 4400 MAH) PMNN4494A BATT IMP STD DELTA T RUGGED LIION 5000T CHARGER WPLN4109BR MUC WITH 1 DISPLAY EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4110BR SUC EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4112BR SUC EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169 POCKET INSERT WPLN4113AR SUC UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169	NNTN7038B	
NNTN8921A NNTN8930A BATT IMP LIION TIA4950 IP67 4100T NNTN8930A BATT IMP LIION TIA4950 STD BATTERY PMNN4403B BATT STD IP67 LIION2050M BLK PMNN4439A APX CLAMSHELL BATTERY PACK PMNN4485A APX GEN 2 IMPRES SLIM DELTA T (2400 MAH) PMNN4486A APX GEN 2 IMPRES STD DELTA T (3400 MAH) PMNN4487A APX GEN 2 IMPRES HI CAP DELTA T (-30 TEMP 4400 MAH) PMNN4494A BATT IMP STD DELTA T RUGGED LIION 5000T CHARGER WPLN4109BR MUC WITH 1 DISPLAY EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4110BR MUC WITH 1 DISPLAY UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4112BR SUC EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169 POCKET INSERT WPLN4113AR SUC UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169	NNTN7573A	BTRY IMP STD R NIMH 2100M 2300T
NNTN8930A BATT IMP LIION TIA4950 STD BATTERY PMNN4403B BATT STD IP67 LIION2050M BLK PMNN4439A APX CLAMSHELL BATTERY PACK PMNN4485A APX GEN 2 IMPRES SLIM DELTA T (2400 MAH) PMNN4486A APX GEN 2 IMPRES STD DELTA T (3400 MAH) PMNN4487A APX GEN 2 IMPRES HI CAP DELTA T (-30 TEMP 4400 MAH) PMNN4494A BATT IMP STD DELTA T RUGGED LIION 5000T CHARGER WPLN4109BR MUC WITH 1 DISPLAY EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4110BR MUC WITH 1 DISPLAY UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4112BR SUC EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169 POCKET INSERT WPLN4113AR SUC UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169	NNTN8182B	BATTERY, R, LI ION 2900M 3100T MILITARY BRN
PMNN4403B PMNN4439A APX CLAMSHELL BATTERY PACK PMNN4485A APX GEN 2 IMPRES SLIM DELTA T (2400 MAH) PMNN4486A APX GEN 2 IMPRES STD DELTA T (3400 MAH) PMNN4487A APX GEN 2 IMPRES HI CAP DELTA T (-30 TEMP 4400 MAH) PMNN4494A BATT IMP STD DELTA T RUGGED LIION 5000T CHARGER WPLN4109BR MUC WITH 1 DISPLAY EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4110BR MUC WITH 1 DISPLAY UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4112BR SUC EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169 POCKET INSERT WPLN4113AR SUC UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169	NNTN8921A	BATT IMP LIION TIA4950 IP67 4100T
PMNN4439A APX CLAMSHELL BATTERY PACK PMNN4485A APX GEN 2 IMPRES SLIM DELTA T (2400 MAH) PMNN4486A APX GEN 2 IMPRES STD DELTA T (3400 MAH) PMNN4487A APX GEN 2 IMPRES HI CAP DELTA T (-30 TEMP 4400 MAH) PMNN4494A BATT IMP STD DELTA T RUGGED LIION 5000T CHARGER WPLN4109BR MUC WITH 1 DISPLAY EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4110BR MUC WITH 1 DISPLAY UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4112BR SUC EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169 POCKET INSERT WPLN4113AR SUC UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169	NNTN8930A	BATT IMP LIION TIA4950 STD BATTERY
PMNN4485A APX GEN 2 IMPRES SLIM DELTA T (2400 MAH) PMNN4486A APX GEN 2 IMPRES STD DELTA T (3400 MAH) PMNN4487A APX GEN 2 IMPRES HI CAP DELTA T (-30 TEMP 4400 MAH) PMNN4494A BATT IMP STD DELTA T RUGGED LIION 5000T CHARGER WPLN4109BR MUC WITH 1 DISPLAY EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4110BR MUC WITH 1 DISPLAY UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4112BR SUC EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169 POCKET INSERT WPLN4113AR SUC UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169	PMNN4403B	BATT STD IP67 LIION2050M BLK
PMNN4486A APX GEN 2 IMPRES STD DELTA T (3400 MAH) PMNN4487A APX GEN 2 IMPRES HI CAP DELTA T (-30 TEMP 4400 MAH) PMNN4494A BATT IMP STD DELTA T RUGGED LIION 5000T CHARGER WPLN4109BR MUC WITH 1 DISPLAY EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4110BR MUC WITH 1 DISPLAY UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4112BR SUC EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169 POCKET INSERT WPLN4113AR SUC UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169	PMNN4439A	APX CLAMSHELL BATTERY PACK
PMNN4487A PMNN4494A APX GEN 2 IMPRES HI CAP DELTA T (-30 TEMP 4400 MAH) BATT IMP STD DELTA T RUGGED LIION 5000T CHARGER WPLN4109BR MUC WITH 1 DISPLAY EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4110BR MUC WITH 1 DISPLAY UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4112BR SUC EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169 POCKET INSERT WPLN4113AR SUC UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169	PMNN4485A	APX GEN 2 IMPRES SLIM DELTA T (2400 MAH)
PMNN4494A BATT IMP STD DELTA T RUGGED LIION 5000T CHARGER WPLN4109BR MUC WITH 1 DISPLAY EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4110BR MUC WITH 1 DISPLAY UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4112BR SUC EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169 POCKET INSERT WPLN4113AR SUC UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169	PMNN4486A	APX GEN 2 IMPRES STD DELTA T (3400 MAH)
CHARGER WPLN4109BR MUC WITH 1 DISPLAY EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4110BR MUC WITH 1 DISPLAY UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4112BR SUC EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169 POCKET INSERT WPLN4113AR SUC UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169	PMNN4487A	APX GEN 2 IMPRES HI CAP DELTA T (-30 TEMP 4400 MAH)
WPLN4109BR MUC WITH 1 DISPLAY EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4110BR MUC WITH 1 DISPLAY UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4112BR SUC EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169 POCKET INSERT WPLN4113AR SUC UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169	PMNN4494A	BATT IMP STD DELTA T RUGGED LIION 5000T
WPLN4109BR MUC WITH 1 DISPLAY EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4110BR MUC WITH 1 DISPLAY UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4112BR SUC EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169 POCKET INSERT WPLN4113AR SUC UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169		
WITH NNTN8170 POCKET INSERT WPLN4110BR MUC WITH 1 DISPLAY UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8170 POCKET INSERT WPLN4112BR SUC EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169 POCKET INSERT WPLN4113AR SUC UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169	CHARGER	
NNTN8170 POCKET INSERT WPLN4112BR SUC EURO - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169 POCKET INSERT WPLN4113AR SUC UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169	WPLN4109BR	
POCKET INSERT WPLN4113AR SUC UK - XTS SINGLE UNIT CHARGER WHEN USED WITH NNTN8169	WPLN4110BR	
THE ENTRY OF THE COLD WITH THE TOTAL OF THE COLD WITH T	WPLN4112BR	
	WPLN4113AR	



This declaration of conformity is an addendum to above referenced product DoC and is issued under the sole responsibility of the manufacturer.

The accessories described below are in conformity with the relevant Union harmonisation legislation. The listed accessories are certified and approved for use with the radios listed in the referenced DoC.

CHARGER

WPLN4117AR SUC EMEA HYBRID - XTS SINGLE UNIT CHARGER WHEN USED WITH

NNTN8169 POCKET INSERT

WPLN4120AR MUC WITH 6 DISPLAYS - INCLUDES ERIC INSERT EMEA HYBRID

WPLN4131AR MUC WITH 6 DISPLAYS EURO

WPLN4132AR MUC WITH 6 DISPLAYS UK

CABLE

PMKN4013C DATA CABLE

The above accessories are shown with their global part numbers. In practice the accessory will have a regional prefix. Prefixes are purely done for regional kittings - primarily the manual (languages) and packaging. Prefixes are MD for European countries, AA of United States and AZ for Asia/Pazific region.

Note: A copy of the above referenced signed and dated Declaration of Conformity can be obtained either via your local Motorola help desk, via your dealer from where you purchased this radio or alternatively you can send an email request to manufacturerdeclaration.eu@motorolasolutions.com, or via http://www.motorolasolutions.com/Business/XU-EN/BMS+Resource+Library