

EU Declaration of Conformity (DoC-17080100891-B)

This declaration of conformity is issued under the sole responsibility of the manufacturer. The object of the declaration is in conformity with the relevant Union harmonization legislation:

2014/53/EU Radio Equipment Directive

2011/65/EU on RoHS-2 for Restriction of the use of Hazardous Substances

2012/19/EU WEEE Waste Electrical and Electronic Equipment

2013/35/EU on Occupational Exposure to Electromagnetic Fields

1999/5/EC on Radio Equipment and Telecommunications Terminal Equipment (Non-RED Countries)

Object of the Declaration: VX-260 radio series

VX-261-D0-5 136-174MHz, 5W, 12.5/20/25 kHz channel spacing, no display, no keypad VX-264-D0-5 136-174MHz, 5W, 12.5/20/25 kHz channel spacing, display, limited keypad

National Licenced Frequencies Only

Manufacturer: Motorola Solutions Germany GmbH, Am Borsigturm 130, 13507 Berlin, Germany

Conformity:

Radio Equipment, Article 3(2):

EN 300 086 V2.1.2

EN 300 219 V2.1.1

RTTE:

EN 300 086-1 V1.4.1, EN 300 086-2 V1.3.1,

EN 300 219-1 V1.2.1, EN 300 219-2 V1.1.1

EMC, Article 3(1)b:

EN 301 489 - 1 V1.9.2

EN 301 489 - 5 V1.3.1

Safety, Article 3(1)a:

FN 60950-1:2006/A11:2009/A1:2010/A12:2011/AC:2011/A2:2013

compliant with the ICNIRP (1998) Occupational / Controlled Exposure Limits

EN 62311:2008

Year of first application of CE mark: 2017

The essential radio test suites, as defined in the quoted harmonized standards, have been performed.

BERLIN, 15-DEC-2017

Andreas Scheunemann

Managing Director Motorola Solutions Germany GmbH, Am Borsigturm 130, D-13507 Berlin, Germany

Rüdiger Maurer

Director of Product Safety and Regulatory Compliance,

Motorola Solutions Germany GmbH

Document Keeper: Motorola Solutions Germany GmbH, Am Borsigturm 130, D-13507 Berlin, Germany



Rev. 1 Addendum to EU Declaration of Conformity (DoC-17080100891-B)

This declaration of conformity is an addendum to above referenced product DoC and is issued under the sole responsibility of the manufacturer.

The accessories described below are in conformity with the relevant Union harmonisation legislation. The listed accessories are certified and approved for use with the radios listed in the referenced DoC.

ANTENNA	
ATV-6B	150-162MHZ - identical to Newly added 8-Nov after EME discussion"XUCET0020"
ATV-6C	162-174MHZ - identical to Newly added 8-Nov after EME discussion."XUCET0021"
ATV-6XL	Untuned VHF Antenna - identical to Test as addendum after delta test
ATV-8A	134-150 MHz VHF Antenna - identical to External lab-Antenna A
ATV-8B	150-163 MHz VHF Antenna - identical to External lab-Antenna B
ATV-8C	162-174 MHz VHF Antenna - identical to External lab-Antenna C
AUDIO	
MH-100	Receive Only Earpiece
MH-101A4B	1-wire surveillance kit
MH-102A4B	2-wire surveillance kit
MH-103A4B	3-Wire Surveillance Kit - identical to Tested addendum SR3099.
MH-201A4B	Heavy duty headset - identical to Tested addendum SR4164.
MH-360S	Compact speaker microphone
MH-37A4B-1	Earpiece microphone
MH-450S	Speaker microphone
MH-45B4B	Noise cancelling speaker microphone
MH-66A4B	Noise Cancelling Speaker
VH-150A	Behind type VOX Compatible Microphone
VH-150B	Over the Head VOX Compatible Microphone
BATTERY	

7.4V 1350mAh / 10Wh

7.4V 2250mAh / 16.7Wh

FNB-V133LI-UNI FNB-V134LI-UNI



Rev. 1 Addendum to EU Declaration of Conformity (DoC-17080100891-B)

This declaration of conformity is an addendum to above referenced product DoC and is issued under the sole responsibility of the manufacturer.

The accessories described below are in conformity with the relevant Union harmonisation legislation.

The listed accessories are certified and approved for use with the radios listed in the referenced DoC.

BATTERY FNB-V136-UNI	7.2V 1200mAh Ni-Mh
BODYWORN	
LCC-261	Leather Case, Belt Loop (FNB-V136, FNB-V133LI) - identical to Test as addendum after delta test
LCC-261H	Leather Case, Belt Loop (FNB-V134Ll) - identical to Test as addendum after delta test
LCC-261S	Leather Case, Swivel Belt Loop (FNB-V136, FNB-V133LI) - identical to Test as addendum after delta test
LCC-261SH	Leather Case, Swivel Belt Loop (FNB-V134LI) - identical to Test as addendum after delta test
CHARGER	
CD-58	Single Unit Charger
PA-55C	AC adaptor
VAC-6058	Multi Unit Charger
VCM-5	Vehicular Charger Adapter - identical to attach with CD-58
CABLE	
CT-106	FIF-10 Cable
CT-153	Cloning Cable
CT-27A	Radio to radio cloning cable
FIF-12A	USB Programming interface
FRB-6	Tuning Interface

SOFTWARE

The installed radio software is under the full control of the manufacturer with no access by the user and is in compliance with the relevant directives.

The above accessories are shown with their global part numbers. In practice the accessory will have a regional prefix. Prefixes are purely done for regional kittings - primarily the manual (languages) and packaging. Prefixes are MD for European countries, AA of United States and AZ for Asia/Pazific region.

Note: A copy of the above referenced signed and dated Declaration of Conformity can be obtained either via your local Motorola help desk, via your dealer from where you purchased this radio or alternatively you can send an email request to manufacturerdeclaration.eu@motorolasolutions.com, or via http://www.motorolasolutions.com/Business/XU-EN/BMS+Resource+Library





Electromagnetic Energy (EME) Test Laboratory

Conformity of models listed with occupational Exposure Level Values (ELVs) in Directive 2013/35/EU

This declaration confirms compliance of Motorola Solutions' portable radio(s) model(s) with approved accessories

Model Number Type Designator Description

VX-261-D0-5 NA

VX-261-D0-5 133-174MHz, 5W, No display, no keypad

VX-264-D0-5 NA

VX-264-D0-5 133-174MHz, 5W, display, limited keypad

with the ICNIRP¹ limits for radio frequency (RF) energy exposure. The ICNIRP guidelines were developed by an independent scientific organization after thorough evaluations of relevant research studies, and have been endorsed by the World Health Organization (WHO). The ICNIRP guidelines are also referenced in the European Directive 2013/35/EU,² forming the basis of the applicable radio-frequency exposure framework for workers.

The applicable exposure limit is specified in terms of the Specific Absorption Rate (SAR), measured in units of watts per kilogram (W/kg). SAR tests of Motorola Solutions radios were conducted in accordance with harmonised³ standard EN 62311:2008, using standard operating configuration for the device(s) while transmitting at nominal power, with results scaled to the highest certified power level in all tested frequency bands.

SAR tests, performed at a laboratory certified to the ISO/IEC Guide 17025,⁵ show that said Motorola Solutions' portable radio model(s), in all tested operating modes (on the body, on the sides of the head, and in front of the face as applicable), at the highest certified power level(s), conform(s) with the ICNIRP limits for professional devices and occupational users,⁶ and both the health and the sensory ELVs defined in Directive 2013/35/EU.⁷

Sincerely,

Tiong Nguk In on behalf of Pei Loo Tey Penang EME Laboratory Manager DATE: 20-JUN-2017

¹ ICNIRP (1998): International Commission on Non Ionizing Radiation Protection, "Guidelines for Limiting Exposure to Time-Varying Electric, Magnetic, and Electromagnetic Fields (Up to 300 GHz)" Health Physics, vol. 75, no. 4, pp. 494-522.

² Directive 2013/35/EU of the European Parliament and of the Council of 26 June 2013 on the minimum health and safety requirements regarding the exposure of workers to the risks arising from physical agents (electromagnetic fields) (20th individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) and repealing Directive 2004/40/EC.

³ European Commission communication in the framework of the implementation of Directive 1999/5/EC of the European Parliament and of the Council on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity. Official Journal of the European Parliament and 216/C 249/01.

⁴ EN 62311:2008 Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz). Although the standard is defined for the general public, it provides guidance for occupational exposures in Annex B.

⁵ ISO/IEC 17025:2005. General requirements for the competence of testing and calibration laboratories.

⁶ Implicit whole-body SAR compliance with the 0.4 W/kg limit is shown using the threshold (16.8 W) derived from Table B.1 in EN 62311:2008.

⁷ The Specific Absorption (SA) sensory limits defined in Directive 2013/35/EU apply only to ultra-short-pulsed radio-frequency waveforms

⁷ The Specific Absorption (SA) sensory limits defined in Directive 2013/35/EU apply only to ultra-short-pulsed radio-frequency waveforms capable of inducing the microwave hearing effect, e.g., powerful RADAR emissions, but not the Motorola Solutions radio(s) referenced herein.





Electromagnetic Energy (EME) Test Laboratory

Conformity of models listed with occupational Exposure Level Values (ELVs) in Directive 2013/35/EU

This declaration confirms compliance of Motorola Solutions' portable radio(s) model(s) with approved accessories

Model Number

Type Designator Description

AC151N501 (VX-261-D0-5)

MOTOROLA VX-261-D0-5 136-174 MHz 5W

with the ICNIRP1 limits for radio frequency (RF) energy exposure. The ICNIRP guidelines were developed by an independent scientific organization after thorough evaluations of relevant research studies, and have been endorsed by the World Health Organization (WHO). The ICNIRP guidelines are also referenced in the European Directive 2013/35/EU,² forming the basis of the applicable radio-frequency exposure framework for workers.

The applicable exposure limit is specified in terms of the Specific Absorption Rate (SAR), measured in units of watts per kilogram (W/kg). SAR tests of Motorola Solutions radios were conducted in accordance with harmonised³ standard EN 62311:2008, ⁴ using standard operating configuration for the device(s) while transmitting at nominal power, with results scaled to the highest certified power level in all tested frequency bands.

SAR tests, performed at a laboratory certified to the ISO/IEC Guide 17025, 5 show that said Motorola Solutions' portable radio model(s), in all tested operating modes (on the body, on the sides of the head, and in front of the face as applicable), at the highest certified power level(s), conform(s) with the ICNIRP limits for professional devices and occupational users, 6 and both the health and the sensory ELVs defined in Directive 2013/35/EU.7

Sincerely,

Tiong

Tiong Digitally signed

Tiong Nguk In on behalf of Pei Loo Tey Penang EME Laboratory Manager DATE: 15-NOV-2017

¹ ICNIRP (1998): International Commission on Non Ionizing Radiation Protection, "Guidelines for Limiting Exposure to Time-Varying Electric, Magnetic, and Electromagnetic Fields (Up to 300 GHz)" Health Physics, vol. 75, no. 4, pp. 494-522.

² Directive 2013/35/EU of the European Parliament and of the Council of 26 June 2013 on the minimum health and safety requirements regarding the exposure of workers to the risks arising from physical agents (electromagnetic fields) (20th individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) and repealing Directive 2004/40/EC.

³ European Commission communication in the framework of the implementation of Directive 1999/5/EC of the European Parliament and of the Council on radio equipment and

telecommunications terminal equipment and the mutual recognition of their conformity. Official Journal of the European Union 2016/C 249/01.

4 EN 62311:2008 Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz). Although the standard is defined for the general public, it provides guidance for occupational exposures in Annex B.

5 ISO/IEC 17025:2005. General requirements for the competence of testing and calibration laboratories.

6 Implicit whole-body SAR compliance with the 0.4 W/kg limit is shown using the threshold (16.8 W) derived from Table B.1 in EN 62311:2008.

7 The Specific Absorption (SA) sensory limits defined in Directive 2013/35/EU apply only to ultra-short-pulsed radio-frequency waveforms example of individing the microwave beginning affect, e.g., powerful ADADA emissions, but not the Materials Schrifton and the size of th

capable of inducing the microwave hearing effect, e.g., powerful RADAR emissions, but not the Motorola Solutions radio(s) referenced herein.